



CMC ProTech™ Aluminum Key-Lock Carabiners

UL Classified to NFPA 1983 Technical Use

Ideal for rescue and rope access, this anodized carabiner's patented key-lock design does not hang up when unclipping from your harness or web. An optimized D-shape maximizes its strength, and its wide gate opening fits over 1-inch (25 mm) diameter railings, unusual for a carabiner this compact and light. Safety indicators etched on the gate augment easy one-hand operation. Gate choices include the traditional Screw-Lock, the 3 stage Auto-lock, and the Manual Lock which takes a quarter-turn to lock and two actions to unlock. Manual-Lock and Auto-Lock versions are available with a removable keeper pin for use with lanyards or for terminating escape or RIT lines. Every carabiner is proof-loaded.

Choose from these lock styles and finishes below



-
- **CA5060N** Screw Lock | Brite | 1 in. | 6,294 lbf.(28kN) | 2.6 oz.
 - **CA5061N** Screw Lock | Black | 1 in. | 6,294 lbf.(28kN) | 2.6 oz.
 - **CA5062N** Screw Lock | Orange | 1 in. | 6,294 lbf.(28kN) | 2.6 oz.
 - **CA5063N** Manual Lock | Slate | 1 in. | 6,519 lbf.(29kN) | 2.8 oz.
 - **CA5064N** Manual Lock with Keeper | Orange | 1 in. | 6,969 lbf.(31kN) | 3.6 oz.
 - **CA5065N** Auto Lock | Red | 1 in. | 6,519 lbf.(29kN) | 2.8 oz.
 - **CA5066N** Auto Lock with Keeper | Red | 1 in. | 6,969 lbf.(31kN) | 3.6 oz.

Price: Regular Price \$19.75 – \$31.75





Omega Five-0 Aluminum

Omega's Five-0 Carabiner has a wire gate which makes it perfect for use in ice conditions. The huge gate clearance, up to 0.95.in, with a deep basket provides effortless clipping. These carabiners are made of aircraft-quality aluminum and have true radii (no flat spots) on all rope bearing surfaces.

Color: Aqua Blue

Strength: 5,620 (25kN)

Weight: 2.0 oz.

Price: Regular Price \$8.50



Omega G-First (G-Rated)



Aluminum Carabiner

UL Classified to NFPA 1983 General Use

Built as a workhorse for Fire, Rescue, and Safety industries, the G-FIRST is the world's lightest carabiner to earn the full-strength "General" rating from the National Fire Protection Association! Rated to 40kN, this carabiner weighs only 4.6 oz. G-FIRST is ISO Cold Forged from aircraft-quality, heat-treated aluminum and features a key lock nose to prevent snagging on webbing, ropes and harnesses.

CA4138N | **Screw Locking** | $\frac{3}{4}$ in | Brite | 1.1 in | 8,792 lbf.(40kn) | 4.8 oz.

Price: Regular Price \$32.00





Omega Pacific Aluminum Carabiners

These carabiners offer you superb strength, unsurpassed quality and great value. The aircraft-quality, 7000-series aluminum carabiners are made using a Cold Forged manufacturing process. This process yields lightweight, low profile, state of the art carabiners with the same good looks and 20% more strength over the standard manufacturing process.

- CA4180C **'D' Non-Locking** | 7/16 in. | Brite | .79 in. | 6,969 lbf.(31kN) | 2.3 oz.
- CA4170 **Oval Non-Locking** | 7/16 in. | Brite | .59 in. | 4,945 lbf.(22kN) | 2.3 oz.
- CA4165N* **Locking D** | 7/16 in. | Brite | .51 in. | 6,969 lbf.(27kN) | 2.6 oz.
- CA4172N* **Locking D** | 7/16 in. | Black | .51 in. | 6,969 lbf.(27kN) | 2.6 oz.

* **UL Classified to NFPA 1983 Technical Use**

Price: Regular Price \$7.00 – \$14.50



Omega Pacific Jake Carabiner

This large, pear-shaped aluminum carabiner is designed for use with the Munter Hitch for belaying climbers, or other single person load application.

CA4112 **Screw Locking** | 7/16 in. | Pewter | .94 in. | 5,170 lbf (23kN) | 3.5 oz.

Price: Regular Price \$15.50





Omega Pacific Steel Carabiners

Models marked ** are certified to NFPA 1983 General Use

Offset "D" design provides a large gate opening for ease of use. Locking screwgate for extra security and 3" chromate plated for corrosion resistance. The Large "D"s have a one inch gate that fits over most stretcher rails.

- CA4140 **Offset D Screw Lock** | 7/16 in. | Gold | 0.94 in. | 11,900 lbf.(53kN) | 7.4 oz.
- CA4141 **Offset D Screw Lock** | 7/16 in. | Black | 0.94 in. | 11,900 lbf.(53kN) | 7.4 oz.
- CA4135 **Offset D Screw Lock** | ½ in. | Gold | 0.87 in. | 14,600 lbf.(65kN) | 9.5 oz.
- CA4190N** **Large D Screw Lock** | ½ in. | Gold | 1.06 in. | 16,100 lbf.(72kN) | 10.0 oz.
- CA4195N** **Large D Screw Lock** | ½ in. | Black | 1.06 in. | 16,100 lbf.(72kN) | 10.0 oz.
- CA4131N** **XL D Screw Lock** | ½ in. | Gold | 1.5 in. | 12,590 lbf.(56kN) | 12.8 oz.
- CA4132N** **XL D Screw Lock w/Captive Eye** | ½ in. | Gold | 1.5 in. | 12,590 lbf.(56kN) | 12.8 oz.

Price: Regular Price \$26.00 – \$39.75



Petzl Am'D Carabiners

Lightweight asymmetric carabiner

The Am'D lightweight asymmetric carabiner is made of aluminum. It has a D shape particularly suited for connection to diverse equipment such as descenders or positioning lanyards. Its fluid interior design and Keylock system facilitate handling. The Am'D carabiner is available in three locking systems: automatic TRIACT-LOCK or BALL-LOCK system, or the manual SCREW-LOCK system.

Features include:

- D shape is particularly suited for connection to equipment such as descenders or positioning lanyards
- Aluminum carabiner whose light weight reduces the weight of equipment the worker at height needs to carry
- May be used with a CAPTIV positioning bar to favor



loading of the carabiner along the major axis, to limit the risk of it flipping and to keep it integrated with the device

- Easier handling:
 - fluid interior design limits the risk of having a catch point and facilitates rotation of the carabiner
 - Keylock system to avoid any involuntary snagging of the carabiner
- H cross-section:
 - ensures an improved strength-to-weight ratio
 - protects markings from abrasion
- Available in three different locking systems:
 - TRIACT-LOCK: automatic locking with triple-action gate opening
 - BALL-LOCK: automatic locking with triple-action gate opening, with lock indicator
 - SCREW-LOCK: the manual screw-lock with red band provides a visual warning when the carabiner is unlocked
- Also available in black (TRIACT-LOCK and SCREW-LOCK)

Price: Regular Price \$19.95



SMC Standard Aluminum Locking Carabiners

UL Classified to NFPA 1983 Technical Use

While the term “standard” refers to their size, SMC’s locking aluminum carabiners have truly become the standard in our industry. Their high strength, light weight and wide gate opening have made them the choice of many mountain rescue teams and fire department rescue squads. They feature a high strength aluminum alloy frame and gate, plus stainless steel internal parts. The nuts lock on the gate to prevent jamming. The colors help when coding equipment for different rope packs or different applications.

- CA5000N | **Bright** | .82 in. | 6,070 lbf.(27 kN) | 2.6 oz
- CA5020N | **Red Anodized** | .82 in. | 6,070 lbf.(27 kN) | 2.6 oz
- CA5010N | **Black** | .82 in. | 6,070 lbf.(27 kN) | 2.6 oz

Price: Regular Price \$20.00 – \$23.00



SMC Steel Rescue Carabiners

UL Classified to NFPA 1983 General Use

Designed for rescue, SMC's Locking D carabiners are state-of-the-art. With thousands of these carabiners in service, they have proven themselves reliable. The carabiner gates and screw sleeves are constructed of stainless steel for greater strength and the nuts lock on the gate to prevent jamming. These carabiners have become the choice of many mountain rescue teams and fire department rescue squads.

- CA4150N | **Large** | **Steel** | **Bright** | 1.20 in. | 10,341 lbf.(46kN) | 10.6 oz
- CA4130N | **Large** | **Heat-Treated Steel** | **Bright** | 1.20 in. | 14,613 lbf.(65kN) | 10.6 oz
- CA4186N | **Standard** | **Alloy Steel** | **Bright** | .94 in. | 10,116 lbf.(45kN) | 6.6 oz

Price: Regular Price \$36.00 – \$46.75