



In 1994 Rescue Source began manufacturing quality rescue equipment under the RQ3 Gear brand. After initial success of the now world-famous throwbags, RQ3 Gear moved into bags and hardware. Rescue Source then went on to develop its innovative Cliff Picket System and Hose Inflation Kit. RQ3 Gear always focuses on rescuer safety and affordable equipment. All RQ3 gear products are designed by professional rescuers and field-tested around the world to guarantee that our products are always tough enough to survive the rigors of the rescue environment.

PPE Defined — we offer the best Personal Protective Equipment for swiftwater, flood, and rope rescue environments.

Zescue SOURCE

Proudly Serving the Rescue Community Since 1991

Product Guide

Water Rescue

Packages	4-8
PFDs	9-11
Wetsuits & Drysuits	12-13
Gloves	14-15
Fins, Footwear & Footwear Packages	16
Helmets	17
Knives	
Throwbags	
Dry Bags	
Equipment Bags	
Wetsuit & Drysuit Care	24
Thermal Wear	25
PFD Accessories	26
Headlamps, Strobes & Flashlights	27-29
Rescue Devices	30-31
Rescue Boards	32
Rafts & Rescue Sleds	
Hose Inflation System	34



Water Rope	38
PMI Rope	39
Sterling Rope	40
New England Rope	41
Webbing, Prusik & Purcells	42
Rope Edge Protection	43
Rope Accessories	43
Straps, Anchor Slings, Etriers	44

Hardware

Carabiners	45-47
Pulleys	48-49
Ascenders/Descenders	50-51
Q-Eights & Rigging Plates	52
Rope Systems	53
Anchor Plate Cliff Pickets Driver Puller	54-55

Ice Rescue 35 Rope Rescue

Harnesses	56-57
Helmets	58
Gloves	59
Rope/Gear Bags	60
Rak Pak	

Feature: Rescue 3 International Courses Offered	62-63
Product Index	65




About the cover Photo courtesy of Coralie Nairn

SRT class | Vernon, British Columbia Instructor: Karsten von Hoesslin (Raven Rescue)



GEARASH

Rescue Source was founded in 1991 as a Swiftwater rescue company. We have witnessed the evolution of three decades of techniques and equipment, from PFDs to specialist water hardware. As the largest stocking dealer for Swiftwater rescue equipment, the options you see have been selected based on their real-world performance, availability, and range of prices. If you have any questions, a member of Rescue Source will be more than happy to answer them based on our industry experience or we can reach out to a pool of hundreds of subject matter experts.



WATER RESCUE

SWIFTWATER RESCUE TECHNICIAN

PRO PACKAGE

HOT ZONE





Product	page locator
1 NRS Rapid Rescuer PFD	page 11
1 Rescue 3 Whistle	page 26
1 NRS Rescue Wetsuit or 1 NRS Extreme SAR Drysuit	pages 12-13
1 RQ3 Max-Wear Kevlar Gloves	page 15
1 NRS ATB Wetshoes	page 16
1 Streamlight Bandit Headlamp	page 27
1 RQ3 Edge Rescue Knife	page 19
1 RQ3 Storm Pro Helmet	page 17

Item# KT1715 Wetsuit Package \$675.00

Item# KT1720 Drysuit Package \$1,095.00



STANDARD OPTIONS SHOWN. VISIT RESCUESOURCE.COM FOR CUSTOMIZATION OF KITS OR EMAIL INFO@RESCUESOURCE.COM

Water Responder Package

HOT ZONE

The RQ3 Water Responder Package equips the rescuer with essential PPE to safely operate in the Hot Zone. Minimum training level: Swiftwater & Flood Rescue Technician® or equivalent.



Item# KT4001 | \$444.00

STANDARD OPTIONS SHOWN. VISIT RESCUESOURCE.COM FOR CUSTOMIZATION OF KITS OR EMAIL INFO@RESCUESOURCE.COM

Basic Water Package

WARM ZONE

A must for command, safety, and support personnel or shore-based personnel during a water-related incident. This package is designed for easy storage in any unit that may respond to such incidents. Suggested training level: Swiftwater & Flood Operations First Responder.

Package includes:	page locator:
1 NRS Big Water Guide PFD	page 9
1 RQ3 Edge Rescue Knife	page 19
1 RQ3 Storm Pro Helmet	page 17
1 Rescue 3 Whistle	page 26
1 RQ3 Standard 75' Poly Throwbag	page 20
1 RQ3 Mesh Duffel Bag (shown on pg 23)	page 23

Item# KT4100 | \$245.00



PFD Packages

Choose between a Type III or Type V PFD. After you select the jacket that is right for you, we provide the RQ3 Edge Rescue Knife to cut free from possible entanglements and our 100+ db Classic Whistle to be heard over the water.

PFD Type III Package includes:	WARM ZONE	page locator:
1 NRS Big Water Guide PFD		page 9
1 RQ3 Edge Rescue Knife		page 19
1 Rescue 3 Whistle	-	page 26

Item# KT2200 | \$139.95



PFD Type V Package includes:	HOT ZONE	page locator:
1 NRS Rapid Rescuer PFD		page 11
1 RQ3 Edge Rescue Knife		page 19
1 Rescue 3 Whistle		page 26

Item# KT2210 | \$215.00



Youth Victim PPE Package

Victims come in all shapes and sizes, which means your victim PPE needs to as well. The Youth Victim PPE Package comes with a range of sizes to fit children and youth with essential victim PPE gear.

Package includes:	page locator:
3 NRS Crew PFDs	page 9
3 RQ3 Storm Pro Helmets	page 17
3 Rescue 3 Whistles	page 26
1 RQ3 Heavy Duty Equipment Bag (shown on pg 23)	page 23

Item# KT4200 | \$280.00



Team PPE Warm Zone Package

WARM ZONE

Seeing to it that all rescuers and victims in the Warm Zone have appropriate PPE is essential and can be the deciding factor between a successful rescue and possible disaster. This kit provides the basic items needed for three responders in a convenient storage bag. This kit can also be used as basic victim PPE.

Package includes:	page locator:
3 NRS Big Water Guide PFDs	page 9
3 RQ3 Storm Pro Helmets	page 17
1 RQ3 Heavy Duty Equipment Bag (shown on pg 23)	page 23

Item# KT5000 | \$435.00







NRS Big Water Guide PFD USEG (1881) NRS Crew PFD USEG (1881)

Features include:

Color: Hi-Vis or Red

Five adjustment points for fit

Design flotation: 15 lbs

Child: 33 - 55 lbs | Youth: 55 - 88 lbs

Universal: person over 90 lbs 33"-58"

Child size includes an adjustable leg strap

Features include: Design flotation: 22 lbs Chest sizes: L/2XL: 40" - 58" (XS/S available by special order) Color: Yellow or Red Two front zippered pockets for storage Hand warmer pouches Attachment point for leg loops sold separately Eight adjustment points for fit

Item# PF4015 | \$109.00



Mustang Hybrid Rescue Swimmer Vest

Features include:
Mustang Item #: MRV170
Design flotation: 9 lbs of inherent foam buoyancy, 26 lbs total buoyancy when inflated
Universal one size fits all. Chest size: 30" - 52"
CO ₂ cylinder storage pocket
Oral inflation/deflation valve easily accessible to adjust buoyancy
Manual CO2 inflation handle
Buckle closure for adjustment



Mustang HIT Law
Enforcement Automatic
Inflatable PFD (USE) (IN)

Features include:
Mustang Item #: MR3183 LE
Provides 38 lbs of buoyancy when inflated
Universal one size fits all. Chest size: 30" - 52"
Color: Orange, Navy, Black
Automatic PFD inflatable (back-up oral inflation tube)
Strobe light holder safety whistle SOLAS tane

Custom silk screen verbiage available * Set up fees may apply *

* Must be purchased in quantities of five or more to be silk

Item# PF1620 | \$275.00

screened on back flap







Force 6 RescueOps PFD USCO THIS Force 6 RescueTec PFD USCO THIS

Features include:

Design flotation: 26 lbs

Sizing: Universal: 32" - 58"

Color: Red, Hi-Vis, Orange, Olive or Navy

MOLLE pockets fit most radios

MOLLE patch areas on both sides of chest

Back hook and loop area for nameplate

Compatible with the Force 6 Extrication Leash and Leg Loops sold separately page 26

Item# PF7700 | \$219.00



Design flotation: 26 lbs

Sizing: S/M: 28" - 40"; L/XL: 40" - 52"

Color: Red

Extendable waist belt on the L/XL model

Eleven adjustment points for fit

Compatible with the Force 6 Extrication Leash, Swim Harness and Pockets sold separately page 26

Item# PF7900 | \$319.00



Force 6 Rescuer PFD Transport Canada Certified



Astral Greenjacket

USCG TYPES

Features include:

Design flotation: M/L: 26 lbs; XL: 32 lbs

Sizing: M/L: 32"-52"; XL: 43" - 62"

Color: Red

Five adjustment points for fit

Compatible with the Force 6 Extrication Leash sold separately page 26

Item# PF7800 | \$219.00

Features include:

Design flotation: 16.5 lbs

Sizing: S/M: 31"-37"; M/L: 38" - 44"; L/XL: 45" - 51"

Color: Black

Pullover entry

Eight adjustment points for fit

Compatible with the NRS Swiftwater Tow Tether sold separately page 26

Item# PF1300 | \$300.00

Mustang Universal Swift Water Rescue Vest USCG TIMES

Features include:

Mustang Item #: MRV150

Design flotation: 25 lbs

Sizing: Universal: 30" - 58"

Color: Hi-Vis

MOLLE webbing on both shoulders, pockets and back

Velcro panel on the back for attaching ID patches

Two large self-draining pockets hold most radios

Seven adjustment points for fit

Compatible with the NRS Swiftwater Tow Tether sold separately page 26

Features include:

Design flotation: 22 lbs

Sizing: Universal: 30" - 58"

Color: Red or Yellow

Eight adjustment points for fit

Compatible with the NRS Swiftwater Tow Tether and Leg Straps sold separately page 26

Item# PF4025 | \$195.00

Item# PF1800 | \$195.00



Features include:

Design flotation: 22 lbs

Sizing: Universal: 30" - 56"

Color: Yellow

Eight adjustment points for fit

Compatible with the NRS Swiftwater Tow Tether and Leg

Universal Rescuer USCG TIPES

Straps sold separately page 26

Item# PF2210Y | \$125.00



NRS Zen Rescue PFD USEG TYPES

Features include:

Design flotation: 17.5 lbs

Sizing: S/M: 31" - 37"; L/XL: 38" - 44"; 2XL: 45"-51"

Color: Red or Black

Clamshell pocket big enough to store rescue essentials

Six adjustment points for fit

Compatible with the NRS Swiftwater Tow Tether sold separately page 26

Item# PF1900 | \$199.95

Rescue SOURCE







NRS Rescue Wetsuit

Mustang Water Rescue Drysuit

Mustang Sentinel Series Water Rescue Drysuit

Unique features include:

3-mm PowerSpan panels for mobility

"RESCUE" in reflective lettering on bright Hi-Vis panels for increased visibility

Friction zones prevent PFDs from sliding

Entry, wrist, and ankle zippers

5-mm neoprene seat covered with Tough Tex^{TM}

Knees and shins are armored with molded polyurethane

Color: Hi-Vis/Black

Sizes: S-3XL

Grizzly sizes: G-L or G-2XL

Grizzly sizing is designed with a wider cut across the chest, waist and thighs to fit a broader range of rescuers

Item# WS2950 | \$265.00 Item# WS2950G Grizzly L or 2XL | \$272.00

Unique features include:

Mustang Item #: MSD576

Ideal for cache equipment protocols

Rapid Repair Technology enables users to self-replace seals in an hour or less

Neoprene adjustable neck seal

Fabric GORE-TEX breathable waterproof fabric

Integrated fabric socks

Color: Hi-Vis/Black

Sizes: M-2XL

Item# DS8070 | \$1,125.00

Unique features include:

Mustang Item #: MSD624

Mobility-based sizing offers semi-custom sizing

Rapid Repair Technology enables users to self-replace seals in an hour or less

Neoprene adjustable neck seal with cover

Integrated fabric socks

2 thigh cargo pockets and shoulder pocket

Ballistic nylon wear protection patches

Tailbone protector

Reinforced wrist and ankle overcuffs

Color: Hi-Vis/Black

Sizes: XS-2XL, Short, Regular, Long

Short and long cuts are charged a restocking fee if returned

Item# DS8026 | \$1,495.00







NRS Extreme SAR Drysuit

NRS Extreme Drysuit

Aqualung Osprey Drysuit

Unique features include:

Breathable, waterproof, 320-denier TriTon fabric

With fewer seams, the Extreme SAR is now lighter than before, making it easier to accomplish those physically demanding rescues

Latex socks, wrists and neck gaskets

A self-draining cargo pocket keeps the essentials close at hand

Seams are sealed with tough liquid rubber RSeal so they won't leak, ever

Neoprene outer cuffs with adjustable hook-and-loop closures on the neck, wrists, and ankles protect the latex gaskets

The Grizzly cut, G-2XL, gives more room around the chest, waist and thighs to fit the larger customer

Color: Red or Hi-Vis

Sizes: S-2XL Grizzly sizes: G-2XL

Grizzly sizing is designed with a wider cut across the chest, waist and thighs to fit a broader range of rescuers

Unique features include:

EclipseLT fabric for dependable dryness, breathability and durability.

Volcano-style self-draining punchthrough neoprene neck, and wrist overcuffs protect the latex gaskets

Eclipse fabric socks

Polyurethane overcuffs with adjustable hook-and-loop closures to protect fabric socks

Reflective accents along the arms and legs

Color: Red or Hi-Vis

Sizes: S-2XL Grizzly sizes: G-2XL

Grizzly sizing is designed with a wider cut across the chest, waist and thighs to fit a broader range of rescuers. Currently only offered in color red on this model

Item# DS2252 | \$680.00

Unique features include:

Adjustable full circumference neoprene neckseal

Saltwater resistant waterproof breathable material

Fully donned or stand-by mode

Anti-flush "wader belt" located under jacket

Reinforced 420 denier nylon padded elbows, knees/shins and seat

Attached soft dry socks

Loop shoulder panels for adhering patches

Color: Red

Sizes: S-4XL

Item# DS6125 | \$1,095.00

Rescue SOURCE 2021 2022

Item# **DS1600** | \$810.00



NRS Utility Gloves

Features include:

Made of 2-mm Terraprene neoprene for warmth

Rubberized Amara® synthetic leather patches on palm and fingers

Slip-on wrist cuff

Pairing snaps on the wrists help keep gloves together

Color: Black

Sizes: S-2XL

Item# GL8400 | \$37.25



Aqua Lung 3mm Thermocline Gloves

Features include:

Sculpted cut with ribbed backing to help gloves retain their shape

Rubberized palm

Cinch closure at the wrist extends the longevity of the gloves

Color: Black

Sizes: S-2XL

Item# GL1320 | \$26.00



NRS Tactical Water Gloves

Features include:

Made of 2-mm Terraprene neoprene for warmth

Palms and fingers reinforced with aramid material

Soft brushed fleece on the thumb and wrist

Elastic wrist strap

Pairing snaps on the wrists help keep the gloves together

Color: Black

Sizes: S-2XL

Item# GL2503 | \$46.75



NRS Reactor Gloves

Features include:

Made of 3-mm neoprene with titanium laminate adhesive for added warmth

Palm and fingers constructed with tough aramid material for grip

Pre-curved fingers

GripCote on the backs of the fingers helps prevent wind chill

Wristband with hook and loop closure ensure a secure fit

Pairing snaps on the wrists help keep the gloves together

Color: Hi-Vis

Sizes: S-2XL

Item# GL8125 | \$46.75

RQ3 MAX-WEAR KEVLAR GLOVES

Multi-use rescue gloves designed to be the best crossover gloves on the market



RQ3 Max-Wear Kevlar Gloves

Color: Black
Sizes: M-2XL

Item# GL8910 | \$37.25



Aqua Lung Shredder SAR Fins

Features include:

Fits all large water boots

Adjustable buckle with quick-release leash system secures fins on feet

Large, soft, foot pocket and heel pad

Overall Length: 16.5"

Blade Width: 10"

Size: One size fits all

Color: Hi-Vis or Black

Item# FN3000 | \$70.00

Item# FN3001 (Replacement Strap) | \$14.00





NRS ATB Wetshoes



NRS Workboot Wetshoes

Features include:

Hiking boot lug sole for superior traction

5mm neoprene for upper boot, 7mm neoprene insole for warmth

Zippers for easy entry and exit

Reinforced heel and secure instep strap adds extra security

Swim fin tab on back of heel

Whole Sizes: 6-14

Item# BO8800 | \$59.25

Features include:

Lace-up synthetic leather

5mm neoprene for upper boot 7mm neoprene insole for warmth

Heavy-duty lug sole

Laces and ankle strap for premium security

Swim fin tab on back of heel

Whole Sizes: 6-15

Item# BO9800 | \$67.50

Water Rescue **Footwear Packages**

Packages includes:

6 Pairs NRS ATB Wetshoes (whole sizes 6 -14) or 6 Pairs NRS Workboot Wetshoes (whole sizes 6-15)

1 RQ3 Mesh Duffel Bag pg 23

1 Gear Aid Revivex Wetsuit & Drysuit Shampoo 10 oz | pg 24

Item# KT3900 ATB Wetshoes | \$360.00 Item# KT3950 Workboot Wetshoes | \$410.50



RQ3 STORM PRO HELMET

Water rescue helmet designed for personal, department, and team use



RQ3 Storm Pro Helmet

Conforms to CE EN 1385:2012 helmet standards

Helmet sizes: S/M (20.9" - 23.3") or L/XL (21.6" - 24.0")

Colors available: Matte Black, Red, White or Hi-Vis


Item# HL7050 | RQ3 Storm Pro Helmet | \$39.95



KNIVES

	Length	Blade material	Sheath	Additional features	Color
NRS Neko Knife Item# KN2510 \$50.95	Blade length: 2 ¼" Total length: 5 ¾" Blunt tip	420HC Stainless steel	Fiberglass reinforced nylon attaches to PFD lash tab	Square hole in handle serves as a valve wrench for oxygen tank Bottle opener in the handle	Green or Black

Gerber River Shorty Item# KN1510 \$34.00	Blade length: 3" Total length: 6 ¾" Blunt tip	Stainless steel	Molded plastic attaches to PFD, pack, or belt	Quick-release lock	Black
--	---	--------------------	---	-----------------------	-------




Gear Aid Akua River Knife Blade length: 3" Total length: 5 ¾" Blunt tip Item# KN5650 \$29.95	Titanium- coated Stainless steel	Quick-drain with a removable belt clip, 1" webbing mount and lanyard holes	Quick-release lock ——— Bottle opener/ glass breaker	Hi-Vis or Black	
---	---	--	---	--------------------	--

RQ3 EDGE RESCUE KNIFE

Designed for the professional rescuer, this knife will perform in and out of the water





ADJUSTABLE MOUNTING CLAMP

EASILY MOUNTED TO:

A PFD | A BELT | WEBBING



REDESIGNED FRICTION-LOCK SHEATH

SHEATH CAN MOUNT VERTICALLY OR HORIZONTALLY WITH MOUNTING **CLIP OR CAN MOUNT BY LASHING** THROUGH THE HOLES TO SECURE



Rescue **SOURCE**

Rescue SOURCE 2021 2022

RQ3 THROWBAGS

Rope Type	3/8" Polypropylene 1900 lbs/8.4kN		3/8" UltraLine 5237 lbs/23.3kN		3/8" G i 3282 lbs	rabline 6/14.6kN
Rope Length	50′	75′	50′	75′	50′	75′
RQ3 Standard Bag • Nylon fabric that stands up to UV rays and is quick-drying • Handle over the top • Reverse taper for easy loading	\$45.95 Item# BG3118	\$46.95 Item# BG3137	\$76.95 Item# BG3122	\$115.95 Item# BG3136	\$55.95 Item# BG3123	\$67.95 Item# BG3124
RQ3 Pro Bag Padded side pocket to store a carabiner Reflective tape for visibility Aluminum locking "D" carabiner is included	\$54.95 Item# BG3127	\$60.95 Item# BG3129	\$99.95 Item# BG3128	\$130.95 Item# BG3130	\$70.95 Item# BG3134	\$82.95 Item# BG3138
RQ3 Second Chance Throwbag • Standard bag • Second chance ball adds flotation • Easy to grip in cold conditions		RC	Q3 GEA	R		\$73.95 Item# BG3144

Proc	duct	Features include:
RQ3 Second Chance Ball	\$5.95 Item# MS1900	 Retrofit your existing throwbag Increases accuracy of second toss Easy to grip even while wearing thick gloves High visibility for victim

Rope Type	1/4" Polypropylene 1200 lbs/5.4kN	1/4" UltraLine 2495 lbs/11.1kN
RQ3 Mini Throwbag • Compact in size 7 1/2" x 4 1/2" • Can attach to PFD or belt with side fastek buckle • 50 ft of rope	\$30.95 Item# BG3116	\$59.95 Item# BG3141
NRS Guardian Wedge Waist Throwbag The outer bag has a hook-and-loop flap and zipper to facilitate removing the inner bag Drainage holes in the bag expel water quickly Removable Wedge Throwbag has foam flotation to keep it on top of the water, mesh sides for drainage and drying, and reflective tape for increased visibility Quick-release buckle on the adjustable waist belt ensures safe exit in an emergency The internal throwbag comes completely free from the waist belt Compact in size 71/2" x 41/2" 55 ft of rope	\$67.95 Item# BG3164 [Guardian]	\$84.95 Item# BG3165 [Pro Guardian]

Throwbag Rope

SOLD SEPARATELY

We sell throwbag rope by the foot. Rope should be inspected often and replaced when needed.

3/8" Polypropylene 1900 lbs/8.4kN Item# RP5080 | \$.40/ft

1/4" Polypropylene 1200 lbs/5.4kN Item# RP5118 | \$.30/ft

3/8" UltraLine 5237 lbs/23.3kN Item# RP5130 | \$1.37/ft

1/4" UltraLine 2495 lbs/11.1kN Item# RP5110 | \$.95/ft

3/8" Grabline 3282 lbs/14.6kN Item# RP5125 | \$.67/ft

RQ3 Empty Replacement **Throwbags**

SOLD SEPARATELY

Standard Bag Item# BG3135 | \$22.00

Pro Bag Item# BG3126 | \$27.00

Mini Throwbag Item# BG3140 | \$15.00

Rescue SOURCE

DRY BAGS

	Product	Item# Price	Water- proof	Device is usable in case	Floats if dropped in water	Strap or lanyard	Size	Additional features
	Aquapac Large Whanganui Case	Item# BG1430 \$44.95			V	Shoulder strap	11.5" x 17.3"	Protects from dirt, sand, dust ————————————————————————————————————
	Aquapac VHF Pro Waterproof Radio Case	Item# HA1300 \$64.95			√	Radio harness	Full length: 13" Body length: 7.2" Circumference: 8.7"	Guaranteed 100% waterproof to 15' 4 lash points for the 3-way harness Fits left and right- handed radios
	Aquapac VHF Classic Case	Item# BG1420S \$37.95 Item# BG1420L \$39.95		V	V	Comes with adjustable lanyard and neck cord	Small 4.5" x 14.5" Large 6.5" x 15.5"	Protects from dirt, sand, dust ———— Fits left and right- handed radios
WATER RESCUE HE OFFICE OF THE OFFI WATER OF THE OFFI HE OFFI OFFI WATER OFFI HE OFFI HE OFFI OFFI OFFI OFFI OFFI OFFI OFFI OFFI	Geckobrand Waterproof Phone Tote	Item# BG1405 \$24.99			Not intended for submersion or as a floating device	Belt loop and shoulder carry strap	5" x 8" x 2.6"	Protects from rain, sand, dirt, water and snow



RQ3 Heavy Duty Equipment Bag

Features include:

Made of heavy-duty coated mesh and 1680D polyester

Industrial zippers and carrying straps

Size: 25" x 17" x 16"

Item# BG3195 | \$58.95

RQ3 Mesh Duffel Bag

Features include:

Made of black nylon jersey mesh and 900D polyester

Mesh allows for quick-drying of wet gear

Exterior pocket with zipper closure

Size: 35" x 17" x 17"

Item# BG3085 | \$39.95

RQ3 PPE Equipment Duffel

Features include:

Made with 1680D polyester and mesh

Shoulder carry strap

Webbing handles

Full-size pocket on one end for extra storage

Size: 30" x 16" x 16"

Item# BG3500 | \$42.50



SOURCE

DRYSUIT ACCESSORIES

Product	Features	Price
Baker Hanger Shoulder Saver	 Helps suits dry in 75 percent less time Allows natural air circulation to flow throughout suit and wick away moist-ure inside and out to cut back on mildew and odors Can hold up to 100 lbs 	\$26.99 Item# DS2300
Baker Hanger Hood Saver	Safely hang your hooded suit with no harm to neck or hood material Supports hanger with hooded suit while providing stress-free support for hood in upright position Hood rests gently on hood support with correct shape Provides long-term storage with no creasing Holds 60 pounds with super strong ABS body & stainless steel swivel hook	\$19.95 Item# DS2325
OS Systems Neck Ring	 Designed to increase comfort Helps vent excess heat from inside your drysuit Snap the neck ring around your neck and roll the neck seal over it Color: Clear 	\$12.99 Item# DS4200

GEAR AID CARE LINE

Product	Features	Price
Revivex Wetsuit & Drysuit Shampoo	 Wetsuit cleaner and conditioner for neoprene and watersports gear Leaves articles free of organic residue, chlorine, and salt deposits Prevents premature aging and oxidation 	10 oz \$7.95 Item# DS6100 1 gallon \$37.95 Item# DS6110
Revivex Odor Eliminator	 Microbe-based odor eliminator is water-activated and can be applied via spray or soak Biodegradable formula that's perfume-free and safe for your gear Removes organic debris and odors typically associated with sweat, urine, mold, mildew, bacteria and algae 	10 oz \$8.95 Item# DS6200
Zipper Cleaner & Lubricant	 The brush top removes debris and delivers its advanced cleaning formula right between the zipper teeth Perfect for plastic, nylon, or metal zippers Contains no silicone 	2 oz \$5.25 Item# DS6250
Zipper Lubricant Stick	 Protects against rust, corrosion, chlorine and salt in all temperatures Provides UV protection for nylon and plastic zippers Contains no silicone 	0.5 oz \$6.75 Item# DS6150
Aquaseal FD Adhesive & Cure Accelerator	 Specifically formulated to offer superior flexibility, as well as excellent adhesion, waterproofing, and abrasion resistance with minimal shrinkage Tack time is 15 minutes Cure time less than two hours 	\$11.50 Item# DS6075

Rescu SOURC	
2021	L
2022	2





Products shown	Features	Sizes	Price
① NRS Men's Expedition Weight Union Suit (drysuit liner)	90% polyester, 10% spandex constructed with H2Core Expedition fleece provide warmth, dries quickly and wicks moisture	S-2XL G-L & G2XL	\$130.00 Item# DS1700
② NRS Hydroskin 0.5 Wetsocks	.5 mm neoprene adds extra warmth, the DWR coating forces water to roll off the material reducing evaporative cooling	XS, S, M	\$25.50 Item# BO3001
③ NRS Hydroskin 0.5 Helmet Liner	.5 mm neoprene adds extra warmth while not getting in the way of your helmet	S, M, L	\$21.95 Item# HL2125
④ NRS Storm Hood	2.5 mm neoprene hood fits snug to keep water out and warmth in	S, M, L	\$46.75 Item# HL1500
⑤ NRS Wetsocks	2mm neoprene makes these perfect for wearing with your drysuit and wetsoes	M-2XL	\$21.00 Item# BO7760
6 CMC Sunbrero	1000-denier Cordura nylon fabric fits over your helmet to block your face, ears, and neck from the sun	Universal	\$39.00 Item# HL4900
Mustang Sentinel Series Drysuit Liner	Polartec Classic 200 fleece and Polartec Stretch fleece makes this layer wind and abrasion resistant	XS-3XL	\$195.00 Item# DS8600

PFD ACCESSORIES

Force 6	Product	Features	Price
	RescueOps Leg Loops	Attaches with quick-release buckles to help hold the PFD in place	\$15.00 Item# HA1410
2000 E	Universal Back Pocket	10" x 9" x 3" mesh and hook and loop panels on the front, fits on the Rescue- Tec and RescueOps PFD	\$59.00 Item# PF7852
DIVE TEAM RESCUE	Custom Name Plate Back	Custom name plate designed for the RescueOps PFD 11" x 2" Colors: Red, Black or Hi-Vis with silver reflective writing	\$24.95 Item# PF7955
44	RescueTec Swim Harness	Attaches with quick-release buckles to help hold the PFD in place	\$22.00 Item# HA1400
	Extrication Leash	Works with most water rescue PFDs. Made from 1" tubular webbing and a Fusion T-Wave screw gate carabiner • Length with carabiner is 48"	\$69.00 Item# PF7645
	Back Pocket Reflective Strip	Reflective strip to add to the back pocket giving you extra visibility to others • Size: 8" x 2" • Colors: Hi-Vis or Silver SOLAS	\$9.95 Item# PF7854
	RescueOps Reflective Kit	This set is for additional reflective for the RescueOps PFD. This includes two - 4" x 2" front reflective and one - 11" x 2" for the back Colors: Hi-Vis or Silver SOLAS	\$19.95 Item# PF7855

NRS	Product	Features	Price
	PFD Leg Straps	Adjustable sizing fits up to 45" circum- ference leg designed to work with the NRS Big Water Guide and NRS Rapid Rescuer PFD	\$9.50 Item# HA1500
	Tow Tether	Works with most water rescue PFDs, this tow tether with built-in bungee comes with a stainless steel O-ring and Standard D Locking Carabiner. Available in 33" or 53"	\$25.50 Item# PF7630 short 33" Item# PF7631 long 53"

RQ3 Gear	Product	Features	Price
di	Rescue 3 International Whistle	This 100+ db whistle has no pea to swell or stick. Plastic construction will not rust or fail. Comes with a flex coil	\$5.50 Item# WH7905

Petzl TIKKA Headlamp

Water resistant: 1PX4 weather resistant

The TIKKA headlamp is a hybrid headlamp that comes with multiple lighting modes — proximity, movement, and distance vision with either red or white light. The red light prevents members of a group from blinding each other in the dark. The phosphorescent reflector on the headlamp helps you find it in your pack, even in the dark.

Features include:

Power: 300 Lumens

Beam pattern: Flood

Burn time: 120 hours low; 60 hours high

Batteries: 3 AAA batteries included, compatable with CORE rechargeable

battery

Weight: 2.8 oz

Color: Black

Item# HE6315 | \$29.95



Streamlight Bandit Headlamp

Water resistant: 1PX4 weather resistant

The Bandit is a lightweight, compact, low-profile rechargeable headlamp. It has a multi-function push button switch with charge indicator.

Features include:

Power: 180 Lumens

Beam pattern: Flood

Burn time: 9.5 hours

Batteries: USB rechargeable

Weight: 1.3 oz

Color: Hi-Vis and Black

Item# HE6170 | \$37.25



Princeton Tec Roam Headlamp

Waterproof: 1PX8 submersible up to 100 meters

While this headlamp can be used as a standard headlamp, it was built to be the ideal dive headlamp. It's 100-lumen LED and custom optic delivers the focused beam that divers need.

Features include:

Power: 170 Lumens

Beam pattern: Narrow

Burn time: 18 hours

Batteries: 2 AA batteries included

Weight: 5.8 oz

Color: Hi-Vis and Black

Item# HE1600 | \$49.99



Petzi PIXA 3 Headlamp

Waterproof: 1PX7 submersible up to 1 meter

This headlamp offers lighting that adapts to any environment, close range work, movement and long-range vision. Constant lighting technology: brightness does not decrease gradually as the batteries are drained. It meets certification requirements for work in explosive environments (specs available online).

Features include:

Power: 100 Lumens

Beam pattern: Flood, Mixed, Focused

Burn time: 26 hours

Batteries: 2 AA batteries included compatible with rechargeable lithium

Weight: 5.6 oz

Color: Yellow and Black

Item# HE6250 | \$79.95



Petzi PIXA 1 Headlamp

Waterproof: 1PX7 submersible up to 1 meter

This headlamp offers lighting that allows the user to work comfortably on tasks close at hand. It has 2 modes: high and low. Constant lighting technology: brightness does not decrease gradually as the batteries are drained. It meets certification requirements for work in explosive environments (specs available online).

Features include:

Power: 60 Lumens

Beam pattern: Flood

Burn time: 16 hours

Batteries: 2 AA batteries included compatible with rechargeable lithium

Weight: 5.6 oz

Color: Yellow and Black

Item# HE6275 | \$39.95



Princeton Tec Apex 650 Headlamp

Waterproof: 1PX7 submersible up to 1 meter

This headlamp is a favorite for extreme outdoorsmen and cavers. It incorporates a single regulated Maxbright LED plus 4 regulated Ultrabright LEDs. It is capable of a powerful spot beam or a bright flood, and two switches make changing modes intuitive.

Features include:

Power: 650 Lumens

Beam pattern: Spot and Flood

Burn time: 12 hours

Batteries: 4 AA batteries included

Weight: 9.8 oz

Color: Black

Item# HE1800 | \$68.75

rescuesource.com

Rescue SOURCE



Princeton Tec Aqua Strobe

Water resistant: 1PX8 submersible up to 100 meters

Twist operation turns on the Aqua Strobe and produces 60 flashes per minute. The buoyant cone keeps the light pointed up whether its on the surface or underwater. Can attach with a Velcro strap or a lanyard.

Item# SD7200 | \$29.99

Features include:		
Power: 100 Lumens	Burn time: 12 hours	Weight: 3.3 oz
Lamp: 1 White Maxbright LED	Batteries: 1 AA Alkaline	Color: Hi-Vis

ACR C-Strobe H20



it most, in the water. It has an impact-resistant case making it an efficient distress light when needed. Can attach to a PFD with flexible lashing loops allowing for multiple mounting options.

Item# SD7625 | \$25.00

Features include:		
Power: 45 Lumens	Burn time: 120 hours	Weight: 2.4 oz
Lamp: 1 White LED	Batteries: 2 AA Alkaline	Color: Hi-Vis



Princeton Tec Meridian Strobe/Beacon

Water resistant: 1PX8 submersible up to 100 meters

The toggle switch allows for easy operation with gloves. The Meridian Strobe features a white emergency strobe and white constant on locator mode and is visible for over a mile. Can attach to a PFD or other objects with 1" webbing.

Item# SD7680 | \$29.99

Features include:		
Power: 100 Lumens	Burn time: 100 hours	Weight: 3.5 oz
Lamp: 1 White Maxbright LED 1 Red Maxbright LED	Batteries: 3 AAA Alkaline	Color: Hi-Vis



The oversized operating switch is usable and lockable

with just your thumb. Designed with an ergonomic angled

Lamp: 1 Maxbright LED Burn time: 14 hours

Power: 420 Lumens

Batteries: 4 AA Alkaline (included)
Weight and length: 7 oz/6 inches

Color: Hi-Vis

Item# FL8010 | \$45.00



Princeton Tec Sector 5

Waterproof 1PX8 submersible up to 100 meters

The trigger switch is easy to use. Access momentary "on" via a half-pull and constant "on" via a full pull. The trigger also locks out to prevent accidental illumination.

Features include:
Power: 550 Lumens
Lamp: 1 Maxbright LED
Burn time: 3.5 hours
Batteries: 4 C Alkaline (included)
Weight and length: 1.43 lbs/7 inches
Color: Hi-Vis

Item# FL8015 | \$111.99



Princeton Tec Sector 7 LED Spotlight

Waterproof 1PX8 submersible up to 100 meters

The trigger switch is easy to use. Access momentary "on" via a half-pull and constant "on" via a full pull. The trigger also locks out to prevent accidental illumination.

Item# FL8050 | \$130.99



Streamlight Dualie 3AA Flashlight

Waterproof

This is an intrinsically safe multi-function flashlight.

Produces a focused spotlight and soft flood light. Dual, independently operating push button switches for spot beam, flood beam or both beams simultaneously. Made from durable, non-conductive, corrosion-proof polymer resin.

Rocky stipple texture for a sure grip.

Features include:
Power: 245 Lumens
Lamp: Spot/Flood
Burn time: 9 hours
Batteries: AA Alkaline (included)
Weight and length: 6.8 oz/7 inches
Color: Hi-Vis

Item# FL7500 | \$48.95

Rescue SOURCE 2021 2022









Marine Rescue Products Rescue Tube

Features include:

Heavy-duty brass clip to secure tube around victim

Tapered ends to reduce drag

10' poly tow line and 2" heavy-duty nylon strap included

Dimensions: 40" x 5.5" x 3"

Weight: 2.25 lbs

Item# RC3500 | \$69.95

Marine Rescue Products Rescue Ring Buoy USGG 1984

Features include:

Vinyl-coated nylon skin with urethane foam core

Will not sink even if punctured or cut

Rot and mildew resistant

Dimensions: 24"

Weight: 2.25 lbs

Buoyancy 28 lbs

Item# RG8800 | \$62.95

Marine Rescue Products Rescue Can

Features include:

Strongest molded linear plastic and thickest walls on the market

Pebble-grained handles for grip

10' poly tow line and 2" heavy-duty nylon strap included

Length: 28"

Weight: 3 lbs

Item# RC0105 | \$76.95

31





Ketch-All Pole

Features include:

This pole is used by animal control professionals and animal rescue personnel

The pole is famous for its versatility — from an animal up a tree, under a building, or in a storm-swollen stream

When retracted, it may be used as a heavy-duty restraining device

Also recommended by Swiftwater Recovery Specialists™ for use during body recovery operations

Made from aircraft-grade aluminum for long life

Size: Extendable 4' - 6'

NRS Raft/Cargo Net

Features include:

Recommended by Swiftwater Recovery Specialists

Used during body recovery operations or parbuckling techniques

Border of 2" webbing for strength

Multi-attachment points for strapping

Nine - 4' HD straps included

Dimensions 60" x 80"

Item# MS4525 | \$63.75



Cinch Rescue Ring Collar

Features include:

Allows victim to enter the collar from either side

The victim's weight releases the connector allowing the collar to "cinch" around the victim

Can be deployed from land or watercraft

Can be used as a life-ring buoy

Carrying case included

Dimensions when open: 20"

Weight 3.5 lbs

Item# RG1800 | \$315.00

Item# RG4050 | \$125.75









NRS Rescue Board

Features include:

Grooved, textured deck pad

2 padded handles for operator control

4 side handles for victim support

2 1.5" stainless D-rings for towing and lowering

Leafield D7 inflation valve/screened Leafield pressure relief valve

Inflated up to 20 psi

Folds up compactly for transport and storage

Material: PVC drop-stitch

Includes NRS Super 2 HP Pump and repair kit

Dimensions: 57" x 25" x 4"

Item# BD1640 | \$420.75

Weight: 11 lbs

Carlson River Rescue Board

Features include:

Tough board made in United States

Improved core allows for flexibility and less water absorption

Brushed belly grooves to grip your body

165 lbs of flotation

Constructed from polyethylene beads

Dimensions: 56" x 24" x 4"

Weight: 10 lbs

Item# BD1655 | \$425.00

Extractor River X Rescue Board

Features include:

All-season, ice rescue, swiftwater flotation device

Deck pad black %" thick PVC with texture for traction

Buoyancy 120 lbs

Materials: rotomolded, superlinar polyethylene - hollow core with vent drain plug

Dimensions: 55" x 24" x 6"

Weight: 18 lbs

Item# BD1675

River X Board | \$735.00

Item# BD1700

Ice Rails (not shown) | \$150.00

Item# BD1695

River X Board with Ice Rails | \$875.00

NRS Rescue X-Sled 115

Features include:

Can be used for swiftwater, ice, low-head dam and floodwater rescues

Designed to accommodate two rescuers and one victim

The drop-stitch deck inflates to 8-10 psi, giving the sled super rigid performance

Two side chambers and the drop-stitch deck keep you afloat in the event of a puncture

16 handles for easy carrying and climbing on board

The high bow kick lets the X-Sled rise up and over waves and ice ledges

Includes an NRS Super 2 HP Pump and repair kit

Length: 12' | Width: 48" | Weight: 67 lbs

Item# BD8609 | \$2,120.75

I NRS

NRS R120 Rescue Raft Kit

Features include:

A 4" thick drop-stitch floor insert and 7.75" x 10.5" drop-stitch thwarts inflate to a rigid 8-10 psi, giving the boat the stiff and responsive performace needed in unpredictable scenarios

Each inflation chamber has a pressure relief valve to prevent damage from over inflation

16 - D-rings and 12 handles provide lots of options for gear tiedown and portaging

Features floor slots and intentional D-ring placements to suspend the boat and lower into position

Foot cups give stable anchoring for crew members in rough conditions

Can accommodate 6 paddlers, plus one in the stern. Alternatively, you can rig it with a rowing frame and motor mount for an outboard

Length: 12'2" | Width: 6'4" | Weight: 120 lbs

Kit includes:

1 - R120 Raft

Repair Kit and High-Pressure Inflation Pump


7 - Carlisle STD Paddles, 60"



Rescue SOURCE 2021 2022

RQ3 MARK V HOSE INFLATION SYSTEM

A must-have with many swiftwater and ice rescue teams



RQ3 Mark V Firehose Deluxe Inflation System

Item# FMS7100 | \$425.00





Mustang Ice Commander

This is the suit of choice for Coast Guard units, SAR teams, fire departments and ice rescue professionals.

eatures include:
/lustang Item #: IC900103
Velded nylon outer shell
later-tight hood and face seal
leavy-duty zipper
afety harness - integral self-adjusting safety harness
rgonomic ice awl pockets - sleeve pockets customized to attach and stow ice a
M™ SOLAS reflective tape for high visibility
etachable inner buoyancy liner made of closed-cell Airsoft™ foam
ize: Adult Universal
/eight: 110-330 lbs
leight: 4'11"- 6'6" (1.5-2m)

Item# WS1600 | \$795.00

	Product	Features	Price
	Hammes Pick of Life Ice Awls	 Made with two 4" plastic cylinders Each cylinder contains a steel pick Pick is protected by a retractable, springloaded guard Self-rescue aid Lightweight and compact 	\$19.00 Item# IR1600
	Petzl Laser Speed Ice Screw CE, UIAA	 Stronger and more durable steel tube and threading. Steel treated to reduce weight and increase strength Optimal drill shape Size: 21cm (8.3") 	\$64.95 Item# IR1565
SURFACE ICE SAFETY & RESCUE	Raven Rescue Ice Rescue Field Guide	Written by Ice Expert: Ron Morrison Designed for instant reference Waterproof and tear proof Includes sections on: Hazard Identification, Determining Ice Thickness, Safe Work Procedures, Rescue Techniques	\$36.00 Item# BK2195

Reach N Sling

Features include:

Can reach up to 6' when extended out straight

Clip the hook to the ring, and it becomes a high-float sling a victim can pull over

Slip the tube behind the victims and under their arms, then use the web loop to lift them into the boat

An effective floating boom to stretch across a river, canal, or pond and can be maneuvered from the banks



ope rescues are based on the rapid assembly of systems to efficiently access patients and safely convey them out of danger. As your equipment provider, it is up to us to supply you with the appropriate gear to get the job done. How that job gets done is up to you.

If your systems are tensionless hitches with hand-tied prusik belays and brake bar racks, we can supply those items. If your system is a mirror based on straps, anchor plates, and progress capture pulley/descender devices, you will find those as well. If you do not see exactly what you want, please inform us. Rescue Source is a full-line distributor for our vendors and we will gladly special order the items you need for your system.

HARDWARE



Rescue SOURCE 2021 2022

Water Rope

Ropes for work on water keep buoyancy as a central design tenet. Their core generally has a more open weave and looser bond to the mantle to allow for sufficient air to float the rope. These lines are generally lighter when dry and more supple than life safety ropes. While these changes in construction result in a more dynamic line with less tensile strength and abrasion resistance than life safety ropes, they end up being desirable features. Give in the rope results in fewer shocks to the victim and rescuer, increasing the odds of them staying together.



Teufelberger Water Rescue Rope

Intended for high-load applications that normally call for a lifeline but also require a rope that floats, this rescue rope is compatible with prusik hitches, ascenders, pulleys, and other rescue hardware. Its core is polyolefin covered with a tough, abrasion-resistant nylon sheath. Double braided with a polypropylene core contained within an abrasion-resistant nylon jacket, this is one tough rope — not a throw line but a rescue lifeline.

Note: If rope is under extreme load, sheath may slip exposing core.

Weight: 5.3 lb/100 feet

Average tensile strength: 5050 lbs

Minimum tensile strength: 3700 lbs

Diameter 7/16" (11mm)

Color: Yellow (tracer may vary)

Item# RP7000	Price	
200' (61m)	\$198.33	
300' (92m)	\$297.50	
600' (183m)	\$595.00	
100 CO 10	Company of the Compan	



WaterLine Water Rescue Rope

Unique materials excel in wet environments like swiftwater, ice, and flooded environments. This rope performs in these harsh conditions with strength and optimal flotation. Sterling throwline and water rescue ropes are manufactured with the same precision and quality as their life safety ropes. Sterling developed the waterline rope using only the best quality and highest tenacity polypropylene nylon. The rope is made from braided polypropylene in the core and sheath for maximum buoyancy.

Weight: 5.2 lb/100 feet

MBS Rating: 5754 lbs

Diameter: ½" (12.5mm) other diameters available by special order

Color: Red (yellow tracer)

Item# RP5135	Price	
150' (46m)	\$159.99	
200' (61m)	\$211.99	
300' (92m)	\$315.99	
600' (183m)	\$619.99	

Throwbag Rope

We sell throwbag rope by the foot.

Rope should be inspected often and replaced when needed.

3/8" Polypropylene 1900 lbs/8.4kN Item# RP5080 | \$.40/ft

1/4" Polypropylene 1200 lbs/5.4kN Item# RP5118 | \$.30/ft 3/8" UltraLine 5237 lbs/23.3kN Item# RP5130 | \$1.37/ft

1/4" UltraLine 2495 lbs/11.1kN Item# RP5110 | \$.95/ft 3/8" Grabline 3282 lbs/14.6kN Item# RP5125 | \$.67/ft











PMI's 40-plus year reputation for creating the toughest, most abrasion-resistant and more reliable life safety rope comes from a refined blending of technology and passion. Conceived in the field, crafted in their factories, and grounded by research and testing, PMI offers a wide range of ropes, all designed to make your world safer.

EZ Bend Hudson Classic Professional Rope with Unicore

Certified NFPA 1983 (2017) G Ansi Z359.15 CL1801, Static | Compliant EN 1891-A

Unicore technology creates the ultimate bond between sheath and core. This bond means sheath slippage is nearly zero, even when the sheath is cut circumferentially. Allows the person to pass either a cut or torn sheath area, whether descending or ascending since the sheath cannot bunch to create an impasse. When cut with a knife, minimal fraying occurs. It also reduces shrinkage in water by more than 50 percent.

Elongation at 10% MBS: 3% - 4.4%

Elongation: 0.7% at 300 lbf, 1.6% at 600 lbf, 3.5% at 1000 lbf

MBS 44 5 kN Diameter 1/2" (12.5mm)

Color: Orange



ltem#	Price
RP6000OR20 200' (61m)	\$279.00
RP6000OR30 300' (92m)	\$420.00

EZ Bend Hudson Classic Professional Rope

Compliant NFPA 1983 (2017), G | EN-1891 A | Ansi Z359.15 (2014) | CL1801, Static

PMI's classic EZ Bend 16-carrier construction, combined with the toughest nylon on the market, makes PMI ropes some of the toughest in the world. Although all diameters of PMI Classic rope are 16-carrier sheath design, the denier (thickness) of each diameter's sheath is different. It is carefully designed to provide the maximum abrasion-resistance, "grab" the core to minimize sheath slippage, and provide the desired hand for the intended applications.

Weight: 104 g/m

MBS: 43.6 kN

Elongation: 0.8% at 300 lbf

Elongation at 10% MBS: 3.6%-4.2%

Diameter: 1/2" (12.5mm)

Colors: Orange/White | Blue/White | Yellow/White







Item# RP4055	Price
200' (61m)	\$262.00
300' (92m)	\$392.00
600' (183m)	\$787.00



Sterling Rope

Sterling Rope has been making high-quality, innovative cordage for the rescue industry since 1992. Headquartered in southern Maine, all of their products are made in the United States. Between their elegant sewn accessory cords, their high-tech main line ropes, and their versatile webbing, Sterling provides solutions that make designing and building systems safely and easily.

1/2" WorkPro Rope

UL Classified to NFPA 1983 General Use, EN 1891 A Static Ansi Z133

For the WorkPro, Sterling developed an entirely new approach to rope construction — one that makes for balanced elongation in the core and sheath so they share the load evenly. This makes the WorkPro stronger than other 11 mm ropes of similar construction while retaining a small but important amount of elongation.

Weight: 7.4 lb/100'

MBS Rating: 45kN

Elongation: 2.5%

Elongation at 10% MBS: 9.8%

Diameter: 1/2" (12.5mm)

Colors: Green | Red | Blue Orange/White | Blue/White | Yellow/White






Item# RP2050	Price
150' (46m)	\$187.99
200' (61m)	\$249.99
300' (92m)	\$374.99
600' (183m)	\$737.99

WE CAN SPECIAL ORDER STERLING ROPE'S FULL LINE

New England Rope

New England Ropes started in 1967 and a half century later, the brand is still committed to quality, innovation and continuous improvement. New England Ropes are engineered to offer superior feel, handling and performance. Through ceaseless research and development, they



are able to advance the technology of performance on a surprisingly regular basis. Their insistence upon strict quality control is the best, as evidenced by the punishing product testing that each and every New England must withstand.

KMIII Static Rope 1/2"

Certified to EN 1891 A NFPA 1983:2012

KMIII from New England Ropes boasts a unique polyester cover, which makes it suitable for a variety of safety and rescue tasks.

Weight: 7.9 lb/100'

MBS Rating: 50kN

Elongation: 2.1%

	Length	White Rope	Colored Rope
Item# RP5065	150' (46m)	\$208.00	\$234.00
½" (13mm) diameter	200' (61m)	\$277.00	\$309.00
	300' (92m)	\$409.00	\$464.00
	600' (183m)	\$767.00	\$885.00
Colors available: Red, Orange, Green, Black, Blue and OD Green			

KMIII Static Rope 7/16"

Certified to EN 1891 A NFPA 1983:2012

KMIII from New England Ropes boasts a unique polyester cover, which makes it suitable for a variety of safety and rescue tasks.

Weight: 3.12 lb/100'

MBS Rating: 38kN

Elongation: 1.8%

	Length	White Rope	Colored Rope
Item# RP5075	150' (46m)	\$177.00	\$205.00
%e" (11mm) diameter	200' (61m)	\$229.00	\$260.00
	300' (92m)	\$330.00	\$375.00
	600' (183m)	\$645.00	\$722.00
Colors available: Red, Orange, Green, Black, Blue and OD Green			

WE CAN SPECIAL ORDER NEW ENGLAND ROPE'S FULL LINE

41

New England Ropes Prusik Cord

New England prusik cord has the right balance of suppleness for reliable activation and strength for long service life. Made of nylon with a torque-free, kernmantle construction. Two color choices in each diameter allow you to use a separate color for each length prusik in a tandem prusik belay system. Spool length: 300 ft. | Item# RP5000

Diameter	Colors	MBS (kN)	Price per foot	Price per spool
6mm	Light Blue or Red	7.7 kN	\$.48	\$145.00
7 mm	Gold or Teal	8.7 kN	\$.60	\$179.00
8 mm	Green or Burgundy	8.7 kN	\$.71	\$212.00

DON'T WANT TO CUT YOUR OWN WEBBING? We will cut it by the foot for no additional charge.

Sterling Rope 1" Mil-Spec Webbing

The standard in 1" webbing, Mil-Spec tubular webbing is favored by climbers and rescue specialists for slings and anchor systems as it offers exceptional abrasion-resistance. As its name implies, Mil-Spec is also the standard webbing for military applications. *Allow up to 3 splices per spool.*

Item# WE3700

For all 1" webbing:

- MBS Rating: 17.8 kN
- Spool length: 300 ft
- Colors: Orange | Blue | Red | Green | Hi-Vis | Black

Width	Price per ft	Price per spool
1" webbing	\$.43	\$127.99

CMC 2" Tubular Webbing

The mil-spec needle loom web is comparable in strength and abrasion-resistance to the previous-generation shuttle loom web. We sell it by the foot or by the spool.

Allow up to three splices per spool.

Item# WE3710

For all 2" webbing:

- . MBS Rating: 35.6kN
- · Spool length: 150 ft
- · Color: Red

Width	Price per ft	Price per spool
2" webbing	\$.94	\$141.00

Sterling Sewn Prusik Cord Loops

Sewn cord products have become very popular as they elminate bulky knots without compromising strength. Offered in 19" and 25" they take the hassle out of tying knots.

Rated MBS: 17 kN

Prusik diameter: 7mm | Circumference: 38" & 50"

ltem#	Price	
RP1500 19" (Red)	\$13.99	
RP1510 25" (Blue)	\$14.99	

Sterling Purcells

For tricky emergency two or three-point ascending, an adjustable connection point of self-belay, our sewn 6mm Purcell's strength, durability and adjustability shine. Color-coded lengths provide easy identification.

Item# RP1400

Rated MBS: 12.5 kN

Diameter: 6mm

Length	Color	Price	
20-in	Blue	\$11.99	
42-in	Green	\$13.99	Q
68-in	Orange	\$15.99	0

ROPE RESCUE ACCESSORIES

Rope Edge Protection	Product	Item# & Price
	Yates Canvas Edge Pad	Item# RL5300 \$54.00
	SMC Pro-Tech Rope Protection System 23.4" x 3.5" x 1.2" 15-link unit with 14 straight pins and 3 angled pins Weight: 1.7 lbs	Item# RL4525 \$115.00
	Russ Anderson/SMC Edge Roller 10" x 6" x 4 ½" Weight: 3.1 lbs	Item# RL3700 \$190.00
	SMC Flex	Item# RL4500 \$17.95 Item# RL4510 Flex Clips 2 / pkg \$6.50

Rope Accessories	Product	Item# & Price
MDRO ***TREADER STOP **TREADER STOP ***TREADER STOP **TREADER STOP **	Whip-End Dip Rope Sealer	Item# RP4120 Red, White or Clear \$12.00
	Rope Cutting Gun	Item# RP4166 \$81.00 Item# RP4168 Replacement Blade \$8.50
	Hot Cutter	Item# RP4131 \$148.00 Item# RP4132 Replacement Blade \$26.00

Rescue SOURCE

43



Features include:

Adjustable strap with D-rings on each end

Double around a suitable anchor for a quick rigging point to use as a variable length tether

Buckles slip at 22 kN

Length: 24"-96"

Item# AN5103 | \$80.75



CMC Rescue Multi-Loop Strap

Features include:

This strap allows you to tie into your anchor with the right length of webbing

Convenient when clipping several carabiners into one anchor point

Made of 1" mil-spec tubular web

Pocket stitching breaks at 5 kN

Overall strength: 16 kN

ITEM#	SIZE		COLOR	PRICE
WE2200	S	24" (4 loops)	Red	\$25.00
WE2260	М	36" (8 loops)	Yellow	\$29.00
WE2230	L	66" (18 loops)	Orange	\$40.00



PMI Anchor Sling

Compliant ANSI Z359.18 (2017) NFPA 1983 (2017), G

Features include:

Three different lengths for different rigging applications

Made from 1 3/4" webbing

Steel D-rings on both ends

Fast connection

Length: 3', 4' or 6'

ITEM#		SIZE	PRICE
AN5102S	S	3 ft	\$41.00
AN5102M	М	4 ft	\$45.00
AN5102L	L	6 ft	\$49.00



CMC Etrier and Etrier with Tie-In

Features include:

Made of 1" (25-mm) mil-spec tubular web

Designed specifically for rescue, this etrier is superior for litter tending and other vertical activities

The four steps are stiffened for easier foot entry and abrasion protection

The top hand grip aids balance when moving up or down a tender line $\,$

The Etrier with Tie-In has a 3 ft (91-cm) multi-loop strap which can be attached to a harness as a safety backup

ITEM#	TIE-IN	COLOR	PRICE	
ET5500	T5500 No Tie-In		\$50.00	
ET5510	Tie-In	Red	\$61.00	

CMC ProTech Aluminum Key-Lock Carabiners

UL Classified to NFPA 1983 Technical Use



ITEM#	MODEL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA5060	Screw Lock D-Shape	Brite	1"	26 kN	2.6 oz	\$20.00
CA5061	Screw Lock D-Shape	Black	1"	26 kN	2.6 oz	\$20.00
CA5062	CA5062 Screw Lock D-Shape		1"	26 kN	2.6 oz	\$20.00
CA5063	CA5063 Manual Lock D-Shape		1"	26 kN	2.8 oz	\$25.00
CA5064	CA5064 Manual Lock w/Keeper D-Shape		1"	29 kN	3.6 oz	\$32.00
CA5065	Auto Lock D-Shape	Red	1"	26 kN	2.8 oz	\$25.00
CA5066	Auto Lock w/Keeper D-Shape	Red	1"	29 kN	3.6 oz	\$32.00

CMC ProSeries Aluminum Key-Lock Carabiners







ITEM#	MODEL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA3221	Screw Lock D-Shape	Brite	1.1"	47 kN	5 oz	\$45.00
CA3233	Auto Lock D-Shape	Red	1.1"	40 kN	5.3 oz	\$52.00
CA3262	Manual Lock D-Shape	Slate	1.1"	40 kN	5.3 oz	\$57.00
CA3241	XL Screw Lock D-Shape	Brite	2.1"	46 kN	9.4 oz	\$66.00
CA3253	XL Auto Lock D-Shape	Red	2.1"	41 kN	10.2 oz	\$69.00
CA3273	XL ANSI Gate (ANSI Certified Z359.12)	Red	2.1"	41kN	11.36 oz	\$74.00

Omega Pacific Jake Carabiner

ITEM#	MODEL	DIA.	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA4112*	Screw Locking Pear-shaped	⁷ ∕₁6 in	Pewter	.94 in	23 kN	3.5 oz	\$15.50



Omega Pacific Aluminum Carabiners

UL Classified to NFPA 1983 Technical Use

ITEM#	MODEL	DIA.	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA4165*	Locking D	⁷ ∕₁6 in	Black	.51 in	31 kN	2.6 oz	\$11.75



^{*}while stock lasts

ROCK EXOTICA GATE MECHANISMS								
ORCA-LOCK The ORCA-Lock gate system lifts up and twists just like many traditional auto-locks but can be set to remain in the unlocked position	1 Up	Twist 2	Ready	Open 3				
AUTO-LOCK Our 3-stage Auto-Lock uses an ergonomic pull-down sleeve, smooth working surfaces and a double-sided lock-status indicator	Down	Twist 2	Open 3					
SCREW-LOCK The Screw-Lock features all anodized parts for longevity and a smooth spin, and a sleeve designed to never detach from the gate	Twist	Open 2						

Rock Exotica Aluminum Carabiners



CA5077







ITEM#	MODEL	GATE OPENING	STRENGTH	WEIGHT	PRICE	ROCK EXOTICA REFERENCE #
	The Pirate carabiner	easily accommo	odates the use of a wide	range of gear, w	ebbing, or ropes	5
CA5070	ORCA-Lock Pirate	1"	26 kN	3.12 oz	\$25.00	C1 O
CA5071	Auto-Lock Pirate	1"	26 kN	3.9 oz	\$21.00	C1 A
CA5072	Screw-Lock Pirate	1"	26 kN	2.85 oz	\$16.50	C1 S
The rock	(D is the strongest of the	Rock Exotica c	arabiners, keeping the k	oads close to the	e spine where th	e strength is
CA5080	ORCA-Lock rockD	.95"	29 kN	2.85 oz	\$25.00	C2 O
CA5081	Auto-Lock rockD	.95"	29 kN	2.85 oz	\$21.00	C2 A
CA5082	Screw-Lock rockD	.95"	29 kN	2.61 oz	\$16.50	C2S
The ro	ckO carabiner is a blend	of the traditions	al oval and the rockD giv	ing it more stren	gth than the sta	ndard oval
CA5075	ORCA-Lock rockO	.93"	24 kN	2.85 oz	\$25.00	C3 O
CA5076	Auto-Lock rockO	.91"	24 kN	2.85 oz	\$21.00	C3 A

24 kN

2.61 oz

\$16.50

C3S

.93"

Screw-Lock rockO



SMC Force Carabiners

ITEM#	MODEL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE			
	The Force D is an affordable, rock-solid design that has been used in climbing, military and rescue scenarios, available in locking and non-locking versions								
CA6216	Screw-lock	Bright	.63"	31 kN	2.6 oz	\$11.95			
CA6215	Screw-lock	Black	.63"	31 kN	2.6 oz	\$15.95			
CA6206	Non-locking	Bright	.78"	31 kN	2.3 oz	\$7.75			
CA6205	Non-locking	Black	.78"	31 kN	2.3 oz	\$10.95			
CA6207	Non-locking	Clear Anodized	.78"	31 kN	2.3 oz	\$10.95			
				unded radius and moves e nd non-locking versions	asily				
CA6116	Screw-lock	Bright	.47"	22 kN	2.5 oz	\$10.95			
CA6115	Screw-lock	Black	.47"	22 kN	2.5 oz	\$11.95			
CA6106	Non-locking	Bright	.59"	22 kN	2.3 oz	\$7.75			
CA6105	Non-locking	Black	.59"	22 kN	2.3 oz	\$10.95			
CA6108	Non-locking	Bright with Blue Gate	.59"	22 kN	2.3 oz	\$8.75			
				te anodization. These cara forcement where covertn					
CA6285	Screw-lock	Matte Black	.63"	31 kN	2.6 oz	\$15.95			
CA6283	Screw-lock	Matte Green	.63"	31 kN	2.6 oz	\$15.95			
CA6275	Non-locking	Matte Black	.78"	31 kN	2.3 oz	\$12.50			

SMC Steel Rescue Carabiners





UL Classified to NFPA 1983 General Use

ITEM#	MODEL	MATERIAL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA4150	Large	Steel	Bright	1.20"	46 kN	10.6 oz	\$35.00
CA4130	Large	Heat-Treated Steel	Bright	1.20"	75 kN	10.6 oz	\$45.00
CA4186	Standard	Alloy Steel	Bright	.94"	45 kN	6.6 oz	\$35.00

SMC Standard Aluminum Locking Carabiners



UL Classified to NFPA 1983 Technical Use

ITEM#	MODEL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA5000	Standard Modified D	Bright	.82"	27 kN	2.6 oz	\$24.50
CA5020	Standard Modified D	Red Anodized	.82"	27 kN	2.6 oz	\$24.50
CA5010	Standard Modified D	Black	.82"	27 kN	2.6 oz	\$24.50

Rescue SOURCE 2021

SMC PMP Pulleys

UL Classified to NFPA 1983 General Use

SMC's aluminum Prusik Minding Pulleys are versatile, with their compact size, in combination with a large diameter sheave. The solid side plates help prevent foreign object access, reduce snagging and are tensioned for easy one-handed operation and secure placement at any point along the rope. Sealed ball bearings provide optimal efficiency and reduce the performance robbing resistance inherent in most multiple component systems.







ITEM#	TYPE h	SHEAVE	DIMENSIONS	MBS	WEIGHT	PRICE
PU8500	Single Prusik Minding	2"	3.97" x 2.9" x 1.37"	36 kN	6.3 oz	\$65.00
PU8510	Double Prusik Minding with Becket	2"	5.1" x 2.9" x 2.2"	46 kN	10.4 oz	\$105.00
PU8515	Single Prusik Minding	3"	5.85" x 4.17" x 1.38"	38 kN	12.5 oz	\$89.00



SMC 2" Swiftwater Pulley

CE Certified to UIAA127 /EN12278

The Swiftwater Rescue pulley is designed for that unique environment. The anodized aluminum side plates feature a series of holes which help to minimize the hydroplaning effect that might otherwise occur with a typical pulley. This pulley can work as a prusik minding pulley. Sealed ball bearings provide optimal efficiency. Recommended for ropes up to $\frac{1}{2}$ " (13mm).

ITEM#	TYPE	SHEAVE	DIMENSIONS	MBS	WEIGHT	PRICE
PU7000	Single	2"	4" x 3" x 1.25"	34 kN	6 oz	\$42.50



SMC CRx Pulley

CE Certified to UIAA127 /EN12278

This diminutive featherweight belies its solid strength and efficiency when used in 2:1 systems. It also has prusik minding capability. A smooth running 1 $\frac{1}{4}$ " Delrin sheave runs on a zinc-coated axle, and the color-contrasting aluminum side plates rotate for easy rope insertion and removal. Accepts ropes up to $\frac{1}{2}$ " (13 mm).

ITEM#	TYPE	SHEAVE	DIMENSIONS	мвѕ	WEIGHT	PRICE
PU8490	Single	1.2"	2.7" x 1.75" x 1.07"	22 kN	1.8 oz	\$15.95



Rock Exotica Omni-Block Swivel Pulley

CE 0120 EN122

The Omni-Block combines a swivel and pulley into one tool, and incorporates a unique sideplate that opens while the pulley is still attached to the anchor.

ITEM#	TYPE	SHEAVE	DIMENSIONS	MBS	WEIGHT	REFERENCE #	PRICE
PU5100	Single Sheave	1.5"	5.3" x 2.5" x 1"	36 kN	9.2 oz	P51	\$94.00
PU5150	Double with Becket Sheave	1.5"	5.3" x 2.5" x 1.8""	36 kN	14.5 oz	P51 D	\$138.00



Rock Exotica Kootenay Ultra Pulley

CE 0120 EN12278:2007

The original Kootenay knot-passing pulley was proposed by the legendary Arnor Larson in the late '80s and was made by Rock Exotica. Two holes for tag lines, a dual-bearing and other features make the Kootenay Ultra the most advanced pulley of its type.

ITEM#	ТҮРЕ	SHEAVE	DIMENSIONS	MBS	WEIGHT	REFERENCE#	PRICE
PU5125	Double bearing	2.2"	8.57" x 4.1" x 2.94"	39 kN	25 oz	P3	\$225.00



Petzl Pro Traxion

CE EN 567, NFPA 1983 Technical Use, EAC

The Pro Traxion progress capture pulley is designed to allow rope installation while the pulley is connected to the anchor. The side plate locks when loaded and prevents opening of the pulley during use. The lower connection point can be used to create different types of hauling systems.

ITEM#	ТҮРЕ	SHEAVE	MBS	WEIGHT	PRICE
PU2014	Sealed ball bearing	1.5"	22 kN	9.34 oz	\$149.95

Petzl Ascension

Handled Rope Clamp

CE EN 567, UIAA



Petzl Rescucender

Cam-Loaded Rope Clamp

NFPA 1983 Technical Use CE EN 567, CE EN 12841 type B, EAC



Features include:

Designed for self-belaying on fixed ropes, as a handle when you need to pull on a rope, as well as for climbing ropes

Has an upper connection hole for pulley/rope clamp system assembly, lower holes for connecting a lanyard and installing a foot loop with a quick link, and wide, ergonomic molded handles that allow a comfortable yet powerful grip

Rope compatibility: 8 to 13 mm

Weight: 5.82 oz

Item# AS5065R

Right Handed (gold) | \$89.95

Item# AS5065L

Left Handed (black) | \$89.95

Features include:

Openable cam-loaded rope clamp allows installation or removal of the rope clamp at any point on the rope

Independent safety catches on each side of the device allowing easy opening while reducing the risk of accidental opening. These safety catches are equipped with an unlocked indicator

Cam integrated into frame of device to facilitate handling

Large attachment hole to facilitate carabiner rotation

Integrated cam spring helps avoid accidental snagging and increases durability

Rope compatibility: 9-13 mm

Weight: 9.17 oz

Item# AS5050 | \$99.95

Petzl ASAP

International Version Mobile Fall Arrester

ANSI Z359.15, CE EN 12841 Type A, CE EN 353-2, EAC



PMI Quick'Up Ascender

Handled Rope Clamp

EN 12841-B, EN 567, UIAA, CE



Features include:

Has a unique locking system

The device moves freely along the rope without any manual intervention and follows the user

The ASAP may also be combined with an energy absorber to work at a distance from the rope

Rope compatibility: 10-13 mm

Weight: 18.56 oz

No carabiner included Available by special order

Item# AS4100 ASAP | \$214.95

Item# AS4110

ASAP'Sorber Lanyard | \$49.95

Features include:

Left or right-hand alloy ascender handle with ergonomic rubber grip for climbing ropes

Ergonomic grip with finger support

Patented, one-hand release mechanism

Durable steel cam with effective teeth

Holes in frame accommodate multiple attachments

Rope compatibility: 8-13 mm

Weight: 8.8 oz

Item# AS2625R

Right Handed (gold) | \$62.00

Item# AS2625L

Left Handed (black) | \$62.00



CMC MPD

Multi-purpose Device

UL Classified to NFPA 1983 General Use



Features include:

A high-efficiency pulley with an integral rope-locking mechanism (ratchet) for a haul system

Built-in becket allows cleaner rigging and efficient pulley systems

Allows main line and belay line rigging to be mirrored or twin-tensioned

Functions as a lowering brake device and as a ratcheting pulley for raising

Ideal for confined space operations because it converts rapidly to a retrieval line

Rope compatibility: 12.5 - 13 mm (11mm design available by special order UL rated "T" Technical Use)

MBS: 49 kN

Weight: 41.6 oz

Item# AS3300 | \$799.00

CMC Clutch by Harken Industrial

Work/Rescue Descender

UL Classified to NFPA 1983 (2017 ED) General Use; ANSI/ASSE Z359.4-2013; EN 12841: 2006/C; EN 341: 2011/2A; EN 15151-1: 2012/8

Features include:

Single, wearable tool suited for efficient hauling, controlled lowering, smooth personal descent, easy ascending and belaying

Stainless steel ratcheting and rotating sheave provides efficient and audible progress capture

Rope loading/unloading is secured with an innovative doublelatched side plate design that is independent of the device's attachment point

Anti-Panic brake and force limiting features ensure operational safety and overload protection

Integrated becket allows for direct connection of mechanical advantage systems

Rope size: 10.5 - 11.5 mm (1/16 in.)

MBS: Pulley 40 kN / Becket 22 kN

Max load: 600 lbs (272 kg)

Weight: 29.44 oz

Item# AS3500 | \$649.00

Petzl Maestro Descender

Work/Rescue Descender

CE EN 12841 type C, EN 341, NFPA 1983 Technical Use, EAC

Features include:

The Maestro facilitates manipulation of heavy loads, for lowering or hauling, and may be used in both the primary system or in a back-up belay. This versatility allows rescuers to adapt to any situation they may encounter on the rescue scene

Ergonomic handle

Integrated braking

Integrated progress-capture pulley has a large diameter sheave mounted on sealed ball bearings

Auto-Lock system

MBS: S: 22 kN and L: 36 kN

Weight: 38.8 oz

Item# AS5020S

10.5-11.5 mm rope | \$549.95

Item# AS5020L

12.5-13 mm rope | \$549.95

Petzl I'D

Self-Braking Descender

UL Classified to NFPA 1983 Technical Use CE EN 241 Class A, CE EN 12841 type C, ANSI Z359.4, EAC, EN 341 Class A, CE EN 15151-1

Features include:

With anti-panic function, the I'D self-braking descender is primarily designed for technical rescue

It has an ergonomic handle that allows convenient descent control

The integrated anti-panic function and anti-error catch limit the risk of an accident due to user error

The auto-lock system allows users to position themselves without having to manipulate the handle or tie off the device

Once locked, the rope can be taken up without having to manipulate the handle

The safety gate allows the rope to be installed with the device remaining connected to the harness

Weight: 20.96 oz

WLL (working load limit): 600 lbs

Item# AS4000S

10-11.5 mm rope | \$299.95

Item# AS4000L

11.5-13 mm rope | \$299.95





SMC Figure 8 with Ears

UL Classified to NFPA 1983 General & Technical Use

Features include:

Used by professionals as a descender

Machined from ½" heat treated aluminum alloy plate for high strength, and given a hard coat anodized finish

The carabiner hole is oval for use as a belay plate

Weight: 6.5 oz

Material: Aluminum

Strength: 32 kN

Dimensions: 6" x 5.25" x 0.5" (at ears)

Item# FE2108 | \$62.00



SMC Anchor Plate

UL Classified to NFPA 1983 (2012) General Use

Features include:

Half the size of the bigger plates on the market, yet just as strong and with oversized holes to accommodate more gear

Contoured edges are easy on ropes, webbing and carabiners

Each oval hole will easily accept 2 large carabiners while a large center hole accepts numerous connections

Numbered holes for quick identification

Weight: 11.4 oz

Material: Anodized aluminum

Strength: 50 kN

Item# PR6050RL | \$54.00



CMC Steel "O" Ring

Features include:

Used as a connection point when rigging a stretcher

Allows attaching the control lines, stretcher harness (spider), and the pulleys all at one strong point without twisting

Inside diameter: 3"

Weight: 10.9 oz

Material: drop-forged alloy steel

Strength: 44 kN

Bar Diameter: 1/2"

Item# OR7200 | \$16.00



Petzl Paw Rigging Plate

UL Classified to NFPA 1983 General Use

Features include:

Designed for easy organization of the workstation and setup of multi-anchor systems

19 mm holes allow the locking sleeves of most carabiners to pass through enabling the carabiner to be rotated

Available sizes:

Small, Medium and Large

Weight:

Small (2.1 oz), Medium (6.3 oz) and Large (12.3 oz)

Material: Aluminum

Strength:

Small (36 kN), Medium (45 kN) and Large (50 kN)

medium size shown

Item# PR6300S small | \$29.99 Item# PR6300M medium | \$54.95 Item# PR6300L large | \$79.95



RQ3 Rescue Q-Eight

Manufactured by SMC

UL Classified to NFPA 1983 General Use

Features include:

Descender designed for rescue and tactical teams

Performs exceptionally well in high-wear situations

Designed for 12mm rope

The unique design allows you to tie off easier and safer than any other eight plate, yet it works the same as traditional eights

Weight: 8.64 oz

Material: 6061T 6511 Aluminum Stock

Strength: 22 kN

Dimensions: 7" x 5" x 0.5"

Item# FE2121 | \$55.50



CMC Anchor Plate

UL Classified to NFPA 1983 General Use

Features include:

Keeps the carabiners holding the different parts of your rescue system from jamming together

Can also keep you from clipping a carabiner into the wrong loop of the anchor webbing

Weight: 7.2 oz

Material: Stainless steel

Strength: 43 kN

Item# PR5950 | \$80.00



Rock Exotica Aztek System

Features include:

The Aztek system has become the ultimate Personal Mechanical Advantage kit that can be configured as a 5:1 or 4:1 with a re-direct by just rotating the system

The pulleys are machined from solid aluminum, feature swivel connection points, and utilize high efficiency bearings

Includes a bag for compact storage

Item# KT1400 | \$365.00

PMI SMC Advance Tech Haul System

Features include:

The Advance Haul System is pre-rigged as either a 4:1 or 5:1 mechanical advantage system

Includes two SMC Lite Steel carabiners, a 5mm oval screw link and a PMI accessory cord lanyard which releases or sets the progress capture cam

Includes a bag for compact storage

Item# KT3615 | \$420.00





Petzl Jag System

Features include:

The Jag System haul kit for pickoffs makes a releasable anchor, or tensioning a system, thanks to its 4:1 mechanical advantage and excellent efficiency

The Jag System haul kit is quick and easy to deploy: it is ready to use thanks to the flexible cover that prevents any risk of tangling. The haul end is color-coded for instant identification

Available in three lengths: 1, 2 and 5 meters

Item# KT0440S 1 meter | \$329.95

Item# KT0440M 2 meter | \$349.95

Item# KT0440L 5 meter | \$399.95


Rescue SOURCE

ANCHORS



YSTEM





RQ3 Lightweight Cliff Picket

- Made from 1-inch DOM steel tubes, cut to length, then hand-sanded and deburred
- Head and points are TIG welded with a V-notch to ensure full penetration of each weld
- We use a custom-made tube turning machine and hand-weld each picket while the tube is turned for maximum strength
- A picket will show deflection of 1 inch at 2,000 lbs (26.68kN)
- Weight: 5.9 lbs | Length: 48"

Item# AN3300 single picket


\$102.00



RQ3 Picket Anchor Plate

- The angled attachment point at end of plate allows you to clip directly in to your system
- Provides optimum spacing/angle for pickets
- Eliminates the need to use webbing to lash pickets together
- Weight: 3.1 lbs, Length: 35"
- Strength: 12,000 lbs (27kN)

Item# AN3308 \$94.50





RQ3 Lightweight Cliff Picket

Third party tested by Northwest Labs of Seattle Inc

Item# AN3300 Single Picket \$102.00

Item# AN3310 Set of 3 Pickets \$290.00

RQ3 Picket Anchor Plate

RQ3 Picket Driver/Puller

Item# AN3307 Picket Driver/Puller \$225.00

RQ3 Cliff Picket System

The RQ3 Cliff Picket System is a perfect option when no other anchor is available

Weight: 35 lbs Case dimensions: 48" x 5" x 4"

Package includes:

- 3 RQ3 Cliff Pickets
- 1 RQ3 Picket Anchor Plate
- 1 RQ3 Picket Driver/Puller (carried separately)
- 1 Case

Item# KT1750

\$645.00

RQ3 Picket Carrying Case

Item# AN3309 (sold separately) \$95.00



Sit Harness

CE EN 358, CE EN 813, EAC

CMC Lifesaver Victim Harness

UL Classified to NFPA Rating: Class II

PMI Uniform Belt

Features include:

Waistbelt and leg loops equipped with self-locking doubleblock buckles for quick and easy adjustment

Side attachment points can be folded down to prevent them from snagging

6 equipment loops

Ventral, Lateral and Rear attachment points

Weight:

2.59 lbs (size 1) and 2.62 lbs (size 2)

Waist belt: 27.5"-36.6" Leg loops: 18.5"-24.4"

Size 2

Waist belt: 32.6"-47.2" Leg loops: 19.6"-25.5"

Features include:

Attaches quickly and securely

Colored web makes using the harness

CMC's original V-Ring and snap design allows the harness to be put on without the victim having to step through the harness

Tie-in point also doubles as a "handle"

Storage bag allows easy carry, ready for use, preventing tangling when accessing the victim, and is attached to the harness so it cannot be lost

Weight: 2.9 lbs

Size: up to 62" waist size

Item# HA9400 | \$259.00

Features include:

One size fits most

Not intended as an emergency harness but as a back up or last resort

Made of 1 3/4" black webbing

Size: Fits waist size up to 48"

Item# HA5103 | \$39.95

Item# HA79001 Size 1 | \$269.95

Item# HA79002 Size 2 | \$269.95



Petzl Astro Bod Fast International Version

ANSI Z359.11, NFPA 1983 Class III, CSA Z259.10, CE EN 361, CE EN 358, CE EN 813, CE EN 12841 type B

Features include:

Includes an integrated CROLL L ventral rope clamp

The gated ventral attachment point allows optimal integration of equipment

Wide, semi-rigid waistbelt and leg loops contoured and lined with breathable foam padding

The doubleback self-locking buckles at the rear of the harness, between the waistbelt and the leg loops, allow for a shorter adjustment when the dorsal attachment point is used

Fall indicator on the dorsal attachment point

Astro Bod Fast international version features leg loops with fast automatic buckles

Weight: 5.5 lbs

Size 1: 64.9"-72.8" Size 2: 68.8"-78.4"

PMI Avatar **Deluxe Harness**

NFPA 1983 (2012), Class III ANSI Z359.1 (2007)

Features include:

Patented AustriAlpin COBRA quickrelease buckles color coded for ease of use

Waist, sternum, shoulder and dorsal atttachment points

Adjustable, integrated upper and lower harness sections

Spring-loaded buckle at the dorsal and waist attachments

Storage bag included

Weight: 6 lbs

Size:

Standard Waist: 37"-55" Large Waist: 31"-54"

Item# HA5126S | \$399.00 Item# HA5126L | \$399.00

PMI CS Tech Full Body Harness

D NFPA 1983 (2017) Class III

Features include:

Waist, sternum, shoulder and dorsal atttachment points

Adjustable dorsal and shoulder rings

Break-apart buckles on legs and right

Quick adjusting low-profile buckles on

Storage bag included

Weight: 5.06 lbs

Size: 31"-52"

Item# HA5116 | \$262.00

Item# HA8425 | \$499.95



CE, EN 12492 helmet standards

RQ3 Boulder Helmet

Features include:

6-point sewn durable and hardwearing Terylene webbing cradle

Wheel ratchet headband

Replaceable headband and strap

Optional stickers (included)

Fits head circumference from 20.87" - 25"

Colors: Red or White

Item# HL5300 | \$69.99



CE, EN 12492, ANSI Z89.1 Type I Class C, EAC helmet standards

Features include:

FLIP&FIT system allows the headband to be positioned in a low position, guaranteeing that the helmet fits securely on the head

DUAL chinstrap to adjust strength to adapt the helmet to different environments. The clip has two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged

Shock absorption achieved through deformation of the liner; foam interchangeable

Fits head circumference from 20.87" - 24.8"

Colors: Yellow or Red

Item# HL5150 | \$124.95



Removable, comfortable, moisture-wicking headband and liner

Vent system with metal mesh guard to protect against debris while allowing water to drain

Headlamp/goggle retainer clips

4-point chin strap system

Ratchet system with dial for secure fit

Fits head circumference from 21.75" - 24.4"

Colors: Hi-Vis or Red



Features include:

6-point textile suspension conforms perfectly to the shape of

FLIP&FIT system allows the headband to be positioned in a low position, guaranteeing that the helmet fits securely on the head

DUAL chinstrap to adjust strength to adapt the helmet to different environments. The clip has two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged

Shock absorption achieved through deformation of the liner; foam interchangeable

Vent holes with sliding shutters allow the ventilation to be adjusted as needed

Fits head circumference from 20.87" - 24.8"

Colors: Yellow or Red

Item# HL5130 | \$99.95



PMI Lightweight Rappel Gloves

Lightweight, pliable goatskin

Two layers of cowhide across the palm of the glove

Slip on wrist cuff

Features include:

No exposed seams on palm

Color: White/Tan

Sizes: S-2XL

Item# GL8118 | \$35.00



Ringers Rope Rescue Gloves

Features include:
Synthetic leather palm and fingertip patches
Foam padded channel on palm
Secured cuff with hook and loop
Kevlar stitching
Colors: Red or Black
Sizes: S-2XL

Item# GL8116 | \$18.99



PMI Rope Tech Gloves

Features include:

Synthetic leather palm base

Cowhide on finger wear points and palm

Two-way stretch spandex on top and fingers for mobility, breathability

Elastic cuff with pull-tab and Velcro® closure

Carabiner loop stores inside for snag-free operations

Color: Tan with leather reinforced palm

Sizes: S-2XL

Item# GL8850 | \$36.00



RQ3 Max-Wear Kevlar Gloves

Features include:

Kevlar palms, fingers and stitching for long life

Molded knuckle protection for shock absorbing protection

Velcro wrist closure for secure fit

Puncture and cut resistant

Soft and lightweight breathable stretch material on back of hand

Clip on wrists help keep gloves together

Color: Black

Sizes: M-2XL

Item# GL8910 | \$37.25







RQ3 Rope/Gear Bag

Features include:

Includes features of the RQ3 Rope Bags plus extras

Two large zippered gear pockets on front

Daisy chain on each side to clip gear on

Item# BG3237

Rope/Gear Bag | \$51.95

Holds up to 200 ft of $\frac{1}{2}$ " rescue rope | 9" x 27" diameter | Black/Grey



RQ3 Rope Bags

Features include:

Made of Rip-Stop nylon

Clear plastic sleeve pocket for rope log or rope I.D.

Molded carry handles on side and contoured backpack straps

Grommet with Velcro strap at bottom

Item# BG3225

RQ3 Rope Bag | \$36.00

Model #2 150-200 ft of 1/2" rope | 29" x 12" diameter | Orange or Red

Item# BG3230

RQ3 Rope Bag | \$39.00

Model #3 300 ft of 1/2" rope | 32" x 15" diameter | Orange or Red

CMC Rope Bags

Features include:

Reach-in bottom allows bag to be used by both ends

Contoured shoulder straps and side carry handle

Clear-view sleeve for rope I.D./log information

Colors: Orange, Red, or Yellow

Other sizes available online

Item# BG4320 | \$85.00

Model #2 150-200 ft of 1/2" rope | 30" x 9" diameter

Item# BG4330 | \$89.00

Model #3 250-300 ft of 1/2" rope | 32" x 10" diameter



61

PADDED BACKSTRAP STRAPS, WAISTBELT AND STERNUM STRAP THAT CAN BE STORED INSIDE OUT OF THE WAY



RQ3 Rak Pak

Made from 900D Color Black Polyester

Item# BG3450 | Rak Pak only | \$175.00

Item# BG3475 | Rak Pak with pockets | \$199.00

Pockets included with BG3475 only (shown in photo above)

 BG1270S
 MULTI-USE POUCH 5" x 5" x 1"
 quantity 5

 BG1270L
 UNIVERSAL POUCH 6.5" x 8" x 1"
 quantity 3

 BG1270N
 NARROW POUCH 15" x 4.5" x 1"
 quantity 3

Rescue 3 provides a **global** presence

In the current global climate there can be no denying the relevance of technical rescue training. There have been many incidents throughout the world of rescuers with inadequate or no training getting themselves and colleagues into trouble. Training is vital, but once you decide to train, where do you begin?

You begin with Rescue 3 International


Working with Rescue 3 International enables you to tap into the knowledge of a worldwide network of experts in the disciplines we teach. Our instructors are rescuers on rivers from the American to the Zambezi. They are Rope Access instructors from Australia to Oregon. Our Rope program was born in The Netherlands and vetted by experts from around the world. We take pride in the fact that our curriculum committees are diverse and our quality standards exacting. Rescue 3 International has instructors on six of seven continents and in 67 countries. Our manuals for Swiftwater Rescue and Rope Rescue have been translated from English into more than a dozen languages.

In addition to our world-class training, our student support after the class sets us apart. We understand that documentation and records are vital to the training process, which is why we keep all student records indefinitely and are always available to help students and training officers with accessing those training records.

Join the more than 750,000 students and 1500 instructors who have made Rescue 3 International their choice for training, and you'll see why we are the world leader in technical rescue instruction.

Visit our website (rescue3.com) or give one of our authorized training providers a call, and we'll help you get started.





Rescue 3 Water Courses BASIC WATER FIRST RESPONDER (BWFR)

CO-WORKER RESCUE FROM WATER - BASIC (CWRWB)
CO-WORKER RESCUE FROM WATER - BASIC & MOVING (CWRWBM)
FLOOD MANAGEMENT FOR NON-EMERGENCY SERVICES (FMNES)
FLOOD OPERATIONS (FO)
INLAND RESCUE SWIMMER (IRS)
INLAND RESCUE SWIMMER ADVANCED (IRSA)
INLAND RESCUE SWIMMER COASTAL (IRSC)

LIFEJACKET COMPETENT USER (LICU)
MANAGEMENT OF WATER & FLOOD INCIDENTS (MWFI)
OPERATIONS: SWIFTWATER & FLOOD FIRST RESPONDER (OPS)
RECREATIONAL RIVER SAFETY (RECRS)

RESCUES FROM VEHICLES IN WATER (RVW)

SAFE WORK NEAR WATER (SWNW)

SEARCHING RIVERS AND FLOODS (SRF)

SWIFTWATER & FLOOD AWARENESS ONLINE (AWRO)

SWIFTWATER & FLOOD RESCUE TECHNICIAN® (SRT)

TECHNICAL ANIMAL RESCUE IN SWIFTWATER (TAR)

SWIFTWATER & FLOOD RESCUE TECHNICIAN ADVANCED (SRTA)

WATER & FLOOD AWARENESS (AWR)

WHITEWATER RESCUE TECHNICIAN - RECREATIONAL (WRT-REC)

WHITEWATER RESCUE TECHNICIAN PROFESSIONAL (WRT-P)

ICE



The nature of ice changes with every shift in temperature and pressure both above and under the ice

Rescue 3 Ice Courses


SURFACE ICE AWARENESS (SIRA) SURFACE ICE FIELD SAFETY (SIFS) SURFACE ICE RESCUE SPECIALIST (SIRS) SURFACE ICE RESCUE TECHNICIAN (SIRT)



FLOOD RESCUE BOAT OPERATOR (FRBO)
SWIFTWATER RESCUE BOAT OPERATOR (SRBO)
SWIFTWATER AND FLOOD RESCUE BOAT OPERATOR (SFRBO)
SWIFTWATER PADDLE BOAT HANDLING (SPBH)
PERSONAL WATERCRAFT SURF RESCUE TECHNICIAN (PWC)

BOAT

Successful boat operations are a mix of confidence, experience, situational awareness, and solid teamwork There are many ways to rig a system for low and high angle rescues. Know your options so you can make a safe, efficient plan



Rescue 3 Rope Courses

WIND TURBINE OPERATOR (WTO)


CO-WORKER RESCUE AT HEIGHTS (CWRH) FIRST DUE LOW ANGLE (FDLA) RECREATIONAL RAPPEL OPERATOR (RECRO) ROPE ACCESS FOR EMERGENCY RESPONDERS (RAFER) ROPE RESCUE OPERATOR (RRO) ROPE RESCUE SPECIALIST (RRS) ROPE RESCUE TECHNICIAN (RRT) SAFE WORK AT HEIGHTS (SWAH) TOWER SAFETY, CLIMBING, AND RESCUE (TWR) WIND TURBINE ACCESS FOR EMERGENCY RESPONDERS (WTAFER)




Find courses at:

rescue3.com

New Field Guides





The new field guides, printed on water-resistant paper, are small enough to fit in most pockets.

Item# BK2400 Water Rescue Field Guide \$30.00

Item# BK2425 Rescue Boat Field Guide \$30.00

Rescuers Around the World

CONFINED



Confined spaces pose specific hazards to those working in the full range of industrial environments

Rescue 3 Confined Space Courses

AIR MONITORING QUALIFIED PERSON (AMQP) BASIC AIR MONITORING (BAM) CONFINED SPACE ENTRY & RESCUE (CSER) CONFINED SPACE RESCUE OPERATOR (CSRO) CONFINED SPACE RESCUE SPECIALIST (CSRS) CONFINED SPACE RESCUE TECHNICIAN (CSRT) SAFE WORK IN CONFINED SPACES (SWCS)





CONFINED SPACE RESCUE SPECIALIST (CSRS) HONOLULU, HAWAII INSTRUCTOR: RON ROYSUM (RESCUE SOLUTIONS)



SWIFTWATER RESCUE TECHNICIAN (SRT) **RIO DO SUL, BRAZIL INSTRUCTORS: THOMAS SCHORNER**



WHITEWATER RESCUE TECHNICIAN ADVANCED (WRTA) CIUDAD VALLES, SAN LUIS POTOSI, MEXICO INSTRUCTOR: ALEJANDRO CUELLAR GIORDANO



RESCUE FROM VEHICLES IN WATER (RVW) LIYANG, CHINA | INSTRUCTORS: M BERNA, K CURTIS, D FORD, K HUBBE AND C MILLER



ROPE RESCUE SPECIALIST (RRS) UNION COLLEGE - LINCOLN, NE **INSTRUCTOR: AARON KENT**

We have full access to all of the brands we carry and are happy to special order items for you. Give us a call at 1-800-457-3728 or email your request to info@rescuesource.com.











































INDEX

~
Anchor Picket System
Picket Anchor Plate54-55
Lightweight Cliff Picket54-55
Picket Driver/Puller54-55
Anchor Plates52
Anchor Straps44
Ascenders50
Aztek System53
_
В
Bags
Dry Bags22
Equipment Bags23,61
Radio Harnesses22
Rope Bags60
Throwbags20-21
Waterproof Bags22
Waterproof Cases22
Baker Hanger24
Boots16
C
Carabiners45-47
Cargo Net31
Cinch Rescue Collar31
Cliff Pickets54-55
Crossline Reach Capture30
Cutting Gun43
G
D
Descenders50-51
Dry Bags22
Drysuit Liners25
Drysuits12-13
Drysuit Accessories24
Hanger24
Neck Ring24
Drysuit Care Line
(Shampoo, Zipper Care, etc)24
Duffel Bags23

E
Edge Roller43
Equipment Bags23,61
Etrier & Etrier with Tie-In44
Extrication Leash26
Extrication Leasn20
г о
F-G
Figure 8s52
Fins16
Flashlights29
Footwear16
Gloves 14-15, 59
Н
Harnesses56-57
Hardware
Anchor & Rigging Plates52
Ascenders50
Carabiners45-47
Descenders50-51
Pulleys48-49
Headlamps27
Helmet Accessories25
Helmets 17,58
Hose Inflation System34
Hot Cutter43
Tiot outtor
Ice Rescue Equipment34-35
Ice Rescue Field Guide35
Ice Commander Suit35
K
Ketch-All Pole31
Knives18-19
1 14
L-M
Lifejackets9-11
Lights & Signaling Devices
Flashlights29
Headlamps27
Strobes28

Whistle26

Neck Ring	24
O Ring	
P-0	
•	
Packages	
Petzl ASAP	
Petzl I'D	
PFDs	
Accessories	
Pickets	
Prusik	
Pulleys	
Purcells	
Q-Eights	52
D	
R	
Radio Harnesses	22
Raft Kit	
Rappel Belt	
Rak Pak	
Rescucender	
	50
Rescue Boards	32
Rescue BoardsRescue Devices	32
Rescue Boards Rescue Devices Rescue Sleds	30-31 30-33
Rescue BoardsRescue Devices	30-31 30-33
Rescue Boards Rescue Devices Rescue Sleds Rigging Plates	32 30-31 33
Rescue Boards	32 30-31 33 52
Rescue Boards Rescue Devices Rescue Sleds Rigging Plates Rope	32 30-31 52 52
Rescue Boards	32 30-31 52 43 42
Rescue Boards	32 30-31 52 43 42 42 42
Rescue Boards	32 30-31 52 43 42 42 42 39-41
Rescue Boards	32 30-31 52 43 42 42 42 39-41 38
Rescue Boards	32 30-31 52 43 42 42 42 39-41 38
Rescue Boards	32 30-31 52 43 42 42 39-41 38 38
Rescue Boards	32 30-31 52 43 42 42 39-41 38 38 42
Rescue Boards	32 30-31 52 43 42 42 39-41 38 42 59 59

ð	
Second Chance Ball20	
Sewn Prusik Cord Loops42	
Sleds33	
Socks25	
Straps44	
Strobes28	
Sunbrero 25	
_	
T	
Thermal Wear25	
Throwbags20-21	
Tow Tether26	
10w Tetrier26	
U-V	
Victim Harness56	
101	
W	
Water PPE	
Boots16	
Drysuits12-13	
Drysuit Care	
(Shampoo, Zipper Care, etc)24	
Fins16	
Gloves14-15	
Helmets17	
Knives18-19	
PFDs9-11	
Water Rescue Packages4-8	
Wetsocks25	
Wetsuit12	
Whistle26	
Waterproof Radio Harnesses22	
Webbing42	
Wetsuit12	
Wetsuit Care	
(Shampoo, Zipper Care, etc)24	
Whin-End Din Rone Sealer 43	

Whistle.....26

Products and equipment sold by the Rescue Source are intended for use by professionals, trained and experienced in the use, inspection and maintenance of these specialty products. Other uses such as workers and sportsmen using these products will be held to the same standards of experience and training as professionals.

Payments: US legal tender. Customers can pay for purchases via credit card, company check, bank wire or open account with terms (subject to approval). A \$25 service fee will be charged on all returned checks. All fees incurred in collecting of past due accounts will be the responsibility of the purchaser. Title to the buyer does not pass until the buyer has paid for products and any fees or service charges. A $1\frac{1}{2}$ % per mo. (18% annual) charge will be assessed on accounts over 30 days.

Shipping: Delivery to the carrier constitutes delivery to the customer. Visible damage should be reported to the carrier when the package is received. Notify Rescue Source of any problems immediately. Claims reported more than 15 days after receipt may be depied.

Returns & Exchanges: Items must be returned within thirty (30) days of shipment to receive a refund or exchange. 1) E-mail info@rescuesource.com to start the return process. 2) Return Item with RA number to: The Rescue Source Attn: Return Dept. 11084 Jeff Brian Lane Wilton, CA 95693

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Rescue Source Limited Warranty: We warrant to the original purchaser that Rescue Source manufactured products will be free from defects in material and workmanship. This express warranty and all implied warranties imposed by law are limited to one year duration from the date of the original purchase. No other warranties exist or are implied by Rescue Source due to the high risks involved in rescue. This limited warranty in no way limits or alters other manufacturers' warranties on products that are sold or distributed by Rescue Source.

Disclaimer of Express Warranties: Rescue Source warrants that the products and equipment are as described in this catalog, but no other express warranty is made. If any model or sample was shown to buyer, that model or sample was used merely to illustrate the general type and quality of the products.



YOUR ONE-STOP GEAR SHOP



www.rescuesource.com