



Rescue
SOURCE
RESCUE EQUIPMENT
CATALOG
2020 | 2021



Our Brand RQ3 Gear by Rescue Source

In 1994 Rescue Source began manufacturing quality rescue equipment under the RQ3 Gear brand. After initial success of the now world-famous throwbags, RQ3 Gear moved into bags and hardware. Rescue Source then went on to develop its innovative cliff picket system and hose inflation kit. RQ3 Gear always focuses on rescuer safety and affordable equipment. All RQ3 gear products are designed by professional rescuers and are field-tested around the world to guarantee that our products are always tough enough to survive the rigors of the rescue environment. PPE Defined — we offer the best personal protective equipment for swiftwater, flood, and rope rescue environments.

Rescue SOURCE

Proudly Serving the
Rescue Community Since 1991

Product Guide

Water Rescue

Packages	4-7
Wetsuits & Drysuits.....	8-9
Rafts & Rescue Boards	10-11
Hose Inflation System	12
Rescue Sleds.....	12
PFDs.....	13-15
Footwear, Fins & Accessories.....	16-17
Gloves	18-19
Knives	20-21
Wetsuit & Drysuit Care	22
Throwbags	23-25
Rescue Devices.....	26-27
Dry Bags	28
Equipment Bags.....	29
Strobes, Flashlights & Headlamps.....	30-32
Helmets	33



Photo courtesy of Instructor Thomas Schorner, Rescue 3 SRT1, Portugal

Rope Rescue

Helmets	33-35
Harnesses.....	36-37
Anchor Picket System Anchor Plate/ Cliff Pickets/Driver Puller	40-41
Rope.....	42-44
Webbing & Prusik.....	45
Rope Bags	46
Rak Pak.....	47
Rope Accessories.....	48
Straps.....	49

Hardware

Ascenders & Descenders	50-51
Carabiners	52-53
Rigging Plates & Pulleys	54-55

Patient Care

Litters.....	56-57
Litter Wheels	58
Manikins	59
Line Guns.....	59

Ice Rescue

Ice Rescue	60-61
Feature <i>Rescue 3 Courses Offered</i>	62-63
Product Index	65

Rescue Source can provide you with equipment for all your rescue needs from swiftwater to confined space, all from the top brands in the industry.



Find
the kit
that
fits

Photo courtesy of Sierra Rescue

Rescue Source has created multiple kits for individuals and teams specializing in hot and warm zone rescues.

Finding the right kit for you and your team ensures you are confident in your PPE when you're responding to an emergency.



Rescue
SOURCE

SWIFTWATER RESCUE TECHNICIAN PRO PACKAGE



HOT ZONE

- 1 Universal Rescuer PFD (pg 15)
- 1 Classic Whistle (pg 17)
- 1 NRS Rescue Wetsuit or NRS Extreme SAR Drysuit (pg 8)
- 1 RQ3 Max-Wear Gloves (pg 19)
- 1 NRS Water/Work Boots (pg 16)
- 1 ReFuel Headlamp (pg 32)
- 1 RQ3 Edge Rescue Knife (pg 21)
- 1 RQ3 Storm Pro Helmet (pg 33)
- 1 RQ3 Standard Throwbag with 75' Polypropylene rope (pg 24)
- 1 RQ3 PPE Duffel (pg 29)
- Shredder SAR Fins (pg 17)


Item# KT9000
Wetsuit Package
\$739.95

Item# KT9500
Drysuit Package
\$1,199.00

1-800-457-3728

Rescue SOURCE

2020
2021



PPE HOT ZONE

P A C K A G E



HOT ZONE

- 1 Universal Rescuer PFD (pg 15)
- 1 Classic Whistle (pg 17)
- 1 NRS Rescue Wetsuit or NRS Extreme SAR Drysuit (pg 8)
- 1 ReFuel Headlamp (pg 32)
- 1 RQ3 Max-Wear Gloves (pg 19)
- 1 NRS All-Terrain Booties (pg 16)
- 1 RQ3 Edge Rescue Knife (pg 21)
- 1 RQ3 Storm Pro Helmet (pg 33)

Item# KT1715
Wetsuit Package
\$585.00

Item# KT1720
Drysuit Package
\$1,070.00



rescuesource.com

Rescue SOURCE

2020
2021

BASIC WATER PACKAGE

A must for command, safety, and support personnel or shore-based personnel during a water-related incident. This package is designed for easy storage in any unit that may respond to such incidents. Suggested training level: Swiftwater & Flood Operations First Responder. **WARM ZONE**

Package includes:	Located in catalog:
1 NRS Big Water Guide PFD	page 13
1 RQ3 Edge Rescue Knife	page 21
1 RQ3 Storm Pro Helmet	page 33
1 RQ3 Classic Whistle	page 17
1 RQ3 Standard 75' Poly Throwbag	page 24
1 RQ3 Mesh Duffel (<i>not shown</i>)	page 29

Item# KT4100 | \$237.00



TEAM PPE WARM ZONE PACKAGE

Seeing to it that all rescuers and victims in the Warm Zone have appropriate PPE is essential and can be the deciding factor between a successful rescue and possible disaster. This kit provides the basic items needed for three responders in a convenient storage bag. This kit can also be used as basic victim PPE. **WARM ZONE**

Package includes:	Located in catalog:
3 NRS Big Water Guide PFDs	page 13
3 RQ3 Storm Pro Helmets	page 33
1 RQ3 Heavy Duty Equipment Bag	page 29

Item# KT5000 | \$419.00



1-800-457-3728

Rescue
SOURCE

2020
2021

WATER RESPONDER PACKAGE

The RQ3 Water Responder Package equips the rescuer with essential PPE to safely operate in the Hot Zone. Minimum training level: Swiftwater & Flood Rescue Technician® or equivalent.

HOT  **ZONE**

Package includes:	Located in catalog:
1 Universal Rescuer	page 15
1 RQ3 Max-Wear Gloves	page 19
1 NRS All-Terrain Booties	page 16
1 RQ3 Edge Rescue Knife	page 21
1 RQ3 Storm Pro Helmet	page 33
1 ReFuel Headlamp	page 32
1 RQ3 Classic Whistle	page 17
1 RQ3 Standard 75' Poly Throwbag	page 24
1 RQ3 PPE Duffel (not shown)	page 29



Item# KT4001 | \$428.50


PFD PACKAGES

PFD packages now available. You can choose between a Type III or Type V life jacket. The Universal Rescuer Type V jacket comes with its contact rescue-ready swiftwater belt. The NRS Big Water Guide Type III jacket is great for shore-based personnel or possible use for victims during a rescue. After you select your jacket, we provide the RQ3 Edge Rescue Knife to cut free from possible entanglements and our 100+ db Classic Whistle to be heard over the water.

PFD Type V Package includes:	Located in catalog:
1 Universal Rescuer PFD (PFD shown)	page 15
1 RQ3 Edge Rescue Knife	page 21
1 Classic Whistle	page 17

Item# KT2210 | \$190.00 **HOT**  **ZONE**

PFD Type III Package includes:	Located in catalog:
1 NRS Big Water Guide PFD (PFD not shown)	page 13
1 RQ3 Edge Rescue Knife	page 21
1 Classic Whistle	page 17

Item# KT2200 | \$131.00 **WARM**  **ZONE**



rescuesource.com

Rescue SOURCE
2020
2021



OS SYSTEMS BASIC DRYSUIT

Non-breathable

Unique features include:
Made of 200-denier nylon and urethane material
500 denier cordura on knees, shins and seat
Rear entry drysuit
Neck, wrist and socks made of latex
Sizes: M-XXL
Color: Orange/Black

Item# DS1380 | \$525.00



NRS EXTREME SAR DRYSUIT

Breathable

Unique features include:
Breathable, waterproof, 320-denier TriTon™ fabric
With fewer seams, the Extreme SAR is now lighter than before, making it easier to accomplish those physically demanding rescues
Latex socks, wrists and neck gaskets
A self-draining cargo pocket keeps the essentials close at hand
Seams are sealed with tough liquid rubber RSeal™ so they won't leak, ever
Neoprene outer cuffs with adjustable hook-and-loop closures on the neck, wrists, and ankles protect the latex gaskets
The Grizzly cut, G-XXL, gives more room around the chest, waist and thighs to fit the larger customer
Sizes: S, M/L, L/XL or XL/XXL Grizzly Sizes: G-XXL
Color: Red or Hi-Vis

Item# DS1600 | \$799.95



MUSTANG WATER RESCUE DRYSUIT

Mustang Item #: MSD576
Breathable

Unique features include:
Ideal for cache equipment protocols
Rapid Repair Technology enables users to self-replace seals in an hour or less
Neoprene adjustable neck seal
Fabric GORE-TEX® breathable waterproof fabric
Integrated fabric socks
Sizes: M-XXL
Color: Hi-Vis/Black

Item# DS8070 | \$1,115.00



MUSTANG SENTINEL SERIES WATER RESCUE DRYSUIT

Mustang Item #: MSD624

Breathable

Unique features include:

Mobility-based sizing offers semi-custom sizing
Rapid Repair Technology enables users to self-replace seals in an hour or less
Neoprene adjustable neck seal with cover
Integrated fabric socks
2 thigh cargo pockets and shoulder pocket
Ballistic nylon wear protection patches
Tailbone protector
Reinforced wrist and ankle overcuffs
Sizes: M-XXXL, Short, Long, Regular
Color: Hi-Vis/Black

Item# DS8026 | \$1,466.50

NRS MEN'S EXPEDITION WEIGHT UNION SUIT

Drysuit Liner

Unique features include:

Proprietary, high-stretch fleece provides warmth, wicks moisture, and dries quickly. 90% polyester, 10% spandex - 7.1 oz. (240g).
Form-fitting design allows layering without the added bulk of other thermals
Double-pull zipper for easy entry and relief
Stirrups keep legs from riding up
Gasket-friendly cuffs for easier layering
Sizes: S-XXXL Grizzly Sizes: G-L or G-XXL
Color: Gray

Item# DS1700 | \$126.95

NRS RESCUE WETSUIT

Unique features include:

3-mm PowerSpan™ panels for mobility
"Rescue" in reflective lettering on bright hi-vis panels for increased visibility
Friction zones prevent PFDs from sliding up
GlideSkin™ bands around the wrists allow tighter seals
Extra long, double-pull YKK zipper
Entry and wrist and ankle zippers
5 mm seat covered with ToughTex™
Knees and shins are armored with molded polyurethane
Sizes: S-XXXL Grizzly Sizes: G-L or G-XXL
Color: Hi-Vis/Black

Item# WS2950 | \$263.25

Item# WS2950G Grizzly L or XXL | \$271.95

NRS RAFTS



Otter™ Raft Features:	
Heavy-duty Pennel Orca® material is super abrasion, chemical and UV-resistant	HD40 floor armor on the bottoms of the tubes guards your boat from wear and tear
12 stainless steel 2" D-rings 4 comfortable EasyCarry™ handles	3 main tube air chambers to keep you afloat in the event of an accident
Trouble-free Leaffield™ C7 Valves ensure easy inflation/deflation of the tubes, thwarts and floor and the Leaffield A6 Pressure Relief Valve protects the floor	The NRS BAT (Batten Attachment Thwart system) lets you easily add or remove thwarts to accommodate paddlers or a rowing frame
Self-bailing floor with quick-draining holes	4-year commercial warranty

NRS OTTER™ RAFT MODELS >> color choices vary <<

NRS Otter 120D Item# RB5010 \$3,695.00	The NRS Otter 120D replaces the Otter 120. It has a slightly diminished tube design that opens up more room in the end compartments and allows better placement of a third thwart for paddlers. >> Length 12'3" Width 6'3" Weight 91 lbs.
NRS Otter 130 Item# RB5030 \$4,000.00	The NRS Otter 130 is the most popular Otter™ raft. You can paddle it with up to eight crew members. With 18" tubes and a 6'2" width, the Otter 130 is quick and agile without sacrificing stability. >> Length 13' Width 6'2" Weight 104 lbs.
NRS Otter 140 Item# RB5014 \$4,400.00	The NRS Otter 140 is 14' long and 7' wide. It's small enough to navigate tight rivers and large enough to carry heavy loads. The 20" tubes and 7' width provide the stability, control and maneuverability difficult rivers demand. >> Length 14' Width 7' Weight 126 lbs.
NRS Otter 142 Item# RB5042 \$4,545.00	The NRS Otter 142 provides interior space, cargo capacity and maneuverability. These characteristics make it an excellent crew-paddling craft. The 20" tubes and a 6'6" width keep the Otter 142 floating high and maneuvering swiftly through Class IV whitewater. >> Length 14' Width 6'6" Weight 118 lbs.



OTTER™ RAFT KIT 14-foot NRS Otter 142 by Rescue Source

Kit Includes:
1 - 14' Otter 142 Self-Bailing Raft with repair kit (Size: 14' L x 6' 6.6" W; 20" tube Weight: 118 lbs.) Color: Red
7 - Carlisle STD Paddles, 60"
1 - Wonder Pump 6 (4" W x 18.5" H)
1 - NRS Blast Inflator Pump (5" W x 5.5" H 12 volt)
NRS Otter™ Raft Kit Item# RB4000 \$4,299.00

1-800-457-3728

Rescue SOURCE

2020
2021

10



CARLSON RIVER RESCUE BOARD

Features include:

U.S. made board that is tough and nonabsorbent
Improved core allows for flexibility and less water absorption
Brushed belly grooves to grip your body
165 lbs. of flotation
Constructed from polyethylene beads
Dimensions: 56" x 24" x 4"
Weight: 10 lbs.

Item# **BD1655** | \$424.95

RIVER X RESCUE BOARD

Features include:

All-season, ice rescue, swiftwater flotation device
Deck pad black 3/8" thick PVC with texture for traction
Buoyancy 120 lbs. 117 lbs. with ice rails mounted
Materials: rotomolded, superlinear polyethylene - hollow core with vent drain plug
Dimensions: 55" x 24" x 6"
Weight: 18 lbs.

Item# **BD1675** River X Board | \$735.00

Item# **BD1700** Ice Rails | \$100.00



NRS INFLATABLE RESCUE BOARD

Features include:

Grooved, textured deck pad
2 padded handles for operator control
4 side handles for victim support
2 1.5" stainless D-rings for towing and lowering
Leaffield™ D7 inflation valve / screened Leaffield pressure relief valve
Inflated up to 20 PSI
Folds up compactly for transport and storage
Material: PVC drop-stitch
Dimensions: 57"L x 25"W" x 4"T
Weight: 11 lbs.

Item# **BD1640** | \$420.75

RQ3 MARK V HOSE INFLATION SYSTEM

The Mark V Hose Inflation System is a must-have with many swiftwater and ice rescue teams. The kit also contains a pre-set safety relief valve on the cap, universal quick connecting system, and a fill hose with SCBA high pressure valve and wheel. This makes filling from your SCBA tank easy and safe.

Kit includes:

- 2½" female aluminum hose cap with tie down for securing safety lines
- 2½" male aluminum hose cap with standard quick disconnect to attach filler hose
- Tie down for securing a safety line
- Pressure relief valve set at 35-40 lbs. for safety
- Shield to protect fittings
- SCBA high pressure valve and wheel with hose so you can fill from your own high pressure SCBA bottles
- Powder-coated for durability
- Custom storage and carrying case included
- These fit Standard 2-1/2 inch NST hoses (System designed for 50 ft. of hose)



Item# FMS7100 | \$399.00



Swift Water Res-Q Sled



CPI SWIFT WATER RES-Q SLED & CPI HOUSE EVAC RES-Q SLED

Designed for house door and window rescues, the House Evac Res-Q Sled is a great tool for narrow passageways during water evacuations. For long distance evacuations and improved stability in dangerous current, this craft can dock inside the Swift Water Res-Q Sled (sold separately).



Swift Water Res-Q Sled features include:	House Evac Res-Q Sled features include:
3 person capacity	1-2 person capacity
5 - 2" stainless steel D-rings for tow or tether	6 handles (3 each side)
4 - 2" stainless steel D-rings in deck	Quick-inflation valve and pressure-relief valve
11 tube mounted handles and 4 deck-mounted handles	PVC coated drop-stitch deck and sides
2 quick-inflation valves and 2 pressure-relief valves	EVA foam deck pad for traction
PVC drop stitch flooring with pads for traction	Can be easily docked in Res-Q Sled
Carrying bag and air pump	Carrying bag and air pump
Oversize freight charge applies	Oversize freight charge applies
Size: 11'6" x 4' inflated	Size: 5'11" x 2'3" inflated
Weight: 57 lbs	Weight: 33 lbs

Item# BD1500 Swift Water Res-Q Sled | \$3,125.00

Item# BD1510 House Evac Res-Q Sled | \$2,270.00

1-800-457-3728

Rescue SOURCE

2020
2021

12



MUSTANG HYBRID RESCUE SWIMMER VEST MRV170

Features include:

Design flotation: 9 lbs. of inherent foam buoyancy, 26 lbs. total buoyancy when inflated

Universal one size fits all
Chest size: 30" - 52"

Color: Black

CO₂ cylinder storage pocket

Oral inflation/deflation valve easily accessible to adjust buoyancy

Manual CO₂ inflation handle

Buckle closure for adjustment

MOLLE system on front and back

Please note:
does not have a USCG rating

Item# PF1200 | \$235.00



NRS BIG WATER GUIDE PFD

Features include:

TYPE 3 USCG

Design flotation: 22 lbs

Chest sizes: L/XXL: 40" - 58"
XS/S available by special order

Color: Yellow or Red

Two front zippered pockets for storage

Hand warmer pouches

Attachment point for leg loops
sold separately

Eight adjustment points for fit

Item# PF4015 | \$99.00

Accessories Available for Purchase

Item# HA1500

NRS PFD Leg Straps | \$9.50



MUSTANG HIT™ LAW ENFORCEMENT AUTOMATIC INFLATABLE PFD MD3183 LE

Features include:

TYPE 2 TYPE 5 USCG

Provides 38 lbs of buoyancy when inflated

Universal one size fits all
Chest size: 30" - 52"

Color: Orange, Navy, Black

Automatic PFD inflatable
(back up oral inflation tube)

Strobe light holder,
safety whistle, SOLAS tape

Common verbiage can be silk screened on back flap: "Rescue", "Fire", "Sheriff", etc. at no extra charge *

Custom silk screen verbiage available
Set up fees will apply *

*** Must be purchased in quantities of five or more to be silk screened on back flap**

Item# PF1620 | \$275.00



FORCE 6 RESCUE OPS PFD

Features include:
TYPE 5 USCG
Design flotation: high buoyancy 26 lbs
Universal one size fits all Chest size: 32" - 56"
Color: Red or Hi-Vis
MOLLE pockets/patch areas for accessories
Back hook and loop area for nameplate
Compatible with the Force 6 Extrication Leash sold separately pg 17

Item# PF7700 | \$219.00

Accessories Available for Purchase

- Item# HA1410 Swim Harness | \$15.00
- Item# PF7852 Back Pocket | \$59.00
- Item# PF7645 Extrication Leash 48" | \$69.00



FORCE 6 RESCUETEC PFD

Features include:
TYPE 5 USCG
Design flotation: high buoyancy 26 lbs
Chest sizes: S/M: 28" - 40"; L/XL: 42" - 52"
Color: Red or Black
Compatible with the Force 6 Extrication Leash sold separately pg 17

Item# PF7900 | \$319.00

Accessories Available for Purchase

- Item# HA1400 Swim Harness | \$22.00
- Item# PF7851 Front Left Pocket | \$39.00
- Item# PF7852 Back Pocket | \$59.00
- Item# PF7853 Front Right Pocket | \$39.00
- Item# PF7645 Extrication Leash 48" | \$69.00



ASTRAL GREENJACKET™

Features include:
TYPE 5 USCG
Design flotation: 16.5 lbs
Chest sizes: S/M: 31"-37"; M/L: 38" - 44"; L/XL: 45" - 51"
Color: Black or Red/Blue available by special order
Pullover entry
Multiple side pockets for web tow storage
Rope-ready storage behind front panel

Item# PF1300 | \$300.00



MUSTANG SWIFTWATER RESCUE PFD MRV150

Features include:

TYPE 5 USCG

Design flotation: high buoyancy 25 lbs

Universal one size fits all
Chest size: 30" - 52"

Color: Hi-Vis

Zip front and buckle

Two large self-draining pockets

MOLLE webbing

Compatible with the NRS Swiftwater Tow Tether sold separately | pg 17

Item# PF1800 | \$195.00



NRS RAPID RESCUER PFD

Features include:

TYPE 5 USCG

Design flotation: 22 lbs

Universal one size fits all
Chest size: 30" - 58"

Color: Red or Yellow

Stretchable front pockets

Lightstick holder on back

Compatible with the NRS Swiftwater Tow Tethers sold separately | pg 17

Item# PF4025 | \$195.00

Accessories Available for Purchase

Item# HA1500 NRS PFD Leg Straps | \$9.50

Item# PF7630
NRS Tow Tethers short 33" | \$25.45

Item# PF7631
NRS Tow Tethers long 53" | \$25.45



EXTRASPORT UNIVERSAL RESCUER PFD

Features include:

TYPE 5 USCG

Design flotation: 22 lbs

Universal one size fits all
Chest size: 30" - 56"

Color: Red or Yellow

Pockets for storage

Lash tab on back

We carry a large stock of these PFDs

Compatible with the NRS Swiftwater Tow Tethers sold separately | pg 17

Item# PF2210 | \$175.00



NRS ALL-TERRAIN BOOTS

Features include:
Hiking boot lug sole for superior traction
5mm neoprene for upper boot, 7mm neoprene insole for warmth
Zippers for easy entry and exit
Reinforced heel and secure instep strap adds extra security
Swim fin tab on back of heel
Whole Sizes: 6-14

Item# BO8800 | \$59.25



NRS WATER/WORK BOOTS

Features include:
Lace-up synthetic leather
5mm neoprene for upper boot 7mm neoprene insole for warmth
Heavy-duty lug sole
Laces and ankle strap for premium security
Swim fin tab on back of heel
Whole Sizes: 6-15

Item# BO9800 | \$67.50



NRS WETSOCKS

Features include:
2mm neoprene with titanium adhesive holds body heat
Added cushioning with right amount of warmth
Sizes: M-XXL

Item# BO7760 | \$21.00



HAIX BLACK EAGLE ATHLETIC 2.0 T BOOTS

Features include:
Running shoe technology with innovative functional features. High-durability, anti-slip sole with padded ankle protection
2-Zone Lacing System with high side zip and textile pull tab for easy donning and custom fit
Durable, shock-absorbent heel with built-in support
Supportive removable insole
Highly breathable with HAIX® Climate System and cushioned, moisture-wicking insoles
Sizes: 6-16 (half sizing available)

Item# BO7800 | \$165.95

WATER RESCUE FOOTWEAR PACKAGES

Packages includes:
6 Pairs All-Terrain Booties (whole sizes 6 -14) or 6 Pairs Water/Work Boots (whole sizes 6 -15)
1 RQ3 Mesh Duffel pg 29
1 Wetsuit & Drysuit Shampoo 10 oz pg 22

Item# KT3900 All-Terrain Booties | \$360.00
Item# KT3950 Water/Work Boots | \$410.50



1-800-457-3728

Rescue SOURCE

2020 2021

SHREDDER SAR FINS

Features include:

Fits all large water boots
Adjustable buckle with quick-release leash system secures fins on feet
Large, soft foot pocket and heel pad
Overall Length: 16.5"
Blade Width: 10"
Size: One size fits all




Item# FN3000 | \$74.50

Item# FN3000P (Replacement Strap) | \$9.99

RQ3 CLASSIC WHISTLE

This 100+ db whistle has no pea to swell or stick. Plastic construction will not rust or fail. Comes with a flex coil.

Item# WH7905
with Flex Coil | \$5.50



FORCE 6 EXTRICATION LEASH

Works with Force 6 quick-release PFDs

Item# PF7645 length 48" | \$69.00



NRS SWIFTWATER TOW TETHER

Works with most quick-release PFDs (except Force 6)

Item# PF7630 short 33" | \$25.45
Item# PF7631 long 53" | \$25.45



MILITARY/SAR SNORKEL LOOK 2 SWIM MASK

Item# MS5850 Snorkel | \$12.00
Item# MS5800 Swim Mask | \$68.00
Item# KT1125 Combo Package | \$72.00



NRS HYDROSKIN 0.5 HELMET LINER

Sizes: S, M, L



Item# HL2125 | \$20.95

REFLECTIVE RESCUE HELMET STICKERS

(silver)

Instructor Item# PS3420 \$3.25/each \$5.50/pair
Water Rescue Item# PS3415 \$3.25/each \$5.50/pair
Rescue Item# PS3400 \$3.25/each \$5.50/pair



6 1/2" long x 1" tall



ICE

WATER

NRS REACTOR RESCUE GLOVES

Features include:
Made of 3-mm neoprene with titanium laminate adhesive for added warmth
Palm and fingers constructed with tough aramid material for grip
Pre-curved fingers
GripCote™ on the backs of the fingers helps prevent wind chill
Wristband with hook and loop closure ensure a secure fit
Pairing snaps on the wrists help keep the gloves together
Color: Hi-Vis/Black
Sizes: M-XXL

Item# GL8125 | \$46.50



WATER

NRS RUGGED WEAR/ UTILITY WATER GLOVES

Features include:
Made of 2-mm Terraprene neoprene for warmth
Rubberized Amard® synthetic leather patches on palm and fingers
Slip on wrist cuff
Pairing snaps on the wrists help keep gloves together
Color: Black
Sizes: S-XXL

Item# GL8400 | \$37.25



ROPE

PMI ROPE TECH GLOVES

Features include:
Synthetic leather palm base
Cowhide on finger wear points and palm
Two-way stretch spandex on top and fingers for mobility, breathability
Elastic cuff with pull-tab and Velcro® closure
Carabiner loop stores inside for snag-free operations
Color: Tan with leather reinforced palm
Sizes: M-XXL

Item# GL8850 | \$42.00



ROPE

PMI® LIGHTWEIGHT RAPPEL GLOVES

Features include:
Lightweight, pliable goatskin
Two layers of cowhide across the palm of the glove
Slip on wrist cuff
No exposed seams on palm
Color: White/Tan
Sizes: M-XXL

Item# GL8118 | \$39.00

1-800-457-3728

Rescue SOURCE

2020
2021

RQ3 MAX-WEAR KEVLAR GLOVES

Multi-use rescue gloves designed to be the best crossover gloves on the market



SOFT AND LIGHTWEIGHT BREATHABLE STRETCH MATERIAL ON BACK OF HAND

MOLDED KNUCKLE PROTECTION FOR SHOCK ABSORBING DEFENSE

PUNCTURE AND CUT RESISTANT

KEVLAR PALMS, FINGERS, AND STITCHING FOR LONG LIFE

CLIP ON WRISTS HELP KEEP GLOVES TOGETHER

VELCRO WRIST CLOSURE FOR SECURE FIT



RQ3 MAX-WEAR KEVLAR GLOVES

Color: Black

Sizes: M-XXL

Item# GL8910 | \$35.50



rescuesource.com

Rescue SOURCE


2020
2021

	Length	Blade material	Sheath	Additional features	Color
<p>NRS Neko Knife</p>  <p>Item# KN2510G \$50.50</p>	<p>Blade length: 2 ¼" Total length: 5 ¾"</p> <p>Blunt tip</p>	420HC stainless steel	Fiberglass reinforced nylon attaches to PFD lash tab	<p>Square hole in handle serves as a valve wrench for oxygen tank</p> <p>Bottle opener in the handle</p>	Green
<p>NRS Pilot Knife</p>  <p>Item# KN2556 \$50.50</p>	<p>Blade length: 3" Total length: 7 ¼"</p> <p>Blunt tip</p>	Stainless steel	Unique sheath only releases when you squeeze both sides, attaches to PFD lash tab	<p>Glass breaking tip on the end</p> <p>Bottle opener in the handle</p>	Black or Orange
<p>Gerber Saltwater Crossriver™ Knife</p>  <p>Item# KN1525 \$54.00</p>	<p>Blade length: 3" Total length: 7 ½"</p> <p>Blunt tip</p>	Stainless steel coated with Salt Rx™ to withstand harsh saltwater conditions	Trigger lock for quick deployment can be carried on PFD or belt	Sheath with belt clip included	Blue/Black
<p>Gerber River Shorty</p>  <p>Item# KN1510B \$35.00</p>	<p>Blade length: 3" Total length: 6 ¾"</p> <p>Blunt tip</p>	Stainless steel	Molded plastic attaches to PFD, pack, or belt	Quick-release lock	Black
<p>Aqua Lung Deep Sea Squeeze Lock Knife</p>  <p>Item# KN6000 \$33.00</p>	<p>Blade length: 3" Total length: 6 ½"</p> <p>Blunt tip</p>	304 series stainless steel	Locking mechanism securely locks knife in sheath and releases easily with the squeeze handle	Variable mounting options: through fabric, mounting to the BC inflator hose, locking belt clip for webbing and mold strap slots with rubber leg straps	Black/Hi-Vis
<p>Gear Aid Akua Rescue and Dive Knife</p>  <p>Item# KN5650 \$29.95</p>	<p>Blade length: 3" Total length: 5 ¾"</p> <p>Blunt tip</p>	Titanium-coated stainless steel	Quick-drain with a removable belt clip, 1" webbing mount and lanyard holes	<p>Quick-release lock</p> <p>Bottle opener/glass breaker</p>	Hi-Vis or Black

Edge Rescue Knife

WATER RESCUE

Designed for the professional rescuer, this knife will perform in and out of the water



4 DIFFERENT MOUNTING POSITIONS

LOCKING CLIP SO KNIFE STAYS WHEN YOU MOUNT IT

ADJUSTABLE MOUNTING CLAMP

EASILY MOUNTED TO:
A PFD | A BELT | WEBBING



REDESIGNED FRICTION-LOCK SHEATH

SHEATH CAN MOUNT VERTICALLY OR HORIZONTALLY WITH MOUNTING CLIP OR CAN MOUNT BY LASHING THROUGH THE HOLES TO SECURE

RQ3 EDGE RESCUE KNIFE

Item# KN7000 | \$44.50

rescuesource.com

Rescue SOURCE

2020 2021

WETSUIT & DRYSUIT CARE PRODUCTS

Gear Aid/ McNett's wetsuit and drysuit care line are complete, scientifically balanced maintenance products for all neoprene and water gear. They are ideal for wetsuits, drysuits, boots and gloves.

1-800-457-3728

Rescue SOURCE

2020
2021

	Product	Features	Price
	WETSUIT & DRYSUIT SHAMPOO	<ul style="list-style-type: none"> Wetsuit cleaner and conditioner for neoprene and watersports gear Leaves articles free of organic residue, chlorine, and salt deposits Prevents premature aging and oxidation Sizes: 10 oz. or 1 gallon available 	10 oz. \$7.75 Item# DS6100 1 gallon \$37.95 Item# DS6110
	REVIVEX™ ODOR ELIMINATOR	<ul style="list-style-type: none"> Microbe-based odor eliminator is water-activated and can be applied via spray or soak Biodegradable formula that's perfume-free and safe for your gear Removes organic debris and odors typically associated with sweat, urine, mold, mildew, bacteria and algae Size: 10 oz. 	10 oz. \$8.95 Item# DS6200
	ZIPPER CLEANER & LUBRICANT	<ul style="list-style-type: none"> The brush top removes debris and delivers its advanced cleaning formula right between the zipper teeth Perfect for plastic, nylon, or metal zippers Contains no silicone 	\$5.25 Item# DS6250
	ZIPPER LUBRICANT STICK	<ul style="list-style-type: none"> Protects against rust, corrosion, chlorine and salt in all temperatures Provides UV protection for nylon and plastic zippers Contains no silicone 	\$6.75 Item# DS6150
	AQUASEAL FD ADHESIVE AND CURE ACCELERATOR	<ul style="list-style-type: none"> Specifically formulated to offer superior flexibility, as well as, excellent adhesion, waterproofing, and abrasion resistance with minimal shrinkage Tack time is 15 minutes Cure time less than two hours 	\$11.50 Item# DS6075
	BAKER HANGER	<ul style="list-style-type: none"> Helps suits dry in 75 percent less time Allows natural air convection to flow throughout the suit and wick away moisture inside and out to cut back on mildew and odors Can hold up to 100 lbs. 	\$26.99 Item# DS2300
	NECK RING	<ul style="list-style-type: none"> Designed to increase comfort Helps vent excess heat from inside your drysuit Snap the neck ring around your neck and roll the neck seal over it Color: Clear 	\$12.99 Item# DS4200

THE RQ3 GEAR THROWBAGS are made of high-tech nylon fabric that is tough, long-lasting, ultraviolet resistant, and fast-drying. All of our bags feature a handle over the top and a reverse taper for easy loading. Rescue Source has adopted the *clean rope principle* which is a safety practice that leaves out knots whenever possible. By doing this, we no longer knot the held-end of our throwbags. We offer several styles of bags and three different types of rope, so you can find the perfect bag for you or your team. They are assembled here (in Wilton, CA) to ensure the "perfect stuff," so your bag is ready to use as soon as you buy it.

STANDARD BAG We designed this to be our "work horse" bag. Its bright red top helps for visibility in all conditions. It can hold 50' to 75' of 3/8" diameter rope of your choice. Has internal foam flotation that keeps the bag floating in the water.


PRO BAG Was designed with all the details rescuers said would make the perfect bag. It comes with a side pocket and a locking "D" carabiner to assist with any rescue systems you set up. It also comes with reflective tape around the top of the bag to assist in visibility even at night. Will hold 50' to 75' of 3/8" diameter rope of your choice. Has internal foam flotation that keeps the bag floating in the water.

PERSONAL MINI BAG Fits 50' of 1/4" diameter rope of your choice. It's compact in size and comes with a Fastek Buckle to easily attach to your PFD or belt. Internal foam flotation keeps the bag floating in the water.

BULLET BAG This bag is designed to be hands-free storage around your waist for quick deployment at any time. The bag fits into a zippered pouch with a Velcro closure and is secured to your waist for your safety. To use, open the Velcro flap and pull the throwbag free with one hand. The belt and pouch stays attached to you, deploying only the rope and the mini throwbag. If needed, the belt has a quick-release buckle to make sure the rescuer is safe from hazards or entanglement in the water.

2ND CHANCE THROWBAG We designed this bag with colder weather in mind. It's our Standard rope bag with 75' of 3/8" Grabline, making it the easiest to grip rope. A second chance ball is on the end of the rope. Not only does it add flotation, it is easier to grip even when wearing the thickest gloves. The ball is easier to be seen and grabbed than a coil of rope for the victim.

THE
PRO
M
B
A
G
S




THROW







	Rope Type	3/8" Polypropylene 1900 lbs/8.4kN		3/8" UltraLine™ 5237 lbs/23.3kN		3/8" Grabline 3282 lbs/14.6kN	
		Rope Length	50'	75'	50'	75'	50'
 <p>Standard Bag</p> <ul style="list-style-type: none"> • Nylon fabric that stands up to UV rays and is quick-drying • Handle over the top • Reverse taper for easy loading 		\$40.95 Item# BG3118	\$46.95 Item# BG3137	\$74.95 Item# BG3122	\$102.95 Item# BG3136	\$55.95 Item# BG3123	\$67.95 Item# BG3124
 <p>Pro Bag</p> <ul style="list-style-type: none"> • Padded side pocket to store a carabiner • Reflective tape for visibility • Aluminum locking "D" carabiner included 		\$54.95 Item# BG3127	\$60.95 Item# BG3129	\$89.95 Item# BG3128	\$113.95 Item# BG3130	\$70.95 Item# BG3134	\$82.95 Item# BG3138
 <p>Second Chance Throwbag</p> <ul style="list-style-type: none"> • Standard bag • Second chance ball adds flotation • Easy to grip in cold conditions 							\$73.90 Item# BG3144

1-800-457-3728

	Product	Features include:
	<p>Second Chance Ball</p> <p>\$5.95 Item# MS1900</p>	<ul style="list-style-type: none"> • Retrofit your existing throwbag • Increases accuracy of second toss • Easy to grip even while wearing thick gloves • High visibility for victim

Rescue
SOURCE
2020
2021

VBAGS

	Rope Type		1/4" Polypropylene 1200 lbs/5.4kN	1/4" UltraLine™ 2495 lbs/11.1kN
	Personal Mini Throwbag <ul style="list-style-type: none"> ● Compact in size 7-½" x 4-½" ● Can attach to PFD or belt with side fastek buckle ● 50 ft. of rope 		\$30.95 Item# BG3116	\$57.95 Item# BG3141
	Bullet Waist Throwbag <ul style="list-style-type: none"> ● Hands-free storage attaches to your waist ● Bag fits into a zippered pouch with Velcro closure ● Bag can be deployed without unzipping pouch ● Comes with RQ3 mini bag ● Quick-release belt to make sure you're snag-free in water ● 50 ft. of rope 		\$47.95 Item# BG3175	\$71.95 Item# BG3176
	NRS Guardian Wedge Waist Throwbag <ul style="list-style-type: none"> ● The outer bag has a hook-and-loop flap and a zipper to facilitate removing the inner bag ● Drainage holes in the bag expel water quickly ● Removable Wedge Throwbag has foam flotation to keep it on top of the water, mesh sides for drainage and drying, and reflective tape for increased visibility ● Quick-release buckle on the adjustable waist belt ensures safe exit in an emergency ● The internal throwbag comes completely free from the waist belt ● Compact in size 7-½" x 4-½" ● 55 ft. of rope 		\$66.95 Item# BG3164 [Guardian]	\$84.50 Item# BG3165 [Pro Guardian]
	Product		Features include:	
	Crossline Reach Capture Device	\$120.00 Item# MS6100	<ul style="list-style-type: none"> ● Securely grab ropes, lines, or cables from a distance ● The body of the Reach Device is made from 6061-T6 aircraft aluminum ● Spring clips and pins are made from 304-type stainless steel ● Will support 2,000 lbs. of pull strength 	
	Throwbag Accessory Light	\$4.95 Item# FL2400	<ul style="list-style-type: none"> ● Water-resistant LED light that can be added to any throwbag ● Helps find gear in the dark ● Has both a "steady" and a "strobe" setting 	

rescuesource.com

Rescue
SOURCE

2020
2021

25



RESCUE TUBE

Features include:
Heavy-duty brass clip to secure tube around victim
Tapered ends to reduce drag
10' poly tow line and 2" heavy-duty nylon strap included
Dimensions: 40" x 5.5" x 3"
Weight: 2.25 lbs.

Item# RC3500 | \$62.95



RESCUE RING BUOY

Features include:
TYPE 4 USCG
Vinyl-coated nylon skin with urethane foam core
Will not sink even if punctured or cut
Rot and mildew resistant
Dimensions: 24"
Weight: 2.25 lbs.
Buoyancy 28 lbs.

Item# RG8800 | \$62.95
Oversized freight charge applies



RESCUE CAN

Features include:
Strongest molded linear plastic and thickest walls on the market
Pebble-grained handles for grip
10' poly tow line and 2" heavy-duty nylon strap included
Length: 28"
Weight: 3 lbs.

Item# RC0105 | \$76.95

1-800-457-3728

Rescue
SOURCE

2020
2021



Photo courtesy of Atlantic Tech Rescue

WATER RESCUE



KETCH-ALL POLE

Features include:

This pole is used by animal control professionals and animal rescue personnel

The pole is famous for its versatility — from an animal up a tree, under a building, or in a storm-swollen stream

When retracted, it may be used as a heavy-duty restraining device

Also recommended by Swiftwater Recovery Specialists™ for use during body recovery operations

Made from aircraft-grade aluminum for long life

Size: Extendable 4 - 6 feet

Item# RG4050 | \$125.75



NRS RECOVERY/ CARGO NET

Features include:

Recommended by Swiftwater Recovery Specialists™

Used during body recovery operations or parbuckling techniques

Border of 2" webbing for strength

Multi-attachment points for strapping

9 - 4' HD straps included

Dimensions 60" x 80"

Item# MS4525 | \$63.50



CINCH™ RESCUE RING COLLAR

Features include:

Allows victim to enter the collar from either side

The victim's weight releases the connect allowing the collar to "cinch" around the victim

Can be deployed from land or watercraft

Can be used as a life-ring buoy

Carrying case included

Dimensions when open: 20 inches

Weight 3.5 lbs.





Item# RG1800 | \$315.00

rescuesource.com

Rescue SOURCE

2020 2021

DRY BAGS

	Product	Item# Price	Water-proof	Device is usable in case	Floats if dropped in water	Strap or lanyard	Size	Additional features
	Aquapac Large Electronics Case	Item# BG1430 \$46.95	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Shoulder strap	11.5" x 17.3"	Protects from dirt, sand, dust ----- Guaranteed to keep items dry to at least 15'
	Aquapac Waterproof Military Grade Radio Harness	Item# HA1300S \$64.95	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Radio harness	Full length: 13" Body length: 7.2"	Guaranteed 100% waterproof to 15' ----- 4 lash points for the 3-way harness ----- Fits left and right-handed radios
	Geckobrand Waterproof Phone Tote	Item# BG1405 \$24.00	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Not intended for submersion or as a floating device	Belt loop and shoulder carry strap	5"W x 8"H x 2.6"D	Protects from rain, sand, dirt, water and snow ----- Hi-Vis
	Aquapac VHS Classic Case	Item# BG1420S \$39.95 Item# BG1420L \$39.95	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Comes with an adjustable lanyard and neck cord	Small 4.5" x 14.5" Large 6.5" x 15.5"	Protects from dirt, sand, dust ----- Fits left and right-handed radios

1-800-457-3728

Rescue SOURCE

2020
2021



RQ3 HEAVY DUTY EQUIPMENT BAG

Features include:

Made of heavy-duty coated mesh and 1680D polyester

Industrial zippers and carrying straps

Size: 25" x 17" x 16"

Item# BG3195 | \$58.95



RQ3 MESH DUFFEL BAG

Features include:

Made of black nylon jersey mesh and 900D polyester

The mesh allows for quick-drying of wet gear

Exterior pocket with a zipper closure

Size: 35" x 17" x 17"

Item# BG3085L | \$39.95



RQ3 PPE EQUIPMENT DUFFEL

Features include:

Made with 1680D polyester and mesh

Shoulder carry strap

Webbing handles

Full-size pocket on one end for extra storage

Size: 30" x 16" x 16"

Item# BG3500 | \$42.50

RQ3 WET/DRY DUFFEL



Features include:

Flexible center divider allows you to pack your dry gear on one side and your wet gear on the other

Made of 900D polyester with heavy-duty coated mesh

Dual zippers on the top of the bag

Equipment pocket on each end

Size: 30" x 12" x 15"

Item# BG3700 | \$57.95



PRINCETON TEC AQUA STROBE

Water resistant: 1PX8 submersible up to 100 meters

Twist operation turns on the Aqua Strobe and produces 60 flashes per minute. The buoyant cone keeps the light pointed up whether its on the surface or underwater. Can attach with a Velcro strap or a lanyard.

Features include:
Power: 100 Lumens
Lamp: 1 White Maxbright LED
Burn time: 12 hours
Batteries: 1 AA Alkaline
Weight: 3.3 oz.
Color: Hi-Vis

Item# SD7200Y | \$29.99



PRINCETON TEC MERIDIAN STROBE

Water resistant: 1PX8 submersible up to 100 meters

The toggle switch allows for easy operation with gloves. The Meridian Strobe features a white emergency strobe and white constant on locator mode and is visible for over a mile. Can attach to a PFD or other objects with 1" webbing.

Features include:
Power: 100 Lumens
Lamp: 1 White Maxbright LED
Burn time: 100 hours
Batteries: 3 AAA Alkaline
Weight: 3.6 oz.
Color: Hi-Vis

Item# SD7680 | \$29.99



ACR WATER ACTIVATED LED C-STROBE™

Water resistant: 1PX8 submersible up to 100 meters

The water-activated switch makes sure the C-Strobe turns on when you need it most, in the water. It has an impact-resistant case making it an efficient distress light when needed. Can attach to a PFD with flexible lashing loops allowing for multiple mounting options.

Features include:
Power: 45 Lumens
Lamp: 1 White LED
Burn time: 120 hours
Batteries: 2 AA Alkaline
Weight: 2.4 oz.
Color: Hi-Vis

Item# SD7625 | \$27.77



PELICAN MINI FLASHER LED

Water resistant: 1PX7 submersible up to 1 meter

The twist operation turns on the light which can be seen over half a mile away. Attaches to any PPE you have on with a snug slip-on clip.

Features include:
Lamp: 1 LED light blinks red
Burn time: 100 hours
Batteries: 2 L1154 Alkaline
Weight: .5 oz.
Color: Hi-Vis

Item# FL2300 | \$14.50



PRINCETON TEC SECTOR 5

Waterproof 1PX8 submersible up to 100 meters

The trigger switch is easy to use. Access momentary "on" via a half-pull and constant "on" via a full pull. The trigger also locks out to prevent accidental illumination.

Features include:
Power: 550 Lumens
Lamp: 1 Maxbright LED
Burn time: 24 hours
Batteries: 4 C Alkaline (included)
Weight and length: 1.43 lbs./7 inches
Color: Hi-Vis

Item# FL8015 | \$111.99



PRINCETON TEC LEAGUE 420 FLASHLIGHT

Waterproof 1PX8 submersible up to 100 meters

The oversized operating switch is usable and lockable with just your thumb. Designed with an ergonomic angled head and featherweight design to create a perfectly balanced underwater flashlight.

Features include:
Power: 420 Lumens
Lamp: 1 Maxbright LED
Burn time: 14 hours
Batteries: 4 AA Alkaline (included)
Weight and length: 7 oz./6 inches
Color: Hi-Vis

Item# FL8010 | \$49.99



PRINCETON TEC SECTOR 7 LED SPOTLIGHT

Waterproof 1PX8 submersible up to 100 meters

The trigger switch is easy to use. Access momentary "on" via a half-pull and constant "on" via a full pull. The trigger also locks out to prevent accidental illumination.

Features include:
Power: 700 Lumens
Lamp: 1 Maxbright LED
Burn time: 30 hours
Batteries: 8 C Alkaline (included)
Weight and length: 2.36 lbs./7 inches
Color: Hi-Vis

Item# FL8050 | \$130.99



PELICAN 3315 FLASHLIGHT

1P67 waterproof and dustproof

The new 3315 LED flashlight is compact and safety approved for most volatile work environments. This light features a push button on/off switch.

Features include:
Power: 160 Lumens
Lamp: LED
Burn time: 19 hours
Batteries: 3 AA Alkaline (included)
Weight and length: 6.2 oz./6.14 inches
Color: Hi-Vis
Lanyard included

Item# FL7125 | \$41.95



PETZL TIKKA® HEADLAMP

Water resistant: 1PX4 weather resistant

The TIKKA headlamp is a hybrid headlamp that comes with multiple lighting modes — proximity, movement, and distance vision with either red or white light. The red light prevents members of a group from blinding each other in the dark. The phosphorescent reflector on the headlamp helps you find it in your pack, even in the dark.

Features include:
Power: 300 Lumens
Beam pattern: Wide
Burn time: 120 hours low; 60 hours high
Batteries: 3 AAA batteries included, compatible with CORE rechargeable battery
Weight: 2.8 oz.
Color: Black

Item# HE6315 | \$29.95



PRINCETON TEC REFUEL™ HEADLAMP

Water resistant: 1PX4 weather resistant

This is an extremely simple to use headlamp that features an asymmetrical single arm bracket that makes directing the light effortless. It has a large, easy-to-find push button to power on and off and toggle through 3 different modes and dimmable feature.

Features include:
Power: 200 Lumens
Beam pattern: Wide
Burn time: 123 hours
Batteries: 3 AAA batteries included
Weight: 2.8 oz.
Color: Hi-Vis and Grey

Item# HE1700 | \$24.99



PRINCETON TEC ROAM™ HEADLAMP

Waterproof: 1PX8 submersible up to 100 meters

While this headlamp can be used as a standard headlamp, it was built to be the ideal dive headlamp. It's 100-lumen LED and custom optic delivers the focused beam that divers need.

Features include:
Power: 170 Lumens
Beam pattern: Narrow
Burn time: 18 hours
Batteries: 2 AA batteries included
Weight: 5.8 oz.
Color: Hi-Vis and Black

Item# HE1600 | \$49.99



PETZL PIXA®1 HEADLAMP

Waterproof: 1PX7 submersible up to 1 meter

This headlamp offers lighting that allows the user to work comfortably on tasks close at hand. It has 2 modes: high and low. Constant lighting technology: brightness does not decrease gradually as the batteries are drained. It meets certification requirements for work in explosive environments (specs available online).

Features include:
Power: 60 Lumens
Beam pattern: Flood
Burn time: 16 hours
Batteries: 2 AA batteries included compatible with rechargeable lithium
Weight: 5.6 oz.
Color: Yellow and Black

Item# HE6275 | \$49.95



PETZL PIXA®3 HEADLAMP

Waterproof: 1PX7 submersible up to 1 meter

This headlamp offers lighting that adapts to any environment, close range work, movement and long-range vision. Constant lighting technology: brightness does not decrease gradually as the batteries are drained. It meets certification requirements for work in explosive environments (specs available online).

Features include:
Power: 100 Lumens
Beam pattern: Flood, Mixed, Focused
Burn time: 26 hours
Batteries: 2 AA batteries included compatible with rechargeable lithium
Weight: 5.6 oz.
Color: Yellow and Black

Item# HE6250 | \$79.95



PRINCETON TEC APEX HEADLAMP

Waterproof: 1PX7 submersible up to 1 meter

This headlamp is a favorite for extreme outdoorsmen and cavers. It incorporates a single regulated Maxbright LED plus 4 regulated Ultrabright LEDs. It is capable of a powerful spot beam or a bright flood, and two switches make changing modes intuitive.

Features include:
Power: 550 Lumens
Beam pattern: Dimmable
Burn time: 150 hours
Batteries: 4 AA batteries included
Weight: 9.8 oz.
Color: Black

Item# HE1800 | \$93.99

RQ3 STORM PRO HELMET

Water rescue helmet designed for personal, department, and team use



RQ3 STORM PRO HELMET

Conforms to CE EN 1385:2012 helmet standards

Helmet sizes: S/M (20.9" - 23.3") or L/XL (21.6" - 24.0")
Colors available: Matte Black, Red, White, or Yellow



Item# HL7050 | RQ3 Storm Pro Helmet | \$39.95

rescuesource.com

Rescue SOURCE

2020 2021



PETZL STRATO® VENT HELMET

CE, EN 12492, ANSI Z89.1 Type I Class C, EAC helmet standards

Features include:

CENTERFIT feature allows perfect centering of the helmet on the head
FLIP&FIT system allows the headband to be positioned in a low position, guaranteeing that the helmet fits securely on the head
Protection designed for work at height and on the ground
DUAL chinstrap to adjust strength to adapt the helmet to different environments. The clip has two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged
Shock absorption achieved through deformation of the liner; foam interchangeable
Fits head circumference from 20.87" - 24.8" (53 - 63 cm)
Colors: Yellow or Red
Universal size

Item# HL5150 | \$124.95

PETZL VERTEX® VENT HELMET

CE, EN 397, EN 12492, ANSI Z89.1 Type I Class C, EAC helmet standards

Features include:

Six-point textile suspension conforms perfectly to the shape of the head
CENTERFIT feature allows perfect centering of the helmet on the head, thanks to its two side adjustment wheels
FLIP&FIT system allows the headband to be positioned in a low position, guaranteeing that the helmet fits securely on the head
Protection designed for work at height and on the ground
DUAL chinstrap to adjust strength to adapt the helmet to different environments. The clip has two uses: high strength, limiting the risk of losing the helmet during a fall, and low strength, limiting the risk of strangulation if the helmet is snagged
Shock absorption achieved through deformation of the liner; foam interchangeable
Vent holes with sliding shutters allow the ventilation to be adjusted as needed
Fits head circumference from 20.87" - 24.8" (53 - 63 cm)
Colors: Yellow or Red
Universal size



Item# HL5130 | \$99.95

HELMET ACCESSORIES



NRS HYDROSKIN 0.5 HELMET LINER

Sizes: S, M, L

Item# HL2125
\$20.95



CMC SUNBRERO

Item# HL4900
\$37.00



PMI® AIR-GO HELMET

CE, EN397:2012+A1:2012, EN50365:2002, ANSI/ISEA Z89.1-2014 Type 1 Class C

Features include:
6-point sewn durable and hardwearing Terylene webbing cradle
Dry-Tech Sweatband
Wheel ratchet headband
Replaceable headband and strap
Optional stickers (included)
Comfortable ventilated design
Fits head circumference from 20.87" - 25" (53-64 cm)
Colors: Red or White
Universal size

Item# HL5300 | \$79.00



RQ3 BOULDER HELMET

CE, EN 12492 helmet standards

Features include:
Removable, comfortable, moisture-wicking headband and liner
Outershell designed to withstand impact
Vent system with metal mesh guard to protect against debris while allowing water to drain
Headlamp/goggle retainer clips
4-point chin strap system
Ratchet system with dial for secure fit
Fits head circumference from 21.75" - 24.4" (55 - 62 cm)
Colors: Hi-Vis or Red
Universal size

Item# HL7500 | \$59.95



VERSATILE HELMET FOR WATER AND ROPE RESCUE ENVIRONMENTS

rescuesource.com



REFLECTIVE RESCUE HELMET STICKERS
(silver | 6 1/2" long x 1" tall)

- Instructor Item# PS3420**
\$3.25/each \$5.50/ pair
- Water Rescue Item# PS3415**
\$3.25/each \$5.50/pair
- Rescue Item# PS3400**
\$3.25/each \$5.50/pair

Rescue SOURCE
2020
2021



CMC LIFESAVER VICTIM HARNESS™

UL Classified to NFPA 1983/2017

Features include:
Attaches quickly and securely no matter where or how the victim is positioned
Colored web makes using the harness easy
CMC's original V-Ring and snap design allows the harness to be put on without the victim having to step through the harness
Tie-in point also doubles as a "handle" for controlling the victim's position
Storage bag allows easy carry, ready for use, preventing tangling when accessing the victim, and is attached to the harness so it cannot be lost
Weight: 2.9 lbs.
Size: up to 62" waist size

Item# HA9400 | \$255.00



YATES SEAT HARNESS

UL Classified to NFPA 1983/2017

Features include:
Lightweight harness specially designed for victim rescue and ladder use
Quick-connect snap hook and D-ring adjustment system allows for fast application
Waist pocket securely holds leg straps until needed and in victim use. It enables rescuer to apply belt to victim giving the rescuer a fast clip-in point. Leg straps are then removed and applied
New Stab-Lock ANSI Z359.1 certified quick-connect leg buckles are used for ease of donning
Weight: 1.9 lbs.
Size: up to 62" waist size

Item# HA9500 | \$149.50



YATES UNIFORM RAPPEL BELT

Features include:
Belt can be used for emergency rappels and belays
Unique custom "Cam Lock" waist buckle system allows for quick adjustment while eliminating slippage problems
Made from 1 3/4" webbing that has been made slightly stiffer
The front V-ring is used for a main attachment point and has a proof-load strength of 2500 lbf. and breaking strength of 5000 lbf.
Webbing strength is 7000 lbf., overall strength 4000 lbf.
Size: up to 44 inches

Item# HA9420BL | \$34.50



YATES TECHNICAL RESCUE II HARNESS

UL Classified to NFPA 1983/2017
ANSI/OSHA Z359.11-2014 & CAN/CSA Z259.10-12

Features include:
Harness for entry level technical rescue, rope access, short haul, and basic rope rescue uses
The waist belt portion and leg pads of the harness use smaller and thinner padding material to save weight and reduce bulk
Leg pad orientation can be adjusted
Dorsal D ring is easily adjustable on rear of chest
Attachment points at waist, chest, and back (dorsal)
Shoulder straps are specially tailored to reduce chafing of the neck
New Stab-Lock quick-connect leg buckles
Weight: 4 lbs.
Sizes: S/M 26"-36" or L/XL 34"-45"

Item# HA3800 | \$369.60



PETZL ASTRO BOD FAST HARNESS WITH CROLL

ROPE ACCESS HARNESS

UL Classified to NFPA 1983/2017
ANSI Z359.11 & CSA Z259.10

Features include:
Includes an integrated CROLL L ventral rope clamp
The gated ventral attachment point allows optimal integration of equipment
Wide, semi-rigid waistbelt and leg loops contoured and lined with breathable foam padding
The doubleback self-locking buckles at the rear of the harness, between the waistbelt and the leg loops, allow for a shorter adjustment when the dorsal attachment point is used
Fall indicator on the dorsal attachment point
Astro Bod Fast international version features leg loops with fast automatic buckles
Weight: 5.5 lbs.
Sizes: S/M 27"-36" or L/XL 33"-47"

Item# HA8425 | \$499.95



YATES VOYAGER HARNESS

UL Classified to NFPA 1983/2017
ANSI/OSHA Z359.1-2007 & CAN/CSA Z259.10-12

Features include:
Versatile harness with multiple attachment points. 5-inch waist pad provides extreme comfort
Quickly and easily donned and adjusted by use of camlock buckles and New Stab-Lock ANSI Z359.1 certified quick-connect leg buckles
Wide leg and waist pads for more comfort
Multiple attachment points at waist, hips, chest, back (lumbar), back (dorsal) and shoulders
Weight: 6 lbs.
Sizes: M 32"-36" or L 35"-39" or XL 39"-50"

Item# HA8800 | \$465.00

Rescue Source provides rope and rescue hardware from the best brands in the rescue industry. Our catalog contains a small selection of many items we can obtain for you. We have access to brands like Petzl, PMI, CMC, Rock Exotica, Sterling, New England and many more. If you would like us to special order any products from brands we carry, please call us at 1-800-457-3728 or email us at info@rescuesource.com.

Rescue Source is your one-stop gear shop for all your vertical rescue needs.

ROPE &

HARDWARE




Photo courtesy of Sierra Rescue

RQ3
GEAR

ANCHOR SYSTEM

The most lightweight system on the market



CAN MOUNT IN RESCUE VEHICLE WITH BRACKETS (Mounting Brackets sold separately online)

PLATE TO SECURE FIT ANCHOR PLATE IN PLACE

USE NYLON CARRY STRAP WITH RUBBER PAD TWO WAYS — OVER SHOULDER OR ACROSS BODY

PLATES WITH NOTCHES FOR SECURE SYSTEM FIT

CAM-LOCK BUCKLES TO SECURE SYSTEM INTO CASE

Picket Driver/Puller does not fit in case (carried separately)

STEEL-COATED CASE

Oversized freight charge applies

RQ3 LIGHTWEIGHT CLIFF PICKET

Third party tested by Northwest Labs of Seattle Inc.

Item# AN3300 | Single Picket | \$94.50

Item# AN3310 | Set of 3 Pickets | \$269.50

RQ3 PICKET ANCHOR PLATE

Third party tested by Northwest Labs of Seattle Inc.

Item# AN3308 | \$94.50

RQ3 PICKET DRIVER/PULLER

Item# AN3307 | \$225.00

RQ3 CLIFF PICKET SYSTEM

The RQ3 Cliff Picket System is a perfect option when no other anchor is available

Weight: 35 lbs. | Case dimensions: 48" x 5" x 4"

Package includes:

- Three RQ3 Cliff Pickets
- 1 RQ3 Picket Anchor Plate
- 1 RQ3 Picket Driver/Puller (carried separately)
- 1 Case

Item# KT1750 | \$629.10

RQ3 PICKET CARRYING CASE

Item# AN3309 (sold separately) | \$95.00

RQ3

■ Dr
in but a

■ Ma
steel a
TIG-we

■ We

** The
be use
Februa
Driver/





R

RQ3 LIGHTWEIGHT CLIFF PICKET

- Made from 1-inch DOM steel tubes, cut to length, then hand-sanded and deburred.
- Head and points are TIG welded with a V-notch to ensure full penetration of each weld.
- We use a custom-made tube turning machine and hand-weld each picket while the tube is turned for maximum strength.
- A picket will show deflection of 1 inch at 2,000 lbs. (26.68kN)
- Weight: 5.9 lbs. | Length: 48"

Item#
AN3300
single picket
\$94.50

RQ3 PICKET DRIVER/ PULLER

RQ3 LIGHTWEIGHT CLIFF PICKET

RQ3 PICKET DRIVER/PULLER

The driver not only drives the pickets but also pulls them out easily.

Made from case hardened steel and handles are welded.

Weight: 11.2 lbs.

The RQ3 Picket Driver/Puller is designed to be used with RQ3 pickets only manufactured after January 2016. Other pickets may damage the Picket Driver Puller head and void the warranty.

Item#
AN3307
\$225.00

RQ3 PICKET ANCHOR PLATE

- The angled attachment point at end of plate allows you to clip directly in to your system.
- Provides optimum spacing/angle for pickets.
- Eliminates the need to use webbing to lash pickets together.
- Weight: 3.1 lbs., Length: 35"
- Strength: 12,000 lbs. (27kN)

Item#
AN3308
\$94.50

RQ3 PICKET ANCHOR PLATE

We can special order both Sterling's & PMI's full line of ropes.

✉ Email info@rescuesource.com

Note: Not stocked — 2 week lead time

PMI PMI PROFESSIONAL ROPE WITH UNICORE®
FOR YOUR VERTICAL WORLD

NFPA 1983, G CI1801, Static




Unicore® technology creates the ultimate bond between sheath and core. This bond means sheath slippage is nearly zero, even when the sheath is cut circumferentially. Allows the person to pass either a cut or torn sheath area, whether descending or ascending since the sheath cannot bunch to create an impasse. When cut with a knife, minimal fraying occurs. It also reduces shrinkage in water by more than 50 percent.

Elongation at 10% MBS: 3.7% | Elongation: 0.7% at 300 lbf., 1.6% at 600 lbf., 3.5% at 1000 lbf., 6.3% at 1800 lbf.

ITEM #	DIAMETER	MBS LBS. (KN)	LENGTH	ORANGE
RP600O20	1/2" (12.5mm)	10,009 lbs. (44.5 kN)	200' (61m)	\$291.00
RP600O30	1/2" (12.5mm)	10,009 lbs. (44.5 kN)	300' (92m)	\$436.80

PMI PMI HUDSON CLASSIC PROFESSIONAL ROPE EZ BEND™
FOR YOUR VERTICAL WORLD

Compliant NFPA 1983 (2017), G | EN-1891 A | Ansi Z359.15 (2014) | CI1801, Static



PMI's classic EZ Bend 16-carrier construction combined with the toughest nylon on the market makes PMI ropes some of the toughest in the world. Although all diameters of PMI Classic rope are 16-carrier sheath design, the denier (thickness) of each diameter's sheath is different. It is carefully designed to provide the maximum abrasion resistance, "grab" the core to minimize sheath slippage, and provide the desired hand for the intended applications.

Weight: 104 g/m | MBS: 43.6 kN (9804 lbf) | Elongation: .8% at 300 lbf | Elongation at 10% MBS: 3.6%-4.2%

ITEM #	DIAMETER	LENGTH	ORANGE/WHITE	BLUE/WHITE	YELLOW/WHITE
RP4055	1/2" (12.5mm)	200' (61m)	\$269.90	\$269.90	\$269.90
RP4055	1/2" (12.5mm)	300' (92m)	\$405.00	\$405.00	\$405.00
RP4055	1/2" (12.5mm)	600' (183m)	\$810.10	\$810.10	\$810.10



1/2" WORK PRO ROPE



UL Classified to NFPA 1983 General Use, EN 1891 A Static Ansi Z133

Sterling's newest static rope — the ultimate work horse rope — benefits from its extensive experience working with mixed material ropes. The WorkPro uses a newly designed pre-steamed nylon core surrounded by a 32-carrier polyester sheath. This combination of fibers makes for a balanced elongation in the nylon core and polyester sheath so they share the load evenly, making the rope stronger than other ropes of similar construction while retaining a small but important amount of elongation.

MBS Rating 10,565 lb (45kn) | Weight 7.4 lb/100' | Elongation at 300 lb-3.2% | Elongation at 10% MBS 9.8%

ITEM #	DIAMETER	LENGTH	GREEN	RED	BLUE
RP2050	1/2" (12.5mm)	150' (46m)	\$175.00	\$175.00	\$175.00
RP2050	1/2" (12.5mm)	200' (61m)	\$235.00	\$235.00	\$235.00
RP2050	1/2" (12.5mm)	300' (92m)	\$345.00	\$345.00	\$345.00
RP2050	1/2" (12.5mm)	600' (183m)	\$692.50	\$692.50	\$692.50

1-800-457-3728

Rescue SOURCE

2020 2021

42

We can special order New England Ropes' full line.



NEW ENGLAND ROPES



UL Classified to NFPA 1983 General Use, EN 1891 A | Ansi Z133


KM III static kernmantle rope is an exceptional static rope for rappelling, caving, rescue, top roping, fixed rope applications, hauling and life-safety applications. The unique polyester sheath differentiates KM III from other static ropes. The polyester sheath is balanced with a nylon core to limit rotation, bouncing, and stretch. Ropelab tests demonstrated polyester sheaths significantly outperformed nylon in abrasion tests. Each piece of KM III rope comes with an NFPA certification tag and CE labels. Thirty-two bobbins provide the correct sheath for the unique demands of static rope and the optimum sheath/core ratio. This allows for an incredibly smooth sheath, higher tensile strengths, and superior handling characteristics.

Features:

- Polyester over nylon with a balanced torque free construction
- Excellent handling and knot holding characteristics
- High abrasion resistance
- Excellent UV protection

The following specifications apply to all diameters of KM III:

- Construction: Block creel, low-stretch (static) kernmantle construction
- Fiber: The core is 100% nylon and the sheath is 100% polyester
- Sheath: Braided polyester jacket, 32 carrier, two over two under construction with half of the strands having a Z-twist and half having an S-twist
- Strength: 7/16" - 7,900 lbs. (35kN) 1/2" - 10,350 lbs. (46kN)
- Elongation: 7/16" - 3.51% at 450 lbs. 1/2" - 3% at 450 lbs.
- Temperature: Melt point 480°F (248°C)



NFPA GENERAL USE LIFELINE

	LENGTH	WHITE	RED ORANGE GREEN
RP5065 1/2" (13mm) diameter	150' (46m)	\$200.55	\$228.90
	200' (61m)	\$265.65	\$303.45
	300' (92m)	\$403.20	\$457.80
	600' (183m)	\$760.20	\$877.80

Other colors available by special order:
Black, Blue, OD Green

NFPA TECHNICAL USE LIFELINE

ITEM #	DIAMETER	LENGTH	WHITE	RED ORANGE GREEN
RP5075 7/16" (11mm) diameter		150' (46m)	\$172.20	\$200.55
		200' (61m)	\$224.70	\$265.65
		300' (92m)	\$347.55	\$391.65
		600' (183m)	\$638.40	\$715.05

RIVER RESCUE LIFELINE BY NEW ENGLAND



A rescue system rope **that floats!** Intended for high-load applications that normally call for a lifeline but also require a rope that floats, our New England River Rescue Rope is compatible with prusik hitches, ascenders, pulleys, and other rescue hardware. Its core is polyolefin covered with a tough, abrasion-resistant nylon sheath. Double braided with a polypropylene core contained within an abrasion-resistant nylon jacket, this is one tough rope — not a throw line but a rescue lifeline. Average tensile strength: 5050 lbs. | Maximum tensile strength: 3700 lbs. | Weight: 5.3 lb./100'

Color: Yellow (tracer may vary)

NOTE: If rope is under extreme load, sheath may slip exposing core.

ITEM #	DIAMETER	200' (61m)	300' (92m)	600' (183m)
RP7000	7/16" (11mm)	\$196.35	\$294.00	\$589.05



STERLING WATERLINE



Unique materials excel in wet environments like swiftwater, ice, and flooded environments. This rope performs in these harsh conditions with strength and optimal flotation. Sterling throwline and water rescue ropes are manufactured with the same precision and quality as their life safety ropes. Sterling developed the waterline rope using only the best quality and highest tenacity polypropylene nylon. The rope is made from braided polypropylene in the core and sheath for maximum buoyancy. MBS Rating: 5754 lbs. | Weight: 5.2 lb./100 feet

Color: Red (yellow tracer)

ITEM #	DIAMETER	150' (46m)	200' (61m)	300' (92m)	600' (183m)
RP5135	1/2" (12.5mm)	\$148.95	\$195.95	\$295.95	\$582.50

Other diameters available by special order

THROWBAG ROPE

We sell throwbag rope by the foot. You should inspect your rope often and replace your rope when needed.

3/8" Polypropylene
1900 lbs/8.4kN
Item# RP5080 | \$.40/ft.

3/8" UltraLine™
5237 lbs/23.3kN
Item# RP5130 | \$1.30/ft.

3/8" Grabline
3282 lbs/14.6kN
Item# RP5125 | \$.60/ft.

1/4" Polypropylene
1200 lbs/5.4kN
Item# RP5118 | \$.30/ft.

1/4" UltraLine™
2495 lbs/11.1kN
Item# RP5110 | \$.90/ft.



1-800-457-3728

Rescue SOURCE

2020
2021

TUBULAR WEBBING

This tubular webbing is constructed to military specifications 5625 and is made by needle loom construction. Tubular webbing has many uses, including anchor systems, technical rigging, climbing systems, and patient packaging. It makes and holds knots and can easily be undone even after a great amount of pressure is applied. Allow for up to 3 splices per spool.

ITEM #	WIDTH	MBS LBS. (KN)	COLOR	SPOOL	PRICE/FT	PRICE/SPOOL
WE3710	1"	4000 lbs. (17.8 kN)	Orange	300 ft.	\$.43	\$95.00
WE3700	1"	4000 lbs. (17.8 kN)	Blue	300 ft.	\$.43	\$95.00
WE3715	1"	4000 lbs. (17.8 kN)	Red	300 ft.	\$.43	\$95.00
WE3785	1"	4000 lbs. (17.8 kN)	Green	300 ft.	\$.43	\$95.00
WE3725	1"	4000 lbs. (17.8 kN)	Yellow	300 ft.	\$.43	\$95.00
WE3800	1"	4000 lbs. (17.8 kN)	Black	300 ft.	\$.43	\$95.00
WE3780	2"	8000 lbs. (35.6 kN)	Red	150 ft.	\$.91	\$136.50



PRUSIK CORD

The most important attribute of a cord used for prusik hitches is consistency in handling and diameter. Once you have determined the prusik hitch that works best on your host rope, you want the same performance every time you replace it. New England prusik cord has the right balance of suppleness for reliable activation and strength for long service life. Made of nylon with a torque-free, kernmantle construction. Two color choices in each diameter allow you to use a separate color for each length prusik in a tandem prusik belay system.

ITEM #	DIA.	COLOR	MBS LBS. (KN)	SPOOL	PRICE/FT	PRICE/SPOOL
RP5000	6mm	Light Blue	1,750 (7.7 kN)	300 ft.	\$.47	\$141.75
RP5001	6mm	Red	1,750 (7.7 kN)	300 ft.	\$.47	\$141.75
RP5011	7 mm	Gold	1,955 (8.7 kN)	300 ft.	\$.58	\$175.35
RP5012	7 mm	Teal	1,955 (8.7 kN)	300 ft.	\$.58	\$175.35
RP5013	8 mm	Green	3,100 (8.7 kN)	300 ft.	\$.70	\$210.00
RP5014	8 mm	Burgundy	3,100 (13.8 kN)	300 ft.	\$.70	\$210.00

Important Note On Prusik Hitches

The performance parameters of prusik hitches used to belay rescue systems have received only limited testing. Several questions remain open, such as the effects of wear, age and environmental influences. If you decide to rely on a prusik hitch-based system, it is your responsibility to determine if the particular combination of prusik hitch material (the cord) and the host rope will work reliably for your systems, level of training, and rescue conditions.



SEWN PRUSIK CORD LOOPS

These sewn prusik cord loops have sewn ends that form a sleek, low-profile connection that is stronger than a knot. You can easily and quickly set up a system. Clear tubing protects the stitches yet allows ready inspection. Utilizing both the 38" and 50" length allows you to have tandem prusiks on 1/2" rope with the correct 4" spacing.

Rated MBS: 3,822 lbs. (17kN)
Prusik diameter: 7mm
Circumference: 38" & 50"

Item# RP1500 19" Red | \$12.95
Item# RP1510 25" Blue | \$13.95





RQ3 ROPE/GEAR BAG

Features include:

- Includes features of the RQ3 Rope Bags plus extras
- Two large zippered gear pockets on front
- Daisy chain on each side to clip gear on

Item# **BG3237**

Rope/Gear Bag | \$51.95

Holds up to 200 ft of 1/2" rescue rope | 9" x 27" diameter | Black/Grey



RQ3 ROPE BAGS

Features include:

- Made of Rip-Stop nylon
- Clear plastic sleeve pocket for rope log or rope I.D.
- Molded carry handles on side and contoured backpack straps
- Grommet with Velcro strap at bottom

Item# **BG3225**

RQ3 Rope Bag | \$36.00

Model #2 150-200 ft of 1/2" rope | 29" x 12" diameter | Orange or Red

Item# **BG3230**

RQ3 Rope Bag | \$39.00

Model #3 300 ft of 1/2" rope | 32" x 15" diameter | Orange or Red

CMC ROPE BAGS

Features include:

- Reach-in bottom allows bag to be used by both ends
- Contoured shoulder straps and side carry handle
- Clear-view sleeve for rope I.D./log information
- Colors: Orange, Red, or Yellow
- Other sizes available online

Item# **BG4320** | \$85.00

Model #2 150-200 ft of 1/2" rope | 30" x 9" diameter

Item# **BG4330** | \$89.00

Model #3 250-300 ft of 1/2" rope | 32" x 10" diameter



1-800-457-3728

Rescue
SOURCE

2020
2021

46

3
YEAR

RQ3 RAK PAK™

ROPE RESCUE



STANDARD MOLLE WEBBING ON OUTSIDE OF BAG

COMMON USES: MEDICAL PAK, LUGGAGE PAK, EQUIPMENT ORGANIZER

TWO INSIDE MESH POCKETS

INCLUDED: TWO BY TWO GROUND CLOTH

PADDED TOP AND SIDE HANDLES; COMPRESSION STRAPS ON OUTSIDE

5 REMOVABLE INTERNAL MOLLE PANELS WITH FASTEK BUCKLES TO HOLD LOADED PANELS IN PLACE



PADDED BACKSTRAP STRAPS, WAISTBELT AND STERNUM STRAP THAT CAN BE STORED INSIDE OUT OF THE WAY

rescuesource.com

RQ3 RAK PAK™

Made from 900D Color Black Polyester





Item# BG3450 | Rak Pak only | \$175.00

Item# BG3475 | Rak Pak with pockets | \$225.00

Pockets included with BG3475 only (shown in photo above)

BG1270S	MULTI-USE POUCH 5" x 5" x 1"	quantity 5
BG1270L	UNIVERSAL POUCH 6.5" x 8" x 1"	quantity 3
BG1270N	NARROW POUCH 15" x 4.5" x 1"	quantity 3

Rescue SOURCE 2020 2021

	Product	Item# & Price
	Whip-End Dip Rope Sealer	Item# RP4130 Red \$12.00 Item# RP4135 White \$12.00 Item# RP4120 Clear \$12.00
	Yates Canvas Edge Pad 30" x 36" (76 cm x 91 cm)	Item# RL5300 \$54.00
	SMC Pro-Tech Rope Protection System 23.4" x 3.5" x 1.2" 15-link unit with 14 straight pins and 3 angled pins Weight: 1.7 lbs.	Item# RL4525 \$119.00
	RQ3 Rope Log 5 1/4" x 8 1/2"	Item# RP9932 \$6.99
	Rope Cutting Gun	Item# RP4166 \$81.00 Item# RP4168 Replacement Blade \$8.25
	Hot Cutter	Item# RP4131 \$148.00 Item# RP4132 Replacement Blade \$25.00
	SMC Flex	Item# RL4500 \$18.95 Item# RL4510 Flex Clips 2 / pkg \$6.75
	Russ Anderson/SMC Edge Roller 10" x 6" x 4 1/2" Weight: 3.1 lbs.	Item# RL3700 \$208.00
	Shrink Tubing	Item# RP1250 1/2 inch \$0.65/ft. Item# RP1260 3/4 inch \$0.75/ft.



YATES ANCHOR STRAPS

UL Classified to NFPA 1983/2017 General Use. All hardware meets NFPA & military specifications.

Features include:

Made from 1-3/4" mil-spec webbing

The anchor straps come in 5 sizes and have a D ring at each end. When you create an attachment to the D rings instead of the webbing, there is less of a load put on the gate of the carabiner

Rated strength (end to end) for AN2300, AN2310, AN2320, AN2330: 8,775 lbf. (39kN)

Rated strength (end to end) for AN2450: 8,100 lbf. (36kN)

Color: Blue

ITEM #	SIZE	LENGTH	PRICE
AN2300	Small	3 ft.	\$54.50
AN2310	Medium	5 ft.	\$59.75
AN2320	Large	7 ft.	\$63.50
AN2330	X-Large	12 ft.	\$66.50
AN2450	Adjustable	2 - 8 ft.	\$99.75



YATES LOAD RELEASE STRAP

UL Classified to NFPA 1983/2017 General Use. Meets California Fire and California State Fire Marshal's Office requirements for low angle rope rescue operations (LARRO)

Features include:

Designed to make sizing and tying a load-releasing hitch safe and uncomplicated

Allows release of heavy loads in an easily controlled manner

This unique configuration will not allow the free end to slip past the D ring on the end of the strap

Rated strength: 8,040 lbf. (36kN)

Color: Blue

Length when fully extended: 38"

Item# AN2400 | \$73.00



ROCK EXOTICA AZTEK COMPACT 4:1 PULLEY SYSTEM

Features include:

The Aztek is the system of 1001 uses

Most compact, smoothest mechanical advantage kit available

Self-swiveling pulleys, side attachment of the haul line, color coded and matched pulleys and prusiks

Includes a bag for compact storage

Item# KT1400 | \$365.00



CMC RESCUE MULTI-LOOP STRAP

Features include:

This strap allows you to tie into your anchor with just the right length of webbing

Convenient when clipping several carabiners into one anchor point

Made of 1-inch mil-spec tubular web

Pockets break at 1100 lbf. (5kN)
Overall strength is 4,946 lbf. (22kN)

ITEM #	SIZE	COLOR	PRICE
WE2200	S 24" (4 loops)	Red	\$24.00
WE2260	M 36" (8 loops)	Yellow	\$28.00
WE2230	L 66" (18 loops)	Orange	\$39.00



CROSSLINE REACH CAPTURE DEVICE

Features include:

Securely grab ropes, lines or cables from a distance

The body of the Reach Device is made from 6061-T6 aircraft aluminum

Spring clips and pins are made from 304-type stainless steel

Will support 2,000 lbs. of pull strength

Item# MS6100 | \$120.00



CMC ETRIER AND ETRIER WITH TIE-IN

Features include:

Made of 1-inch (25-mm) mil-spec tubular web

Designed specifically for rescue, this etrier is superior for litter tending and other vertical activities

The four steps are stiffened for easier foot entry and abrasion protection

The top hand grip aids balance when moving up or down a tender line

The Etrier with Tie-In has a 3-ft (91-cm) multi-loop strap which can be attached to a harness as a safety backup

ITEM #	TIE-IN	COLOR	PRICE
ET5510	Tie-In	Red	\$59.00
ET5500	No Tie-In	Yellow	\$49.00



RA/SMC FIGURE 8

UL Classified to NFPA 1983
General & Technical Use

Features include:
Used by professionals as a descender
Machined from 1/2 inch heat treated aluminum alloy plate for high strength, and given a hard coat anodized finish
The carabiner hole is oval for use as a belay plate
Weight: 6.5 oz.
Material: Aluminum
Strength: 7,194 lbf (32kN)
Dimensions: 6" x 5.25" x 0.5" (at ears)

Item# FE2108N | \$62.00



STEEL "O" RING

Features include:

Used as a connection point when rigging a stretcher
Allows attaching the control lines, stretcher harness (spider), and the pulleys all at one strong point without twisting
Inside diameter is 3 inches
Weight: 10.9 oz.
Material: drop-forged alloy steel
Strength: 10,000 lbf. (44 kN)
Bar Diameter: 1/2"

Item# OR7200 | \$16.00



RQ3 RESCUE Q-EIGHT

Manufactured by SMC
UL Classified to NFPA 1983 General Use

Features include:
Descender designed for rescue and tactical teams
Performs exceptionally well in high-wear situations
Designed for 12mm rope
The unique design allows you to tie off easier and safer than any other eight plate, yet it works the same as traditional eights
Weight: 8.64 oz.
Material: 6061T 6511 Aluminum Stock
Strength: 4,946 lbf (22kN)
Dimensions: 7" x 5" x 0.5"

Item# FE2121N | \$55.50

PETZL ASCENSION

Handled Rope Clamp
CE EN 567, UIAA



Features include:
Designed for self-belaying on fixed ropes, as a handle when you need to pull on a rope, as well as, for climbing ropes
Has an upper connection hole for pulley/rope clamp system assembly, lower holes for connecting a lanyard and installing a foot loop with a quick link, and wide, ergonomic molded handles that allow a comfortable yet powerful grip
Rope compatibility: 8 to 13 mm
Weight: 5.82 oz.

Item# AS5065NR
Right Handed (gold) | \$89.95

Item# AS5065NL
Left Handed (black) | \$89.95

PETZL RESCUCENDER

Cam-Loaded Rope Clamp

NFPA 1983 Technical Use
CE EN 567, CE EN 12841 type B, EAC



Features include:

Openable cam-loaded rope clamp allows installation or removal of the rope clamp at any point on the rope
Independent safety catches on each side of the device allowing easy opening while reducing the risk of accidental opening. These safety catches are equipped with an unlocked indicator
Cam integrated into frame of device to facilitate handling
Large attachment hole to facilitate carabiner rotation
Integrated cam spring helps avoid accidental snagging and increases durability
Rope compatibility: 9-13 mm
Weight: 9.17 oz.

Item# AS5050 | \$99.95

PETZL ASAP®

International version
Mobile Fall Arrester

ANSI Z359.15, CE EN 12841 Type A
CE EN 353-2, EAC



Features include:
Has a unique locking system
The device moves freely along the rope without any manual intervention and follows the user
The ASAP may also be combined with an energy absorber to work at a distance from the rope
Rope compatibility: 10-13 mm
Weight: 1.16 lbs.
No carabiner included Can special order

Item# AS4100 ASAP | \$214.95

Item# AS4110
ASAP Sorber Lanyard | \$54.95

CMC MPD™

Multi-purpose Device

UL Classified to NFPA 1983 General Use



Features include:

A high-efficiency pulley with an integral rope-locking mechanism (ratchet) for a haul system

Built-in becket allows cleaner rigging and efficient pulley systems

Allows main line and belay line rigging to be mirrored or twin-tensioned

Functions as a lowering brake device and as a ratcheting pulley for raising

Ideal for confined space operations because it converts rapidly to a retrieval line

Rope compatibility: 12.5 - 13 mm
(11mm design available by special order
UL rated "T" Technical Use)

MBS: 11,015 lbf. (49kN)

Weight: 2.6 lbs.

Item# AS3300 | \$799.00

CMC CLUTCH™ BY HARKEN INDUSTRIAL™

Work/Rescue Descender

UL Classified to NFPA 1983 (2017 ED) General Use;
ANSI/ASSE Z359.4-2013; EN 12841: 2006/C; EN 341: 2011/2A; EN 15151-1: 2012/8



Features include:

Single, wearable tool suited for efficient hauling, controlled lowering, smooth personal descent, easy ascending and belaying

Stainless steel ratcheting and rotating sheave provides efficient and audible progress capture

Rope loading/unloading is secured with an innovative double-latched side plate design that is independent of the device's attachment point

Anti-Panic brake and force limiting features ensure operational safety and overload protection

Integrated becket allows for direct connection of mechanical advantage systems

Rope size: 10.5 - 11.5 mm (7/16 in.)

MBS: Pulley 8,992 lbf. (40kN) / Becket 4,496 lbf. (22kN)

Max load: 600 lbs. (272 kg)

Weight: 1.84 lbs. (836 g)

Item# AS3500 | \$649.00

PMI D5

Work/Rescue Descender

UL Classified to NFPA 1983/2017 General Use
EN12841:2006/C, ANSI Z359.4:2013



Features include:

Double-stop device with an auto-lock function, which is activated whenever the operator releases the handle; and a panic-brake function

Has a double-locking safety mechanism

The side plates are designed so that they cannot be rotated open while under load, due to the position of the carabiner

Easy to attach/detach from the rope without having to detach from the harness

Features a progressive cam action, which offers precise control during low or high speeds

The cam is made from solid, stainless steel for maximum durability, even in harsh environments, such as Geotech work

Rope size: 12.5 mm - 13 mm

MBS: 4,945 lbf. (22kN)

Weight: 1.81 lbs.

WLL (working load limit): 500 lbs.

Item# AS2510 | \$278.75

PETZL I'D®

Self-Braking Descender

UL Classified to NFPA 1983 Technical Use
CE EN 241 Class A, CE EN 12841 type C,
ANSI Z359.4, EAC, EN 341 Class A, CE EN 15151-1



Features include:

With anti-panic function, the I'D self-braking descender is primarily designed for technical rescue

It has an ergonomic handle that allows convenient descent control

The integrated anti-panic function and anti-error catch limit the risk of an accident due to user error

The auto-lock system allows users to position themselves without having to manipulate the handle or tie off the device

Once locked, the rope can be taken up without having to manipulate the handle

The safety gate allows the rope to be installed with the device remaining connected to the harness

Weight: 1.31 lbs.

WLL (working load limit): 600 lbs.

Item# AS4000NL

11.5-13mm rope | \$299.95

Item# AS4000NS

10-11.5mm rope | \$299.95

CMC PROTECH™ ALUMINUM KEY-LOCK CARABINERS

UL Classified to NFPA 1983 Technical Use



ITEM #	MODEL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA5060N	Screw Lock D-Shape	Brite	1"	5,845 lbf. (26kN)	2.6 oz.	\$20.00
CA5061N	Screw Lock D-Shape	Black	1"	5,845 lbf. (26kN)	2.6 oz.	\$20.00
CA5062N	Screw Lock D-Shape	Orange	1"	5,845 lbf. (26kN)	2.6 oz.	\$20.00
CA5063N	Manual Lock D-Shape	Slate	1"	5,845 lbf. (26kN)	2.8 oz.	\$25.00
CA5064N	Manual Lock w/Keeper D-Shape	Orange	1"	6,519 lbf. (29kN)	3.6 oz.	\$32.00
CA5065N	Auto Lock D-Shape	Red	1"	5,845 lbf. (26kN)	2.8 oz.	\$25.00
CA5066N	Auto Lock w/Keeper D-Shape	Red	1"	6,519 lbf. (29kN)	3.6 oz.	\$32.00

SMC STEEL RESCUE CARABINERS

UL Classified to NFPA 1983 General Use



ITEM #	MODEL	MATERIAL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA4150N	Large	Steel	Bright	1.20"	10,341 lbf. (46kN)	10.6 oz.	\$39.00
CA4130N	Large	Heat-Treated Steel	Bright	1.20"	14,613 lbf. (65kN)	10.9 oz.	\$49.00
CA4186N	Standard	Alloy Steel	Bright	.94"	10,116 lbf. (45kN)	6.6 oz.	\$39.00

SMC STANDARD ALUMINUM LOCKING CARABINERS

UL Classified to NFPA 1983 Technical Use



ITEM #	MODEL	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA5000N	Standard Modified D	Bright	.82"	6,070 lbf. (27 kN)	2.6 oz.	\$22.00
CA5020N	Standard Modified D	Red Anodized	.82"	6,070 lbf. (27 kN)	2.6 oz.	\$24.00
CA5010N	Standard Modified D	Black	.82"	6,070 lbf. (27 kN)	2.6 oz.	\$24.00

1-800-457-3728

Rescue
SOURCE

2020
2021

52

OMEGA PACIFIC JAKE CARABINER

ITEM #	MODEL	DIA.	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA4112	Screw Locking Pear-shaped	7/16 in.	Pewter	.94 in.	5,170 lbf. (23kN)	3.5 oz.	\$15.50



OMEGA PACIFIC ALUMINUM CARABINERS

UL Classified to NFPA 1983 Technical Use

ITEM #	MODEL	DIA.	FINISH	GATE OPENING	STRENGTH	WEIGHT	PRICE
CA4165N	Locking D	7/16 in.	Black	.51 in.	6,969 lbf. (31kN)	2.6 oz.	\$11.75



ROCK EXOTICA GATE MECHANISMS

<p>ORCA-LOCK The ORCA-Lock gate system lifts up and twists just like many traditional auto-locks but can be set to remain in the unlocked position.</p>	 Up 1	 Twist 2	 Ready	 Open 3
<p>AUTO-LOCK Our 3-stage Auto-Lock uses an ergonomic pull-down sleeve, smooth working surfaces and a double-sided lock-status indicator.</p>	 Down 1	 Twist 2	 Open 3	
<p>SCREW-LOCK The Screw-Lock features all anodized parts for longevity and a smooth spin, and a sleeve designed to never detach from the gate.</p>	 Twist 1	 Open 2		

ROCK EXOTICA ALUMINUM CARABINERS

CE Certified



ITEM #	MODEL	GATE OPENING	STRENGTH	WEIGHT	PRICE
<p>PIRATE The Pirate carabiner easily accommodates the use of a wide range of gear, webbing, or ropes.</p>					
CA5070	Pirate ORCA-Lock	1.20"	5,845 lbs. (26kN)	2.9 oz.	\$25.00
CA5071	Pirate Auto-Lock	1.20"	5,845 lbs. (26kN)	2.9 oz.	\$21.00
CA5072	Pirate Screw-Lock	.94"	5,845 lbs. (26kN)	2.9 oz.	\$16.50
<p>rockD The rockD is the strongest of the Rock Exotica carabiners, keeping the loads close to the spine where the strength is.</p>					
CA5080	rockD ORCA-Lock	.95"	6,519 lbs. (29kN)	2.6 oz.	\$25.00
CA5081	rockD Auto-Lock	.95"	6,519 lbs. (29kN)	2.6 oz.	\$21.00
CA5082	rockD Screw-Lock	.95"	6,519 lbs. (29kN)	2.6 oz.	\$16.50
<p>rockO The rockO carabiner is a blend of the traditional oval and the rockD giving it more strength than the standard oval.</p>					
CA5075	rockO ORCA-Lock	.90"	5,394 lbs. (24kN)	2.6 oz.	\$25.00
CA5076	rockO Auto-Lock	.90"	5,394 lbs. (24kN)	2.6 oz.	\$21.00
CA5077	rockO Screw-Lock	.90"	5,394 lbs. (24kN)	2.6 oz.	\$16.50

WE CAN ORDER ROCK EXOTICA'S FULL LINE

rescuesource.com

Rescue SOURCE

2020
2021



CMC ANCHOR PLATE

UL Classified to NFPA 1983 General Use

Features include:

Keeps the carabiners holding the different parts of your rescue system from jamming together

Can also keep you from clipping a carabiner into the wrong loop of the anchor webbing

Weight: 7.4 oz.

Material: Stainless steel

Strength: 9,666 lbf. (43kN)

Item# PR5950N | \$80.00



PETZL PAW RIGGING PLATE

UL Classified to NFPA 1983 General Use

Features include:

Designed for easily organizing work stations and creating multi-anchor systems

Weight: 7.4 oz.

Material: Aluminum

Strength: 8,093 lbf. (36 kN)

Hole diameter: 9mm

Item# PR6025 | \$54.95



RQ3 STRETCHER RIGGING PLATE

Features include:

Designed as a connection point with enough holes for all lines

Used for litter points, litter tender, or complex systems

Weight: 11.84 oz.

Material: Aluminum

Strength: 12,200 lbf (54kN)

Dimensions: 10" x 3.75"

Item# PR5980 | \$69.50



ROCK EXOTICA OMNI BLOCK PULLEY

CE Certified to UIAA127 / EN12278

The Omni Block pulley makes some very basic but effective changes to the rescue pulley. First, by adding a swivel to the top of the body, the Omni allows the pulley to rotate with the rope, reducing friction and equipment failures brought on by torque in a system. The swivel also acts as the pulley's attachment point to the system, allowing rescuers to rig and re-rig pulleys at will without needing to manipulate carabiners.

ITEM #	TYPE	MBS	WEIGHT	PRICE
PU5100	Single	8,093 lbf. (36kN)	9.2 oz	\$94.00
PU5150	Double w/Becket	8,093 lbf. (36kN)	14.5 oz	\$138.00

ROCK EXOTICA KOOTENAY ULTRA PULLEY

CE Certified to UIAA127 / EN12278



The Kootenay Ultra knot-passing pulley has two holes for tag lines, a dual bearing and other features make the Kootenay Ultra the most advanced pulley of its type. Extremely compact and lightweight. Simplifies high-strength tie-off with a single locking screw, stowable within the axle. Uses two independent sealed ball bearings for increased durability and efficiency. Two additional holes to separate tag lines and hoist lines, helping prevent spinning of the load and interference with connectors.

ITEM #	TYPE	SHEAVE	DIMENSIONS	MBS	WEIGHT	PRICE
PU5125	Double bearing	2.2"	8.57" x 4.1" x 2.94"	8,767 lbf. (39kN)	25 oz	\$225.00

1-800-457-3728

Rescue SOURCE

2020
2021

SMC PMP PULLEYS

UL Classified to NFPA 1983 General Use

SMC's Prusik Minding Aluminum Pulleys are versatile, with their compact size, in combination with a large diameter sheave. The solid side plates help prevent foreign object access, reduce snagging and are tensioned for easy one-handed operation and secure placement at any point along the rope. Sealed ball bearings provide optimal efficiency and reduce the performance robbing resistance inherent in most multiple component systems.



ITEM #	TYPE	SHEAVE	DIMENSIONS	MBS	WEIGHT	PRICE
PU8500N	2" Single Prusik Minding	2"	3.97" x 2.9" x 1.37"	8,093 lbf.(36kN)	6.3 oz	\$72.00
PU8510N	2" Double Prusik Minding with Becket	2"	5.1" x 2.9" x 2.2"	10,341 lbf. (46kN)	10.4 oz	\$112.00
PU8515N	3" Single Prusik Minding	3"	5.85" x 4.17" x 1.38"	8,542 lbf. (38kN)	12.5 oz.	\$99.00



SMC 2" SWIFTWATER PULLEY

CE Certified to UIAA127 /EN12278

The Swiftwater Rescue pulley is designed for that unique environment. The anodized aluminum side plates feature a series of holes which help to minimize the hydroplaning effect that might otherwise occur with a typical pulley. This pulley can work as a prusik minding pulley. Sealed ball bearings provide optimal efficiency. Recommended for ropes up to 1/2" (13mm).

ITEM #	TYPE	SHEAVES	DIMENSIONS	MBS	WEIGHT	PRICE
PU7000	Single	2"	4" x 3" x 1.25"	7,644 lbf. (34kN)	6 oz	\$49.00



SMC CR_x PULLEY

CE Certified to UIAA127 /EN12278

This diminutive featherweight belies its solid strength and efficiency when used in 2 to 1 systems. It also has prusik minding capability. A smooth running 1.25" Delrin sheave runs on a zinc-coated axle, and the color-contrasting aluminum side plates rotate for easy rope insertion and removal. Accepts ropes up to 1/2" (13 mm).

ITEM #	TYPE	SHEAVE	DIMENSIONS	MBS	WEIGHT	PRICE
PU8490	Single	1.2"	2.7" x 1.75" x 1.07"	4,946 lbf. (22kN)	1.8 oz	\$16.95



Litters, litter wheels, and accessories are drop-shipped from the factory. Please allow two to four weeks for delivery. Oversized shipping charges apply — available for shipment to U.S. addresses only (Contiguous 48).

CMC DISASTER RESPONSE LITTER

Features include:

- Medium-duty economical litter was designed for durability while keeping costs in mind
- Features tubular runner rails which span along the bottom making it more durable during use
- Powder-coated steel with Durathene™ netting
- Color: Black with four straps
- Weight: 28 lbs.
- Dimensions: 83.5" x 24.25" x 7.25" (4 kN 900 lbf.)
- 4 kN (900 lbf.)
- Tapered model



Item# LT1480 | \$413.00

JUNKIN PLASTIC RESCUE LITTER

Features include:

- Stainless steel railings with high-density polyethylene shell and stainless steel outer rail
- Bottom cross ruts recessed to provide rigidity
- Rectangular shape accepts full spine boards
- Weight: 31 lbs.
- Dimensions: 84" x 24" x 7.5"
- Passes 1200 lb. load test
- Available break-apart model for easy storage



Item# LT1550 Standard | \$740.25
 Item# LT1900 Break Apart | \$965.00

1-800-457-3728

Rescue SOURCE

2020
2021



CASCADE RESCUE LITTER FLOTATION SYSTEM

Features include:
System is self-righting, maintaining litter in a head-high horizontal position for ease of loading
Depending on weight distribution, will adequately float up to 400 lbs.
Designed to fit most tube frame litters with daisy chain
Capable of floating the litter, patient and one rescuer
Easily attached and removed for storage
Weight: 4.9 lbs.

Litter not included

Item# LT1765 | \$425.00

SKED STRETCHER SYSTEM

Features include:
SKED Stretcher System combines a practical patient carry and packaging system with lightweight portability
The platform is pre-rigged with four carry handles, six packaging straps, and a drag bridle
The SKED is also highly resistant to chemical reaction and contamination, lending durability and safety to the system
Weight: 18 lbs.
Height: 30" (to saddle bottom)
Dimensions: 36"W x 96"L x 30"H
System includes: Sked Stretcher, Cordura backpack/towing harness, Horizontal lift slings, 30 ft PMI vertical lift line, Steel locking D Carabiner, 6 ft tow strap, 4 built-in handles
Fully assembled, the flexible polyethylene platform with rigging weighs in at only 18 lbs.

Item# LT1650 | \$665.13





CMC LIFESAVER VICTIM HARNESS

UL Classified to NFPA 1983/2017

Features include:

Attaches quickly and securely
Colored web makes using the harness easy
CMC's original V-Ring and snap design allows the harness to be put on without the victim having to step through the harness
Tie-in point also doubles as a "handle"
Storage bag allows easy carry, ready for use, preventing tangling when accessing the victim, and is attached to the harness so it cannot be lost
Weight: 2.9 lbs.
Size: up to 62" waist size

Item# HA9400 | \$255.00



CASCADE RESCUE ADVANCED SERIES TERRAIN MASTER LITTER WHEEL

Features include:

Ideal for rough, muddy, sandy or snow covered trails
8" billet machined aluminum wheel
22" x 11" knobby tire
2 stainless steel quick-ratchet straps, neoprene-lined saddle
Extreme duty powder-coated steel frame and a sports-machined aluminum rim with a stainless steel hub
Simple, durable one-piece design
Weight: 30 lbs.

Item# LT3150 | \$930.00



RQ3 STRETCHER RIGGING PLATE

Features include:

Designed as a connection point with enough holes for all lines
Used for litter points, litter tender or complex systems
Weight: 11.84 oz.
Material: Aluminum
Strength: 12,200 lbf (54kN)
Dimensions: 10" x 3.75"

Item# PR5980 | \$69.50



CASCADE RESCUE ADVANCED SERIES TRAIL TECHNICIAN LITTER WHEEL

Features include:

Neoprene lined saddle
36 stainless spoke wheel
2.75" soft compound grip tire
2 ratchet saddle system
Rapid lock fork system
Constructed of 6061 T6 aluminum, the Advance Series Litter Wheels are designed to be packable and durable
Comes complete with a tough disk brake and easily attached actuator lever
The brake actuator will not fit on plastic type litters
Universal brake clamp fits 1-5/8 inch litter top rails
Weight: 18.5 lbs.
Dimensions: 16"W x 18.5"L x 30"H

Item# LT3100 | \$1,100.00

RANDY AND HIS FAMILY OF WATER RESCUE MANIKINS



The full line of Simulaid manikins are available by special order.

Kit includes:

- Randy and Adolescent Randy are jointed in the arms and legs for easy positioning
- Randy and Adolescent Randy are made of dense, flexible, life-like vinyl
- Add additional 5-10 pounds of weight to sink (weights not supplied, a brick will do). Billy & Timmy can be filled with water and will sink to the bottom
- The child-sized manikins are not fully jointed on the legs and arms

ITEM# RG1100	Randy (Adult)	52 lbs	65" x 23" x 9"	\$849.70
ITEM# RG1000	Adolescent	24 lbs	49" x 16" x 9"	\$744.40
ITEM# RG1300	Timmy (3-Year Old)	8 lbs	34" x 11" x 7"	\$219.80
ITEM# RG1350	Billy (6-9 month old)	5 lbs	26" x 8" x 8"	\$214.25
ITEM# RG1150	Nylon Bag			\$197.95

RANDY 9000

Features include:

- The Simulaids Randy 9000, an optimal training tool, with size, weight and movement realistically imitating a human
- The manikin is made from rugged polyethylene parts that allow for the addition of varying amounts of weight to each of the pieces
- You may add water, sand, or any other substance as long as you can empty the substance out of the parts
- Even when filled to 250 pounds, Randy 9000 will still float, allowing for realistic water training for swiftwater and boat-based rescue
- The empty manikin is easily moved and stored when training is completed. Each sealed piece is assembled with stainless steel hardware
- The range of motion of the joints, including bending at the waist, mimics real life. Randy 9000 may be used in all weather conditions and the joint design protects rescuers' fingers



Item# RG2000 | \$1,894.45



RESQMAX™ LINE DEPLOYMENT SYSTEM

Everything you need to launch a 3mm messenger line up to 350 ft. (107m). Once you have the messenger line across, use it to pull the rescue rope.

Kit includes:

- ResQmax Launcher with folding stock
- Streamline line projectile with 2 spare molded PVC projectile protectors
- 500 ft Dacron messenger line (500 lbf/2.2kN) in line container
- Corrosion Block Lubricant/Rust Inhibitor, 4 oz.
- Streamline filler hose assembly for SCBA
- Cordura kit carrying bag, Red/Black
- Spares kit, operations manual and training DVD

Item# RM1010 | \$2,350.00



RESQMAX™ SWIFTWATER RESCUE KIT

The Sling Projectile inflates on contact with the water to become a flotation collar or an easy to hold floating ring. Average launch distance with the sling projectile is 200 ft. (61 m).

Kit includes:

- ResQmax Launcher with folding stock, Cordura kit carrying bag
- Streamline Sling projectile with 2 spare molded sling burst capsules
- 300 ft. 8mm PolySpectra floating line (2,200 lbf/9.8kN) with line container
- Corrosion block lubricant/rust inhibitor, 4 oz.
- Streamline filler hose assembly for SCBA or SCUBA
- Streamline nozzle protectors, pack of 5
- Cordura kit carrying bag, Red/Black
- Spares kit, operations manual and training DVD

Item# RM1020 | \$2,800.00

Oversize freight charges apply

At any ice incident, the rescuer must always assume the ice will break. Proper **Personal Protective Equipment** is imperative. It may be the difference between life and death. The experts all agree each rescuer needs the following equipment:

Ice Rescue Suit | PFD | Helmet | Knife | Whistle | Ice Picks | Throwbag | River Booties | Ice Staff | Gloves

We also strongly suggest all team members take an Ice Rescue course from a certified provider such as Rescue 3 International.



MUSTANG ICE COMMANDER IC900103

This is the suit of choice for Coast Guard units, SAR teams, fire departments and ice rescue professionals.

Features include:

Welded nylon outer shell
Water-tight hood
Heavy-duty zipper
Safety harness - integral self-adjusting safety harness
Ergonomic ice awl pockets - sleeve pockets customized to attach and stow ice awls
3M™ SOLAS reflective tape for high visibility
Detachable inner buoyancy liner made of closed-cell Airsoft™ foam
Size: Adult Universal
Color: Yellow
Weight: 110-330 lbs.
Height: 4'11" - 6'6" (1.5-2m)

Item# WS1600 | \$810.00

FIRST WATCH RS-1000 ICE RESCUE SUIT

The RS-1000 Rescue Suit has been engineered to don quickly for cold water and ice rescue operations. Designed as a system to meet the safety, mobility and comfort needs of rescue professionals.



Features include:

Internal suspenders
Protective center zipper flap
Stow bag: mesh accessory pocket
Fully adjustable harness
Ice pick pockets
Hi-Flex gloves
3m reflective tape
Easy-ON lining snap attaches to shell
Thigh straps snug down for ultimate fit and control
POLARGRIP knee and elbow pads for extra protection
Hood provides range of fit and comfort
Shell seams stitched and taped for ultimate durability
Wide legs for ease of donning
Thermal guard boots with extra tread
Color: Hi-Vis
Sizes: Universal fit (Built to fit 5'-0" to 6'4")

Item# WS1800 | \$695.19

ICE RESCUE FIELD GUIDE by Raven Rescue



Features include:

Written by Ice Expert: Ron Morrison
Designed for instant reference
Waterproof and tear proof
Includes sections on: Hazard Identification, Determining Ice Thickness, Safe Work Procedures, Rescue Techniques


Item# BK2195 | \$36.00

SECOND CHANCE BALL

Features include:

Retrofit your existing throwbag
Increases accuracy of second toss
Easy to grip even while wearing thick gloves
High visibility for victim

Item# MS1900 | \$5.95




1-800-457-3728

Rescue SOURCE

2020
2021

60



REACH N SLING

Features include:

- Can reach up to 6 feet when extended out straight
- Clip the hook to the ring, and it becomes a high-float sling a victim can pull over their head
- Slip the tube behind the victims and under their arms, then use the web loop to lift them into the boat
- An effective floating boom to stretch across a river, canal, or pond and can be maneuvered from the banks

Item# RG1600 | \$81.00

RQ3 MARK V HOSE INFLATION SYSTEM

The kit contains an aluminum cap and plug end. These fit Standard 2-1/2 inch NST hoses (system designed for 50 ft. of hose). The kit also contains a pre-set safety relief valve on the cap, universal quick connecting system, and a fill hose with SCBA high pressure valve and wheel. This makes filling from your SCBA tank easy and safe. There are tie downs on both the male and female caps for securing safety lines.

Features include:

- Powder-coated for durability
- Use fire hose system for reach rescues
- Fast deployment with tools on hand
- Fire hose system can be used for ice and swiftwater rescue
- Custom storage and carrying case included



Item# FMS7100 | \$399.00



PETZL LASER SPEED ICE SCREW

CE, UIAA

Features include:

- Stronger and more durable steel tube and threading
- Steel treated to reduce weight and increase strength
- Patented sharpening reserve
- Size: 21cm (8.3")

Item# IR1565 | \$59.95

PICK OF LIFE ICE AWLS

by Hammes



Features include:

- Made with two 4" plastic cylinders
- Each cylinder contains a steel pick
- Pick is protected by a retractable, spring-loaded guard
- Self-rescue aid
- Lightweight and compact

Item# IR1600 | \$19.00

Rescue 3 provides a *global* presence

In the current global climate there can be no denying the relevance of technical rescue training. There have been many incidents throughout the world of rescuers with inadequate or no training getting themselves and colleagues into trouble. Training is vital, but once you decide to train, where do you begin?


You begin with Rescue 3 International.

Working with Rescue 3 International enables you to tap into the knowledge of a worldwide network of experts in the disciplines we teach. Our instructors are rescuers on rivers from the American to the Zambezi. They are Rope Access instructors from Australia to Oregon. Our Rope program was born in The Netherlands and vetted by experts from around the world. We take pride in the fact that our curriculum committees are diverse and our quality standards exacting. Rescue 3 International has instructors on six of seven continents (we'll get there Antarctica) and in 67 countries. Our manuals for Swiftwater Rescue and Rope Rescue have been translated from English into more than a dozen languages.

In addition to our world-class training, our student support after the class sets us apart. We understand that documentation and records are vital to the training process, which is why we keep all student records indefinitely and are always available to help students and training officers with accessing those training records.

Join the more than 500,000 students and 1500 instructors who have made Rescue 3 International their choice for training, and you'll see why we are the world leader in technical rescue instruction.

Visit our website (rescue3.com) or give one of our authorized training providers a call, and we'll help you get started.



Water is relentless and can be dangerous. Whether you work or play near water, it is important to train and be prepared.

Rescue 3 Water Courses

BASIC WATER FIRST RESPONDER (BWFR)
CO-WORKER RESCUE FROM WATER - BASIC (CWRWB)
CO-WORKER RESCUE FROM WATER - BASIC & MOVING (CWRWBM)
FLOOD MANAGEMENT FOR NON-EMERGENCY SERVICES (FMNES)
FLOOD OPERATIONS (FO)
FLOOD WORKER SAFETY (FWS)
INLAND RESCUE SWIMMER (IRS)
INLAND RESCUE SWIMMER ADVANCED (IRSA)
INLAND RESCUE SWIMMER COASTAL (IRSC)
LIFEJACKET COMPETENT USER (LJCU)
MANAGEMENT OF WATER & FLOOD INCIDENTS (MWF)
OPERATIONS: SWIFTWATER & FLOOD FIRST RESPONDER (OPS)

RECREATIONAL RIVER SAFETY (RECRS)
RESCUES FROM VEHICLES IN WATER (RVW)
SAFE WORK NEAR WATER (SWNW)
SEARCHING RIVERS AND FLOODS (SRF)
SWIFTWATER & FLOOD AWARENESS ONLINE (AWRO)
SWIFTWATER RESCUE TECHNICIAN® (SRT)
TECHNICAL ANIMAL RESCUE IN SWIFTWATER (TAR)
SWIFTWATER & FLOOD RESCUE TECHNICIAN ADVANCED (SRTA)
WATER & FLOOD AWARENESS (AWR)
WHITewater RESCUE TECHNICIAN - RECREATIONAL (WRT-REC)
WHITewater RESCUE TECHNICIAN PROFESSIONAL (WRTP)

ICE



The nature of ice changes with every shift in temperature and pressure both above and under the ice.

Rescue 3 Ice Courses

SURFACE ICE AWARENESS (SIRA)
SURFACE ICE FIELD SAFETY (SIFS)
SURFACE ICE RESCUE SPECIALIST (SIRS)
SURFACE ICE RESCUE SPECIALIST UPGRADE (SIRSU)
SURFACE ICE RESCUE TECHNICIAN (SIRT)



Rescue 3 Boat Courses

FLOOD RESCUE BOAT OPERATOR (FRBO)
SWIFTWATER RESCUE BOAT OPERATOR (SRBO)
SWIFTWATER AND FLOOD RESCUE BOAT OPERATOR (SFRBO)
SWIFTWATER PADDLE BOAT HANDLING (SPBH)
PERSONAL WATERCRAFT SURF RESCUE TECHNICIAN (PWC)

BOAT

Successful boat operations are a mix of confidence, experience, situational awareness, and solid teamwork.

There are many ways to rig a system for low and high angle rescues. Know your options so you can make a safe, efficient plan.

ROPE



Rescue 3 Rope Courses



- ANIMAL RESCUE TECHNICIAN 1 (ART1)
- ANIMAL RESCUE TECHNICIAN 2 (ART2)
- CO-WORKER RESCUE AT HEIGHTS (CWRH)
- EMERGENCY RESPONDERS (WTAFER)
- FIRST DUE LOW ANGLE (FDLA)
- RECREATIONAL RAPPEL OPERATOR (RECRO)
- ROPE ACCESS FOR EMERGENCY RESPONDERS (RAFER)
- ROPE RESCUE OPERATOR (RRO)
- ROPE RESCUE SPECIALIST (RRS)
- ROPE RESCUE TECHNICIAN (RRT)
- SAFE WORK AT HEIGHTS (SWAH)
- TOWER SAFETY, CLIMBING, AND RESCUE (TWR)
- WIND TURBINE ACCESS FOR EMERGENCY RESPONDERS (WTAFER)
- WIND TURBINE OPERATOR (WTO)



Find courses at:

rescue3.com

New Field Guides



The new field guides, printed on water-resistant paper, are small enough to fit in most pockets.

Item# BK2400
Water Rescue Field Guide \$30.00

Item# BK2425
Rescue Boat Field Guide \$30.00

Rescuers Around the World

CONFINED SPACE



Confined spaces pose specific hazards to those working in the full range of industrial environments.

Rescue 3 Confined Space Courses

- AIR MONITORING QUALIFIED PERSON (AMQP)
- BASIC AIR MONITORING (BAM)
- CONFINED SPACE ENTRY & RESCUE (CSER)
- CONFINED SPACE RESCUE OPERATOR (CSRO)
- CONFINED SPACE RESCUE SPECIALIST (CSRS)
- CONFINED SPACE RESCUE TECHNICIAN (CSRT)
- SAFE WORKING IN CONFINED SPACES (SWCS)



SWIFTWATER & FLOOD RESCUE TECHNICIAN (SRT)
VENEZUELA
INSTRUCTOR: WILLIAMS SARMIENTO



WHITewater RESCUE TECHNICIAN ADVANCED (WRTA)
CIUDAD VALLES, SAN LUIS POTOSI, MEXICO
INSTRUCTOR: ALEJANDRO CUELLAR GIORDANO



CONFINED SPACE - RAVEN RESCUE TEAM
SMITHERS, CANADA
INSTRUCTOR: RON MORRISON



ROPE RESCUE SPECIALIST (RRS)
UNION COLLEGE - LINCOLN, NE
INSTRUCTOR: AARON KENT



SURFACE ICE RESCUE TECHNICIAN (SIRT)
MC HENRY, MD
INSTRUCTORS: MIKE BERNA & MATT KRAUSE



FLOOD RESCUE BOAT OPERATOR (FRBO)
HOUSTON, TX
TRAINING PROVIDER: SAFE RESCUE

Rescue SOURCE

PROUDLY SERVING
THE RESCUE COMMUNITY
SINCE 1991

The Rescue Source Way

Rescue Source prides ourselves on our experience and customer service. We have been serving the rescue community since 1991. Our experienced staff can answer any questions you may have and help you choose the correct equipment for your needs. We're here to pick up the phone. ☎ All of our orders are packaged and shipped by us from our warehouse in Wilton, CA. We don't outsource our work which allows for a cohesive quick order fulfilling process. We can't wait to serve you. Feel free to give us a call at:

1 - 8 0 0 - 4 5 7 - 3 7 2 8

A

Anchor Picket System	
Anchor Plate.....	40-41
Cliff Picket.....	40-41
Picket Driver/Puller.....	40-41
Anchor Straps	49
Ascenders	50
Aztek 4:1	49

B

Bags	
Dry Bags.....	28
Equipment Bags.....	29,47
Radio Harnesses.....	28
Rope Bags.....	46
Throwbags.....	23-25
Waterproof Bags.....	28
Waterproof Cases.....	28
Baker Hanger	22
Boots	16

C

Carabiners	52-53
Cargo Net	27
Cinch Rescue Collar	27
Cliff Pickets	40-41
Crossline Reach Capture ..	25,49
Cutting Gun	48

D

Descenders	51
Drysuit Liner	9
Drysuits	8-9
Drysuit Care	
(Shampoo, Zipper Care, etc).....	22
Hanger.....	22
Neck Ring.....	22

E

Edge Roller	48
Equipment Bags	29,47
Etrier & Etrier with Tie-In	49
Extraction Leash	17

F-G

Figure 8s	50
Fins	17
Flashlights	31
Footwear	16
Gloves	18-19

H

Harnesses	36-37
Hardware	
Anchor & Rigging Plates.....	54
Ascenders.....	50
Carabiners.....	52-53
Descenders.....	51
Pulleys.....	54-55
Headlamps	32
Helmet Accessories	17,34
Helmets	33-35
Hose Inflation System	12,61
Hot Cutter	48

I

Ice Rescue Equipment	60-61
Ice Rescue Field Guide	60
Ice Suits	60

K

Ketch-All Pole	27
Knives	20-21

L-M

Lifejackets	13-15
Lights & Signaling Devices	
Flashlights.....	31
Headlamps.....	32
Strobes.....	30
Throwbag Accessory Light.....	25
Whistle.....	17
Line Guns	59
Litters	56
Load Release Strap	49
Manikins	59

N-O

Neck Ring	22
O Ring	50
Otter Raft Kit	10

P-Q

Packages	4-7
Patient Care	56-59
Litter Flotation System.....	57
Litter Wheels.....	58
SKED Stretcher System.....	57
Petzl ASAP	50
Petzl I'D	51
PFDs	13-15
Pickets	40-41
Prusik	45
Pulleys	54-55
Q-Eights	50

R

Radio Harnesses	28
Rafts	10
Rappel Belt	36
Rescucender	50
Rescue Boards	11
Rescue Devices	26-27
Res-Q Sleds	12
Rigging Plates	54
Rope	42-44
Bags.....	46
Care.....	48
Log.....	48
Rope PPE	
Gloves.....	18-19
Harnesses.....	36-37
Helmets.....	33-35

S

Second Chance Ball	24,60
Sewn Prusik Loop	45
Shrink Tubing	48
Snorkel	17
Strobes	30
Sunbrero	34
Swim Mask	17

T

Throwbags	23-25
Tow Tether	17

U-V

Victim Harness	36,58
-----------------------------	-------

W

Water PPE	
Boots.....	16
Drysuits.....	8-9
Drysuit Care	
(Shampoo, Zipper Care, etc).....	22
Fins.....	17
Gloves.....	18-19
Helmets.....	33-35
Knives.....	20-21
PFDs.....	13-15
Water Rescue Packages.....	4-7
Wetsock.....	16
Wetsuit.....	8
Whistle.....	17
Waterproof Radio Harnesses	28
Webbing	45
Wetsuit	8
Wetsuit Care	
(Shampoo, Zipper Care, etc).....	22
Whip-End Dip Rope Sealer	48
Whistle	17

Products and equipment sold by the Rescue Source are intended for use by professionals, trained and experienced in the use, inspection and maintenance of these specialty products. Other uses such as workers and sportsmen using these products will be held to the same standards of experience and training as professionals.

Payments: US legal tender. Customers can pay for purchases via credit card, company check, bank wire or open account with terms (subject to approval). A \$25 service fee will be charged on all returned checks. All fees incurred in collecting of past due accounts will be the responsibility of the purchaser. Title to the buyer does not pass until the buyer has paid for products and any fees or service charges. A 1-1/2% per mo. (18% annual) charge will be assessed on accounts over 30 days.

Shipping: Delivery to the carrier constitutes delivery to the customer. Visible damage should be reported to the carrier when the package is received. Notify Rescue Source of any problems immediately. Claims reported more than 15 days after receipt may be denied.

Returns & Exchanges: Items must be returned within thirty (30) days of shipment to receive a refund or exchange. 1) Call for return authorization number 2) Return item with RA number to: The Rescue Source Attn: Return Dept. 11084 Jeff Brian Ln Wilton, CA 95693

ALL PRICES SUBJECT TO CHANGES WITHOUT NOTICE

Rescue Source Limited Warranty: We warrant to the original purchaser that Rescue Source manufactured products will be free from defects in mate-

rial and workmanship. This express warranty and all implied warranties imposed by law are limited to one year duration from the date of the original purchase. No other warranties exist or are implied by Rescue Source due to the high risks involved in rescue. This limited warranty in no way limits or alters other manufacturers' warranties on products that are sold or distributed by Rescue Source.

Disclaimer of Express Warranties: Rescue Source warrants that the products and equipment are as described in this catalog, but no other express warranty is made. If any model or sample was shown to buyer, that model or sample was used merely to illustrate the general type and quality of the products.

Rescue
SOURCE

P.O. Box 1050 | Wilton, CA 95693
1-800-457-3728
info@rescuesource.com

YOUR ONE-STOP GEAR SHOP

Rescue
SOURCE

www.rescuesource.com